



HAMMER
SURGICO

ORTHOPEDIC IMPLANTS



Serving HealthCare Worldwide

Manufacturer & Exporter of Quality Instruments

www.hammersurgico.com



**Serving HealthCare
WorldWide
Since 1993**

HS-28-1001 - HS-28-1254	(Page # 1- 6)
Spinal System	1 - 6

HS-29-1001 - HS-29-1238	(Page # 7- 16)
Small Fragment Locking Plates	7 - 16

HS-30-1001 - HS-30-1159	(Page # 17- 19)
Small Fragment Locking Screws	17 - 19

HS-31-1001 - HS-31-1113	(Page # 20- 25)
Small Fragment Non Locking Plates	20 - 25

HS-32-1001 - HS-32-1155	(Page # 26- 29)
Small Fragment Non Locking Screws	26 - 29

HS-33-1001 - HS-33-1181	(Page # 30- 41)
MINI FRAGMENT Locking Plates & Screws	30 - 41

HS-34-1001 - HS-34-1113	(Page # 42- 43)
Chest Wall Fragments Locking Plates & Screws	42 - 43

HS-35-1001 - HS-35-1284	(Page # 44- 55)
LARGE FRAGMENT Locking Plates	44 - 55

HS-36-1001 - HS-36-1157	(Page # 56- 59)
LARGE FRAGMENT Locking Screws	56 - 59

HS-37-1001 - HS-37-1201	(Page # 60- 67)
LARGE FRAGMENT Non Locking Plates	60 - 67

HS-38-1001 - HS-38-1078	(Page # 68- 69)
LARGE FRAGMENT Non Locking Screws	68 - 69

HS-39-1001 - HS-39-1060	(Page # 70- 71)
DHS - DCS PLATES	70 - 71

HS-40-1001 - HS-40-1099	(Page # 72- 76)
ANGLED PLATES	72 - 76

HS-41-1001 - HS-41-1222	(Page # 77- 82)
CANNULATED SCREWS	77 - 82

HS-42-1001 - HS-42-1078	(Page # 83- 84)
HEADLESS SCREWS	83 - 84

HS-43-1001 - HS-43-1019	(Page # 85- 86)
TROCHANTERIC, PLATES, CABLES, GRIPS	85 - 86

HS-44-1001 - HS-44-1483	(Page # 87- 99)
INTRAMEDULLARY NAIL	87 - 99

HS-45-1001 - HS-45-1060	(Page # 100- 102)
EXTERNAL FIXATORS	100 - 102

HS-46-1001 - HS-46-1045	(Page # 103- 106)
EXTERNAL FIXATORS Hybrid	103 - 106

HS-47-1001 - HS-47-1148	(Page # 107- 112)
EXTERNAL FIXATORS Adult Circular	107 - 113

HS-48-1001 - HS-48-1159	(Page # 114- 118)
Small Fragment Locking Screws	114 - 118




Asino Fixed Angle Screw



Asino Fixed - Angle Reduction Screw

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-28-1001	HS-28-2001	4.0 x 25	HS-28-1026	HS-28-1026	6.5 x 30
HS-28-1002	HS-28-2002	4.0 x 30	HS-28-1027	HS-28-1027	6.5 x 35
HS-28-1003	HS-28-2003	4.0 x 35	HS-28-1028	HS-28-1028	6.5 x 40
HS-28-1004	HS-28-2004	4.0 x 40	HS-28-1029	HS-28-1029	6.5 x 45
HS-28-1005	HS-28-2005	4.5 x 25	HS-28-1030	HS-28-1030	6.5 x 50
HS-28-1006	HS-28-2006	4.5 x 30	HS-28-1031	HS-28-1031	6.5 x 55
HS-28-1007	HS-28-2007	4.5 x 35	HS-28-1032	HS-28-1032	6.5 x 60
HS-28-1008	HS-28-2008	4.5 x 40	HS-28-1033	HS-28-1033	6.5 x 65
HS-28-1009	HS-28-2009	4.5 x 45	HS-28-1034	HS-28-1034	7.0 x 30
HS-28-1010	HS-28-2010	5.0 x 30	HS-28-1035	HS-28-1035	7.0 x 35
HS-28-1011	HS-28-2011	5.0 x 35	HS-28-1036	HS-28-1036	7.0 x 40
HS-28-1012	HS-28-2012	5.0 x 40	HS-28-1037	HS-28-1037	7.0 x 45
HS-28-1013	HS-28-2013	5.0 x 45	HS-28-1038	HS-28-1038	7.0 x 50
HS-28-1014	HS-28-2014	5.0 x 50	HS-28-1039	HS-28-1039	7.0 x 55
HS-28-1015	HS-28-2015	5.5 x 30	HS-28-1040	HS-28-1040	7.0 x 60
HS-28-1016	HS-28-2016	5.5 x 35	HS-28-1041	HS-28-1041	7.0 x 65
HS-28-1017	HS-28-2017	5.5 x 40	HS-28-1042	HS-28-1042	7.5 x 30
HS-28-1018	HS-28-2018	5.5 x 45	HS-28-1043	HS-28-1043	7.5 x 35
HS-28-1019	HS-28-2019	5.5 x 50	HS-28-1044	HS-28-1044	7.5 x 40
HS-28-1020	HS-28-2020	6.0 x 30	HS-28-1045	HS-28-1045	7.5 x 45
HS-28-1021	HS-28-2021	6.0 x 35	HS-28-1046	HS-28-1046	7.5 x 50
HS-28-1022	HS-28-2022	6.0 x 40	HS-28-1047	HS-28-1047	7.5 x 55
HS-28-1023	HS-28-2023	6.0 x 45	HS-28-1048	HS-28-1048	7.5 x 60
HS-28-1024	HS-28-2024	6.0 x 50	HS-28-1049	HS-28-1049	7.5 x 65
HS-28-1025	HS-28-2025	6.0 x 55	HS-28-1050	HS-28-1050	

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-28-1051	HS-28-2051	4.0 x 25	HS-28-1068	HS-28-2068	6.0 x 30
HS-28-1052	HS-28-2052	4.0 x 30	HS-28-1069	HS-28-2069	6.0 x 35
HS-28-1053	HS-28-2053	4.0 x 35	HS-28-1070	HS-28-2070	6.0 x 40
HS-28-1054	HS-28-2054	4.0 x 40	HS-28-1071	HS-28-2071	6.0 x 45
HS-28-1055	HS-28-2055	4.5 x 30	HS-28-1072	HS-28-2072	6.0 x 50
HS-28-1056	HS-28-2056	4.5 x 35	HS-28-1073	HS-28-2073	6.5 x 30
HS-28-1057	HS-28-2057	4.5 x 40	HS-28-1074	HS-28-2074	6.5 x 35
HS-28-1058	HS-28-2058	4.5 x 45	HS-28-1075	HS-28-2075	6.5 x 40
HS-28-1059	HS-28-2059	5.0 x 30	HS-28-1076	HS-28-2076	6.5 x 45
HS-28-1060	HS-28-2060	5.0 x 35	HS-28-1077	HS-28-2077	6.5 x 50
HS-28-1061	HS-28-2061	5.0 x 40	HS-28-1078	HS-28-2078	6.5 x 55
HS-28-1062	HS-28-2062	5.0 x 45	HS-28-1079	HS-28-2079	7.0 x 30
HS-28-1063	HS-28-2063	5.5 x 30	HS-28-1080	HS-28-2080	7.0 x 35
HS-28-1064	HS-28-2064	5.5 x 35	HS-28-1081	HS-28-2081	7.0 x 40
HS-28-1065	HS-28-2065	5.5 x 40	HS-28-1082	HS-28-2082	7.0 x 45
HS-28-1066	HS-28-2066	5.5 x 45	HS-28-1083	HS-28-2083	7.0 x 50
HS-28-1067	HS-28-2067	5.5 x 50			




Asino Multi - Axial Screw




Asino Multi - Axial Reduction Screw

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-28-1068	HS-28-2068	4.0 x 25	HS-28-1091	HS-28-2091	6.5 x 30
HS-28-1069	HS-28-2069	4.0 x 30	HS-28-1092	HS-28-2092	6.5 x 35
HS-28-1070	HS-28-2070	4.0 x 35	HS-28-1093	HS-28-2093	6.5 x 40
HS-28-1071	HS-28-2071	4.0 x 40	HS-28-1094	HS-28-2094	6.5 x 45
HS-28-1072	HS-28-2072	4.5 x 30	HS-28-1095	HS-28-2095	6.5 x 50
HS-28-1073	HS-28-2073	4.5 x 35	HS-28-1096	HS-28-2096	6.5 x 55
HS-28-1074	HS-28-2074	4.5 x 40	HS-28-1097	HS-28-2097	7.0 x 30
HS-28-1075	HS-28-2075	4.5 x 45	HS-28-1098	HS-28-2098	7.0 x 35
HS-28-1076	HS-28-2076	5.0 x 30	HS-28-1099	HS-28-2099	7.0 x 40
HS-28-1077	HS-28-2077	5.0 x 35	HS-28-1100	HS-28-2100	7.0 x 45
HS-28-1078	HS-28-2078	5.0 x 40	HS-28-1101	HS-28-2101	7.0 x 50
HS-28-1079	HS-28-2079	5.0 x 45	HS-28-1102	HS-28-2102	7.5 x 30
HS-28-1080	HS-28-2080	5.5 x 30	HS-28-1103	HS-28-2103	7.5 x 35
HS-28-1081	HS-28-2081	5.5 x 35	HS-28-1104	HS-28-2104	7.5 x 40
HS-28-1082	HS-28-2082	5.5 x 40	HS-28-1105	HS-28-2105	7.5 x 45
HS-28-1083	HS-28-2083	5.5 x 45	HS-28-1106	HS-28-2106	7.5 x 50
HS-28-1084	HS-28-2084	5.5 x 50	HS-28-1107	HS-28-2107	7.5 x 55
HS-28-1085	HS-28-2085	6.0 x 30	HS-28-1108	HS-28-2108	7.5 x 60
HS-28-1086	HS-28-2086	6.0 x 35	HS-28-1109	HS-28-2109	7.5 x 65
HS-28-1087	HS-28-2087	6.0 x 40			
HS-28-1088	HS-28-2088	6.0 x 45			
HS-28-1089	HS-28-2089	6.0 x 50			
HS-28-1090	HS-28-2090	6.0 x 55			

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-28-1110	HS-28-2110	4.0 x 25	HS-28-1127	HS-28-2127	6.0 x 30
HS-28-1111	HS-28-2111	4.0 x 30	HS-28-1128	HS-28-2128	6.0 x 35
HS-28-1112	HS-28-2112	4.0 x 35	HS-28-1129	HS-28-2129	6.0 x 40
HS-28-1113	HS-28-2113	4.0 x 40	HS-28-1130	HS-28-2130	6.0 x 45
HS-28-1114	HS-28-2114	4.5 x 30	HS-28-1131	HS-28-2131	6.0 x 50
HS-28-1115	HS-28-2115	4.5 x 35	HS-28-1132	HS-28-2132	6.5 x 30
HS-28-1116	HS-28-2116	4.5 x 40	HS-28-1133	HS-28-2133	6.5 x 35
HS-28-1117	HS-28-2117	4.5 x 45	HS-28-1134	HS-28-2134	6.5 x 40
HS-28-1118	HS-28-2118	5.0 x 30	HS-28-1135	HS-28-2135	6.5 x 45
HS-28-1119	HS-28-2119	5.0 x 35	HS-28-1136	HS-28-2136	6.5 x 50
HS-28-1120	HS-28-2120	5.0 x 40	HS-28-1137	HS-28-2137	7.0 x 35
HS-28-1121	HS-28-2121	5.0 x 45	HS-28-1138	HS-28-2138	7.0 x 40
HS-28-1122	HS-28-2122	5.0 x 50	HS-28-1139	HS-28-2139	7.0 x 45
HS-28-1123	HS-28-2123	5.5 x 30			
HS-28-1124	HS-28-2124	5.5 x 35			
HS-28-1125	HS-28-2125	5.5 x 40			
HS-28-1126	HS-28-2126	5.5 x 45			



Asino Cross Link Plate



6.0 mm Hook

S.S	TI.	TYPE
HS-28-1160	HS-28-2160	Pedicle Hook
HS-28-1161	HS-28-2161	Laminar Hook
HS-28-1162	HS-28-2162	Transverse Process Hook

S.S

HS-28-1156

HS-28-1157

HS-28-1158

HS-28-1159

TI.

HS-28-2156

HS-28-2157

HS-28-2158

HS-28-2159


DIA. X
LENGTH (mm)

6.0 x 28

6.0 x 48


6.0 x 68

6.0 x 88




Set Screw

S.S	TI.
HS-28-1163	HS-28-2163




Lateral Connector 6.0 mm

S.S	TI.
HS-28-1164	HS-28-2164




Connector 6.0 mm

S.S	TI.
HS-28-1165	HS-28-2165




Rod 6.0 mm



Pediatric Rod 5.0 mm

S.S	TI.	DIA. X LENGTH (mm)
HS-28-1166	HS-28-2166	6.0 x 30
HS-28-1167	HS-28-2167	6.0 x 35
HS-28-1168	HS-28-2168	6.0 x 40
HS-28-1169	HS-28-2169	6.0 x 50
HS-28-1170	HS-28-2170	6.0 x 60
HS-28-1171	HS-28-2171	6.0 x 70
HS-28-1172	HS-28-2172	6.0 x 80
HS-28-1173	HS-28-2173	6.0 x 90
HS-28-1174	HS-28-2174	6.0 x 100
HS-28-1175	HS-28-2175	6.0 x 110
HS-28-1176	HS-28-2176	6.0 x 250
HS-28-1177	HS-28-2177	6.0 x 500


S.S	TI.	DIA. X LENGTH (mm)
HS-28-1178	HS-28-2178	5.0 x 60
HS-28-1179	HS-28-2179	5.0 x 80
HS-28-1180	HS-28-2180	5.0 x 100
HS-28-1181	HS-28-2181	5.0 x 110
HS-28-1182	HS-28-2182	5.0 x 120
HS-28-1183	HS-28-2183	5.0 x 130
HS-28-1184	HS-28-2184	5.0 x 140
HS-28-1185	HS-28-2185	5.0 x 150
HS-28-1186	HS-28-2186	5.0 x 160
HS-28-1187	HS-28-2187	5.0 x 180
HS-28-1188	HS-28-2188	5.0 x 200
HS-28-1189	HS-28-2189	5.0 x 240
HS-28-1190	HS-28-2190	5.0 x 260
HS-28-1191	HS-28-2191	5.0 x 280
HS-28-1192	HS-28-2192	5.0 x 300
HS-28-1193	HS-28-2193	5.0 x 320
HS-28-1194	HS-28-2194	5.0 x 340
HS-28-1195	HS-28-2195	5.0 x 360
HS-28-1196	HS-28-2196	5.0 x 380



Anterior Cervical Plate 1



Anterior Cervical Screw Plate Locking Apparatus



Anterior Cervical Plate 2

S.S	TI.	LENGTH (mm)
HS-28-1197	HS-28-2197	26
HS-28-1198	HS-28-2198	30
HS-28-1199	HS-28-2199	33
HS-28-1200	HS-28-2200	36
HS-28-1201	HS-28-2201	39
HS-28-1202	HS-28-2202	42
HS-28-1203	HS-28-2203	45
HS-28-1204	HS-28-2204	48
HS-28-1205	HS-28-2205	51
HS-28-1206	HS-28-2206	54
HS-28-1207	HS-28-2207	57
HS-28-1208	HS-28-2208	61
HS-28-1209	HS-28-2209	64
HS-28-1210	HS-28-2210	70

S.S	TI.
HS-28-1211	HS-28-2211



Cervical Screw

S.S	TI.
HS-28-1212	HS-28-2212
HS-28-1213	HS-28-2213
HS-28-1214	HS-28-2214
HS-28-1215	HS-28-2215
HS-28-1216	HS-28-2216

S.S	TI.	LENGTH (mm)
HS-28-1217	HS-28-2217	25
HS-28-1218	HS-28-2218	27
HS-28-1219	HS-28-2219	30
HS-28-1220	HS-28-2220	32
HS-28-1221	HS-28-2221	35
HS-28-1222	HS-28-2222	37
HS-28-1223	HS-28-2223	40
HS-28-1224	HS-28-2224	45
HS-28-1225	HS-28-2225	50
HS-28-1226	HS-28-2226	55
HS-28-1227	HS-28-2227	60
HS-28-1228	HS-28-2228	65
HS-28-1229	HS-28-2229	70
HS-28-1230	HS-28-2230	75




Curvical Expansion Head Locking Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-28-1231	HS-28-2231	4.0 x 13
HS-28-1232	HS-28-2232	4.0 x 14
HS-28-1233	HS-28-2233	4.0 x 15
HS-28-1234	HS-28-2234	4.0 x 16
HS-28-1235	HS-28-2235	4.0 x 17
HS-28-1236	HS-28-2236	4.0 x 18



Head Expansion Aparatus



Anterior Thoracic and Lumber Plate

S.S	TI.	DIA. X LENGTH (mm)
HS-28-1237	HS-28-2237	60
HS-28-1238	HS-28-2238	65
HS-28-1239	HS-28-2239	70
HS-28-1240	HS-28-2240	75
HS-28-1241	HS-28-2241	80
HS-28-1242	HS-28-2242	85
HS-28-1243	HS-28-2243	90
HS-28-1244	HS-28-2244	100



Anterior Thoracic and Lumber Bolt


S.S	TI.	DIA. X LENGTH (mm)
HS-28-1245	HS-28-2245	6.5 x 30
HS-28-1246	HS-28-2246	6.5 x 35
HS-28-1247	HS-28-2247	6.5 x 40
HS-28-1248	HS-28-2248	6.5 x 45
HS-28-1249	HS-28-2249	6.5 x 50



Anterior Thoracic and Lumber Screw


S.S	TI.	DIA. X LENGTH (mm)
HS-28-1250	HS-28-2250	6.5 x 30
HS-28-1251	HS-28-2251	6.5 x 35
HS-28-1252	HS-28-2252	6.5 x 40
HS-28-1253	HS-28-2253	6.5 x 45
HS-28-1254	HS-28-2254	6.5 x 50

Locking Plates




3.5 mm Clavicle Locking Compression Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	10.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1001	HS-29-2001	6	LEFT	70
HS-29-1002	HS-29-2002	7	LEFT	84
HS-29-1003	HS-29-2003	8	LEFT	98
HS-29-1004	HS-29-2004	9	LEFT	112
HS-29-1005	HS-29-2005	6	RIGHT	70
HS-29-1006	HS-29-2006	7	RIGHT	84
HS-29-1007	HS-29-2007	8	RIGHT	98
HS-29-1008	HS-29-2008	9	RIGHT	112



3.5 mm Clavicle Hook Locking Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 mm)		3.0	9.8 - 15.8	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1009	HS-29-2009	4	LEFT	63
HS-29-1010	HS-29-2010	5	LEFT	75
HS-29-1011	HS-29-2011	6	LEFT	86
HS-29-1012	HS-29-2012	7	LEFT	97
HS-29-1013	HS-29-2013	4	RIGHT	63
HS-29-1014	HS-29-2014	5	RIGHT	75
HS-29-1015	HS-29-2015	6	RIGHT	86
HS-29-1016	HS-29-2016	7	RIGHT	97



2.7 / 3.5 mm Distal Clavicle Locking Compression Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (2.7 / 3.5 / 4.0 mm)		2.5	10.0 - 18.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1017	HS-29-2017	3	LEFT	66.5
HS-29-1018	HS-29-2018	4	LEFT	78.7
HS-29-1019	HS-29-2019	5	LEFT	91.1
HS-29-1020	HS-29-2020	6	LEFT	103.2
HS-29-1021	HS-29-2021	7	LEFT	113.8
HS-29-1022	HS-29-2022	3	RIGHT	66.5
HS-29-1023	HS-29-2023	4	RIGHT	78.7
HS-29-1024	HS-29-2024	5	RIGHT	91.1
HS-29-1025	HS-29-2025	6	RIGHT	103.2
HS-29-1026	HS-29-2026	7	RIGHT	113.8

Locking Plates




3.5 mm Clavicle Reconstruction Locking Compression Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	10.0	
S.S	TI.	HOLES	SIDE	LENGTH (mm)
HS-29-1027	HS-29-2027	6	LEFT	94.3
HS-29-1028	HS-29-2028	7	LEFT	107.8
HS-29-1029	HS-29-2029	8	LEFT	121
HS-29-1030	HS-29-2030	9	LEFT	133
HS-29-1031	HS-29-2031	6	RIGHT	94.3
HS-29-1032	HS-29-2032	7	RIGHT	107.8
HS-29-1033	HS-29-2033	8	RIGHT	121
HS-29-1034	HS-29-2034	9	RIGHT	133



3.5 mm Proximal Humerus Locking Compression Plate 1


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	12.3 - 20.6	
S.S	TI.	HOLES	LENGTH (mm)	
HS-29-1035	HS-29-2035	3	61.1	
HS-29-1036	HS-29-2036	4	73.1	
HS-29-1037	HS-29-2037	5	85.1	
HS-29-1038	HS-29-2038	6	97.1	
HS-29-1039	HS-29-2039	7	109.1	
HS-29-1040	HS-29-2040	8	121.1	



3.5 mm Proximal Humerus Locking Compression Plate 2


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	12.4 - 20.2	
S.S	TI.	HOLES	LENGTH (mm)	
HS-29-1041	HS-29-2041	3	87	
HS-29-1042	HS-29-2042	4	99	
HS-29-1043	HS-29-2043	5	111	
HS-29-1044	HS-29-2044	6	123	
HS-29-1045	HS-29-2045	7	135	
HS-29-1046	HS-29-2046	8	147	
HS-29-1047	HS-29-2047	9	159	

Locking Plates




3.5 mm Proximal Humerus Locking Compression Plate 3

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	3.0	12.4 - 20.2	
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1048	HS-29-2048	3	122
HS-29-1049	HS-29-2049	4	140
HS-29-1050	HS-29-2050	5	158
HS-29-1051	HS-29-2051	6	176
HS-29-1052	HS-29-2052	7	194



3.5 mm CloverLeaf Locking Plate


Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	3.0	12.3 - 20.6	
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1053	HS-29-2053	3	88.1
HS-29-1054	HS-29-2054	4	104.1
HS-29-1055	HS-29-2055	5	120.1
HS-29-1056	HS-29-2056	6	136.1
HS-29-1057	HS-29-2057	7	152.1
HS-29-1058	HS-29-2058	8	168.1



3.5 mm Distal Lateral Humerus Locking Plate


Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (2.7 / 3.5 / 4.0 mm)		2.5		10.0 - 18.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-29-1059	HS-29-2059	5	LEFT	56.5	
HS-29-1060	HS-29-2060	7	LEFT	83.5	
HS-29-1061	HS-29-2061	9	LEFT	108.5	
HS-29-1062	HS-29-2062	11	LEFT	133.5	
HS-29-1063	HS-29-2063	13	LEFT	158.5	
HS-29-1064	HS-29-2064	15	LEFT	183.5	
HS-29-1065	HS-29-2065	5	RIGHT	56.5	
HS-29-1066	HS-29-2066	7	RIGHT	83.5	
HS-29-1067	HS-29-2067	9	RIGHT	108.5	
HS-29-1068	HS-29-2068	11	RIGHT	133.5	
HS-29-1069	HS-29-2069	13	RIGHT	158.5	
HS-29-1070	HS-29-2070	15	RIGHT	183.5	

Locking Plates




2.7 / 3.5 mm Distal Humerus Dorsolateral Locking Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (2.7 / 3.5 / 4.0 mm)		3.0	11.0 - 22.8	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1071	HS-29-2071	5	LEFT	103.9
HS-29-1072	HS-29-2072	7	LEFT	126.9
HS-29-1073	HS-29-2073	9	LEFT	152.9
HS-29-1074	HS-29-2074	11	LEFT	178.9
HS-29-1075	HS-29-2075	13	LEFT	204.9
HS-29-1076	HS-29-2076	5	RIGHT	103.9
HS-29-1077	HS-29-2077	7	RIGHT	126.9
HS-29-1078	HS-29-2078	9	RIGHT	152.9
HS-29-1079	HS-29-2079	11	RIGHT	178.9
HS-29-1080	HS-29-2080	13	RIGHT	204.9



3.5 mm Distal Medial Humerus Locking Plate 1


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		2.5	10.0	
S.S	TI.	HOLES	LENTGH (mm)	
HS-29-1081	HS-29-2081	6	69.5	
HS-29-1082	HS-29-2082	8	94	
HS-29-1083	HS-29-2083	10	114	
HS-29-1084	HS-29-2084	12	138.5	
HS-29-1085	HS-29-2085	14	163	
HS-29-1086	HS-29-2086	16	184	




2.7 / 3.5 mm Distal Medial Humerus Locking Plate 2

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (2.7 / 3.5 / 4.0 mm)		2.5	11.2	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1087	HS-29-2087	6	LEFT	84.8
HS-29-1088	HS-29-2088	8	LEFT	109.3
HS-29-1089	HS-29-2089	10	LEFT	133.8
HS-29-1090	HS-29-2090	12	LEFT	158.3
HS-29-1091	HS-29-2091	14	LEFT	182.8
HS-29-1092	HS-29-2092	16	LEFT	207.3
HS-29-1093	HS-29-2093	6	RIGHT	84.8
HS-29-1094	HS-29-2094	8	RIGHT	109.3
HS-29-1095	HS-29-2095	10	RIGHT	133.8
HS-29-1096	HS-29-2096	12	RIGHT	158.3
HS-29-1097	HS-29-2097	14	RIGHT	182.8
HS-29-1098	HS-29-2098	16	RIGHT	207.3


Locking Plates



3.5 mm Y - Distal Humerus Locking Plate 1



3.5 mm Olecranon Locking Compression Plate 1




3.5 mm Olecranon Locking Compression Plate 2

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 mm)		3.0	12.0 - 56.4	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1099	HS-29-2099	3	LEFT	91.4
HS-29-1100	HS-29-2100	4	LEFT	106.4
HS-29-1101	HS-29-2101	5	LEFT	121.4
HS-29-1102	HS-29-2102	6	LEFT	136.4
HS-29-1103	HS-29-2103	7	LEFT	151.4
HS-29-1104	HS-29-2104	8	LEFT	166.4
HS-29-1105	HS-29-2105	3	RIGHT	91.4
HS-29-1106	HS-29-2106	4	RIGHT	106.4
HS-29-1107	HS-29-2107	5	RIGHT	121.4
HS-29-1108	HS-29-2108	6	RIGHT	136.4
HS-29-1109	HS-29-2109	7	RIGHT	151.4
HS-29-1110	HS-29-2110	8	RIGHT	166.4

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.0 / 3.5 / 2.7 / 2.3 mm)		2.5	11.0 - 15.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1111	HS-29-2111	4	LEFT	128.8
HS-29-1112	HS-29-2112	6	LEFT	153.7
HS-29-1113	HS-29-2113	8	LEFT	179.8
HS-29-1114	HS-29-2114	4	RIGHT	128.8
HS-29-1115	HS-29-2115	6	RIGHT	153.7
HS-29-1116	HS-29-2116	8	RIGHT	179.8


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		2.5	11.5 - 18.25	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1117	HS-29-2117	3	LEFT	67.2
HS-29-1118	HS-29-2118	4	LEFT	79.6
HS-29-1119	HS-29-2119	5	LEFT	92.1
HS-29-1120	HS-29-2120	6	LEFT	104.6
HS-29-1121	HS-29-2121	7	LEFT	117
HS-29-1122	HS-29-2122	8	LEFT	129.4
HS-29-1123	HS-29-2123	3	RIGHT	67.2
HS-29-1124	HS-29-2124	4	RIGHT	79.6
HS-29-1125	HS-29-2125	5	RIGHT	92.1
HS-29-1126	HS-29-2126	6	RIGHT	104.6
HS-29-1127	HS-29-2127	7	RIGHT	117
HS-29-1128	HS-29-2128	8	RIGHT	129.4

Locking Plates




3.5 mm Metaphysis Locking Compression Plate 1

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 / 4.0 mm)		3.0	10.3
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1129	HS-29-2129	6	86
HS-29-1130	HS-29-2130	7	99
HS-29-1131	HS-29-2131	8	112
HS-29-1132	HS-29-2132	9	125
HS-29-1133	HS-29-2133	11	151
HS-29-1134	HS-29-2134	13	177



3.5 mm Locking Compression Hook Plate


Screw To Be Used		Thickness (mm)	Width (mm)
Ø (4.0 / 3.5 mm)		2.0	10.3
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1135	HS-29-2135	5	64.4
HS-29-1136	HS-29-2136	6	72.9
HS-29-1137	HS-29-2137	7	81.4
HS-29-1138	HS-29-2138	8	89.9
HS-29-1139	HS-29-2139	9	98.4
HS-29-1140	HS-29-2140	10	106.9
HS-29-1141	HS-29-2141	11	115.4
HS-29-1142	HS-29-2142	12	123.9
HS-29-1143	HS-29-2143	13	132.4




3.5 mm Locking Compression Plate

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 / 4.0 mm)		3.0	10.5
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1144	HS-29-2144	4	58
HS-29-1145	HS-29-2145	5	72
HS-29-1146	HS-29-2146	6	86
HS-29-1147	HS-29-2147	7	100
HS-29-1148	HS-29-2148	8	114
HS-29-1149	HS-29-2149	9	128
HS-29-1150	HS-29-2150	10	142
HS-29-1151	HS-29-2151	11	156
HS-29-1152	HS-29-2152	12	170


Locking Plates



1/3 Tubular Locking Plate



3.5 mm Reconstruction Locking Plate





3.5 mm Ulna / Radius Anatomic Locking Plate

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 mm)	1.5	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1153	HS-29-2153	4	54
HS-29-1154	HS-29-2154	5	66
HS-29-1155	HS-29-2155	6	78
HS-29-1156	HS-29-2156	7	90
HS-29-1157	HS-29-2157	8	102
HS-29-1158	HS-29-2158	9	114
HS-29-1159	HS-29-2159	10	126
HS-29-1160	HS-29-2160	11	138
HS-29-1161	HS-29-2161	12	150
HS-29-1162	HS-29-2162	13	162


Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.0 / 3.5 mm)	3.0	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1163	HS-29-2163	4	48
HS-29-1164	HS-29-2164	5	60
HS-29-1165	HS-29-2165	6	72
HS-29-1166	HS-29-2166	7	84
HS-29-1167	HS-29-2167	8	96
HS-29-1168	HS-29-2168	9	108
HS-29-1169	HS-29-2169	10	120
HS-29-1170	HS-29-2170	11	132
HS-29-1171	HS-29-2171	12	144

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	2.5	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1172	HS-29-2172	5	69
HS-29-1173	HS-29-2173	6	82
HS-29-1174	HS-29-2174	7	95.4
HS-29-1175	HS-29-2175	8	108.8
HS-29-1176	HS-29-2176	9	121.2


Locking Plates



3.5 mm Curved Reconstruction Locking Plate



2.7 / 3.5 mm Distal Radius Locking Plate 1




2.7 / 3.5 mm Distal Radius Locking Plate 2

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 mm)	3.0	12.0	
S.S	TL	HOLES	LENTGH (mm)
HS-29-1177	HS-29-2177	4	61.4
HS-29-1178	HS-29-2178	5	77.8
HS-29-1179	HS-29-2179	6	93.7
HS-29-1180	HS-29-2180	7	109.4
HS-29-1181	HS-29-2181	8	125.0
HS-29-1182	HS-29-2182	9	140.2
HS-29-1183	HS-29-21183	10	155.0
HS-29-1184	HS-29-2184	11	169.9
HS-29-1185	HS-29-2185	12	184.7
HS-29-1186	HS-29-2186	13	198.0
HS-29-1187	HS-29-2187	14	212.0


Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (4.0 / 3.5 / 2.7 mm)		2.0		9.1 - 25.6	
S.S	TL	HOLES		SIDE	LENTGH (mm)
HS-29-1188	HS-29-2188	3		LEFT	54
HS-29-1189	HS-29-2189	4		LEFT	62
HS-29-1190	HS-29-2190	5		LEFT	70
HS-29-1191	HS-29-2191	6		LEFT	78
HS-29-1192	HS-29-2192	7		LEFT	86
HS-29-1193	HS-29-2193	3		RIGHT	54
HS-29-1194	HS-29-2194	4		RIGHT	62
HS-29-1195	HS-29-2195	5		RIGHT	70
HS-29-1196	HS-29-2196	6		RIGHT	78
HS-29-1197	HS-29-2197	7		RIGHT	86

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (2.7 / 3.5 mm)		2.0	10.0 - 28.0	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-29-1198	HS-29-2198	3	LEFT	63.2
HS-29-1199	HS-29-2199	4	LEFT	71.2
HS-29-1200	HS-29-2200	5	LEFT	79.2
HS-29-1201	HS-29-2201	6	LEFT	87.2
HS-29-1202	HS-29-2202	7	LEFT	95.2
HS-29-1203	HS-29-2203	3	RIGHT	63.2
HS-29-1204	HS-29-2204	4	RIGHT	71.2
HS-29-1205	HS-29-2205	5	RIGHT	79.2
HS-29-1206	HS-29-2206	6	RIGHT	87.2
HS-29-1207	HS-29-2207	7	RIGHT	95.2


Locking Plates



3.5 mm Locking Compression T - Plate Right - Angled
(3 Holes On Head)



3.5 mm Locking Compression T - Plate Oblique - Angled




3.5 mm Locking Compression T - Plate Right - Angled
(4 Holes on Head)

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 / 4.0 mm)		1.8	10.7 - 24.7
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1208	HS-29-2208	3	49
HS-29-1209	HS-29-2209	4	61
HS-29-1210	HS-29-2210	5	73
HS-29-1211	HS-29-2211	6	85


Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (4.0 / 3.5 mm)		2.0		10.0 - 23.8	
S.S	TI.	HOLES		SIDE	LENTGH (mm)
HS-29-1212	HS-29-2212	3		LEFT	53
HS-29-1213	HS-29-2213	4		LEFT	66.5
HS-29-1214	HS-29-2214	5		LEFT	80
HS-29-1215	HS-29-2215	6		LEFT	93.5
HS-29-1216	HS-29-2216	3		RIGHT	53
HS-29-1217	HS-29-2217	4		RIGHT	66.5
HS-29-1218	HS-29-2218	5		RIGHT	80
HS-29-1219	HS-29-2219	6		RIGHT	93.5

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 / 4.0 mm)		1.8	11.2 - 33.0
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1220	HS-29-2220	3	46
HS-29-1221	HS-29-2221	4	57
HS-29-1222	HS-29-2222	5	68
HS-29-1223	HS-29-2223	6	80


Locking Plates



2.7 mm Radius Head Locking Plate



2.7 mm Hallux - Valgus Locking Plate




Attachment Locking Plate

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (2.7 mm)	1.5	8.4 - 20.4	
S.S	TI.	HOLES	LENTGH (mm)
HS-29-1224	HS-29-2224	3	33
HS-29-1225	HS-29-2225	5	47

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (2.7 mm)		1.5	6.5 - 16.8	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-29-1226	HS-29-2226	2	90° LEFT	33
HS-29-1227	HS-29-2227	3	90° LEFT	35
HS-29-1228	HS-29-2228	4	90° LEFT	37
HS-29-1229	HS-29-2229	2	110° LEFT	33
HS-29-1230	HS-29-2230	3	110° LEFT	35
HS-29-1231	HS-29-2231	4	110° LEFT	37
HS-29-1232	HS-29-2232	2	90° RIGHT	33
HS-29-1233	HS-29-2233	3	90° RIGHT	35
HS-29-1234	HS-29-2234	4	90° RIGHT	37
HS-29-1235	HS-29-2235	2	110° RIGHT	33
HS-29-1236	HS-29-2236	3	110° RIGHT	35
HS-29-1237	HS-29-2237	4	110° RIGHT	37


Screw To Be Used		Thickness (mm)	
Ø (3.5 mm)		1.8	
S.S	TI.	TYPE	
HS-29-11238	HS-29-2238	SMALL	

Locking Screws




3.5 mm - Self - Tapping Locking Screw

S.S	TI.	DIA. x LENGTH (mm)	S.S	TI.	DIA. x LENGTH (mm)
HS-30-1001	HS-30-2001	3.5 x 10	HS-30-1014	HS-30-2014	3.5 x 36
HS-30-1002	HS-30-2002	3.5 x 12	HS-30-1015	HS-30-2015	3.5 x 38
HS-30-1003	HS-30-2003	3.5 x 14	HS-30-1016	HS-30-2016	3.5 x 40
HS-30-1004	HS-30-2004	3.5 x 16	HS-30-1017	HS-30-2017	3.5 x 42
HS-30-1005	HS-30-2005	3.5 x 18	HS-30-1018	HS-30-2018	3.5 x 44
HS-30-1006	HS-30-2006	3.5 x 20	HS-30-1019	HS-30-2019	3.5 x 46
HS-30-1007	HS-30-2007	3.5 x 22	HS-30-1020	HS-30-2020	3.5 x 48
HS-30-1008	HS-30-2008	3.5 x 24	HS-30-1021	HS-30-2021	3.5 x 50
HS-30-1009	HS-30-2009	3.5 x 26	HS-30-1022	HS-30-2022	3.5 x 55
HS-30-1010	HS-30-2010	3.5 x 28	HS-30-1023	HS-30-2023	3.5 x 60
HS-30-1011	HS-30-2011	3.5 x 30			
HS-30-1012	HS-30-2012	3.5 x 32			
HS-30-1013	HS-30-2013	3.5 x 34			



3.5 mm Low - Profile Locking Screw


S.S	TI.	DIA. x LENGTH (mm)
HS-30-1024	HS-30-2024	3.5 x 10
HS-30-1025	HS-30-2025	3.5 x 12
HS-30-1026	HS-30-2026	3.5 x 14
HS-30-1027	HS-30-2027	3.5 x 16
HS-30-1028	HS-30-2028	3.5 x 18
HS-30-1029	HS-30-2029	3.5 x 20
HS-30-1030	HS-30-2030	3.5 x 22
HS-30-1031	HS-30-2031	3.5 x 24
HS-30-1032	HS-30-2032	3.5 x 26
HS-30-1033	HS-30-2033	3.5 x 28



3.5 mm Locking Cancellous Screw Full Threaded

S.S	TI.	DIA. x LENGTH (mm)	S.S	TI.	DIA. x LENGTH (mm)
HS-30-1034	HS-30-2034	3.5 x 10	HS-30-1047	HS-30-2047	3.5 x 36
HS-30-1035	HS-30-2035	3.5 x 12	HS-30-1048	HS-30-2048	3.5 x 38
HS-30-1036	HS-30-2036	3.5 x 14	HS-30-1049	HS-30-2049	3.5 x 40
HS-30-1037	HS-30-2037	3.5 x 16	HS-30-1050	HS-30-2050	3.5 x 42
HS-30-1038	HS-30-2038	3.5 x 18	HS-30-1051	HS-30-2051	3.5 x 44
HS-30-1039	HS-30-2039	3.5 x 20	HS-30-1052	HS-30-2052	3.5 x 46
HS-30-1040	HS-30-2040	3.5 x 22	HS-30-1053	HS-30-2053	3.5 x 48
HS-30-1041	HS-30-2041	3.5 x 24	HS-30-1054	HS-30-2054	3.5 x 50
HS-30-1042	HS-30-2042	3.5 x 26	HS-30-1055	HS-30-2055	3.5 x 55
HS-30-1043	HS-30-2043	3.5 x 28	HS-30-1056	HS-30-2056	3.5 x 60
HS-30-1044	HS-30-2044	3.5 x 30			
HS-30-1045	HS-30-2045	3.5 x 32			
HS-30-1046	HS-30-2046	3.5 x 34			

Locking Screws



3.5 mm Locking Cancellous Screw Partially Threaded

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1057	HS-30-2057	3.5 x 20
HS-30-1058	HS-30-2058	3.5 x 22
HS-30-1059	HS-30-2059	3.5 x 24
HS-30-1060	HS-30-2060	3.5 x 26
HS-30-1061	HS-30-2061	3.5 x 28
HS-30-1062	HS-30-2062	3.5 x 30
HS-30-1063	HS-30-2063	3.5 x 32
HS-30-1064	HS-30-2064	3.5 x 34
HS-30-1065	HS-30-2065	3.5 x 36

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1066	HS-30-2066	3.5 x 38
HS-30-1067	HS-30-2067	3.5 x 40
HS-30-1068	HS-30-2068	3.5 x 42
HS-30-1069	HS-30-2069	3.5 x 44
HS-30-1070	HS-30-2070	3.5 x 46
HS-30-1071	HS-30-2071	3.5 x 48
HS-30-1072	HS-30-2072	3.5 x 50
HS-30-1073	HS-30-2073	3.5 x 55
HS-30-1074	HS-30-2074	3.5 x 60




3.5 mm Cable Locking Screw

S.S	TI.
HS-30-1075	HS-30-2075



3.5 mm Locking Screw Plug


S.S	TI.
HS-30-1076	HS-30-2076



2.7 mm Locking Screw (5.5 mm Head DIA.)

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1077	HS-30-2077	2.4 x 6
HS-30-1078	HS-30-2078	2.4 x 8
HS-30-1079	HS-30-2079	2.4 x 10
HS-30-1080	HS-30-2080	2.4 x 12
HS-30-1081	HS-30-2081	2.4 x 14
HS-30-1082	HS-30-2082	2.4 x 16
HS-30-1083	HS-30-2083	2.4 x 18
HS-30-1084	HS-30-2084	2.4 x 20
HS-30-1085	HS-30-2085	2.4 x 22

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1086	HS-30-2086	2.4 x 24
HS-30-1087	HS-30-2087	2.4 x 26
HS-30-1088	HS-30-2088	2.4 x 28
HS-30-1089	HS-30-2089	2.4 x 30
HS-30-1090	HS-30-2090	2.4 x 32
HS-30-1091	HS-30-2091	2.4 x 34
HS-30-1092	HS-30-2092	2.4 x 36
HS-30-1093	HS-30-2093	2.4 x 38
HS-30-1094	HS-30-2094	2.4 x 40




2.7 mm Mini Locking Screw (5.5 mm Head DIA.)


S.S	TI.	DIA. x LENGTH (mm)
HS-30-1095	HS-30-2095	2.7 x 6
HS-30-1096	HS-30-2096	2.7 x 8
HS-30-1097	HS-30-2097	2.7 x 10
HS-30-1098	HS-30-2098	2.7 x 12
HS-30-1099	HS-30-2099	2.7 x 14
HS-30-1100	HS-30-2100	2.7 x 16
HS-30-1101	HS-30-2101	2.7 x 18
HS-30-1102	HS-30-2102	2.7 x 20
HS-30-1103	HS-30-2103	2.7 x 22

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1104	HS-30-2104	2.7 x 24
HS-30-1105	HS-30-2105	2.7 x 26
HS-30-1106	HS-30-2106	2.7 x 28
HS-30-1107	HS-30-2107	2.7 x 30
HS-30-1108	HS-30-2108	2.7 x 32
HS-30-1109	HS-30-2109	2.7 x 34
HS-30-1110	HS-30-2110	2.7 x 36
HS-30-1111	HS-30-2111	2.7 x 38
HS-30-1112	HS-30-2112	2.7 x 40

Locking Screws



3.5 mm - Self - Drilling Locking Screw




3.5 mm Self - Tapping Locking Cannulated Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1113	HS-30-2113	3.5 x 10
HS-30-1114	HS-30-2114	3.5 x 12
HS-30-1115	HS-30-2115	3.5 x 14
HS-30-1116	HS-30-2116	3.5 x 16
HS-30-1117	HS-30-2117	3.5 x 18
HS-30-1118	HS-30-2118	3.5 x 20
HS-30-1119	HS-30-2119	3.5 x 22
HS-30-1120	HS-30-2120	3.5 x 24
HS-30-1121	HS-30-2121	3.5 x 26
HS-30-1122	HS-30-2122	3.5 x 28
HS-30-1123	HS-30-2123	3.5 x 30
HS-30-1124	HS-30-2124	3.5 x 32
HS-30-1125	HS-30-2125	3.5 x 34
HS-30-1126	HS-30-2126	3.5 x 36
HS-30-1127	HS-30-2127	3.5 x 38
HS-30-1128	HS-30-2128	3.5 x 40
HS-30-1129	HS-30-2129	3.5 x 42
HS-30-1130	HS-30-2130	3.5 x 44
HS-30-1131	HS-30-2131	3.5 x 46
HS-30-1132	HS-30-2132	3.5 x 48
HS-30-1133	HS-30-2133	3.5 x 50
HS-30-1134	HS-30-2134	3.5 x 55
HS-30-1135	HS-30-2135	3.5 x 60


S.S	TI.	DIA. x LENGTH (mm)
HS-30-1136	HS-30-2136	3.5 x 10
HS-30-1137	HS-30-2137	3.5 x 12
HS-30-1138	HS-30-2138	3.5 x 14
HS-30-1139	HS-30-2139	3.5 x 16
HS-30-1140	HS-30-2140	3.5 x 18
HS-30-1141	HS-30-2141	3.5 x 20
HS-30-1142	HS-30-2142	3.5 x 22
HS-30-1143	HS-30-2143	3.5 x 24
HS-30-1144	HS-30-2144	3.5 x 26
HS-30-1145	HS-30-2145	3.5 x 28
HS-30-1146	HS-30-2146	3.5 x 30
HS-30-1147	HS-30-2147	3.5 x 32

S.S	TI.	DIA. x LENGTH (mm)
HS-30-1148	HS-30-2148	3.5 x 34
HS-30-1149	HS-30-2149	3.5 x 36
HS-30-1150	HS-30-2150	3.5 x 38
HS-30-1151	HS-30-2151	3.5 x 40
HS-30-1152	HS-30-2152	3.5 x 42
HS-30-1153	HS-30-2153	3.5 x 44
HS-30-1154	HS-30-2154	3.5 x 46
HS-30-1155	HS-30-2155	3.5 x 48
HS-30-1156	HS-30-2156	3.5 x 50
HS-30-1157	HS-30-2157	3.5 x 55
HS-30-1158	HS-30-2158	3.5 x 60


Non Locking Plates



3.5 mm Clavicle Plate



3.5 mm Clavicle Hook Plate



3.5 mm Cloverleaf Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	10.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-31-1001	HS-31-2001	6	LEFT	70
HS-31-1002	HS-31-2002	7	LEFT	84
HS-31-1003	HS-31-2003	8	LEFT	98
HS-31-1004	HS-31-2004	9	LEFT	112
HS-31-1005	HS-31-2005	6	RIGTH	70
HS-31-1006	HS-31-2006	7	RIGTH	84
HS-31-1007	HS-31-2007	8	RIGTH	98
HS-31-1008	HS-31-2008	9	RIGTH	112

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	9.8 - 15.8	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-31-1009	HS-31-2009	4	LEFT	63
HS-31-1010	HS-31-2010	5	LEFT	75
HS-31-1011	HS-31-2011	6	LEFT	86
HS-31-1012	HS-31-2012	7	LEFT	97
HS-31-1013	HS-31-2013	4	RIGHT	63
HS-31-1014	HS-31-2014	5	RIGHT	75
HS-31-1015	HS-31-2015	6	RIGHT	86
HS-31-1016	HS-31-2016	7	RIGHT	97

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		2.0	16.3 - 49.3	
S.S	TI.	HOLES	LENTGH (mm)	
HS-31-1017	HS-31-2017	3	88.1	
HS-31-1018	HS-31-2018	4	104.1	
HS-31-1019	HS-31-2019	5	120.1	
HS-31-1020	HS-31-2020	6	136.1	
HS-31-1021	HS-31-2021	7	152.1	
HS-31-1022	HS-31-2022	8	168.1	




Non Locking Plates



3.5 mm Y - Distal Humerus Plate 1



Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	12.0 - 56.4	
S.S	TI.	HOLES	SIDE	LENGTH (mm)
HS-31-1023	HS-31-2023	3	LEFT	91.4
HS-31-1024	HS-31-2024	4	LEFT	106.4
HS-31-1025	HS-31-2025	5	LEFT	121.4
HS-31-1026	HS-31-2026	6	LEFT	136.4
HS-31-1027	HS-31-2027	7	LEFT	151.4
HS-31-1028	HS-31-2028	8	LEFT	166.4
HS-31-1029	HS-31-2029	3	RIGHT	91.4
HS-31-1030	HS-31-2030	4	RIGHT	106.4
HS-31-1031	HS-31-2031	5	RIGHT	121.4
HS-31-1032	HS-31-2032	6	RIGHT	136.4
HS-31-1033	HS-31-2033	7	RIGHT	151.4
HS-31-1034	HS-31-2034	8	RIGHT	166.4




3.5 mm Y - Distal Humerus Plate 2




Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		2.3	15.0 - 46.9	
S.S	TI.	HOLES	SIDE	LENGTH (mm)
HS-31-1035	HS-31-2035	5	LEFT	137
HS-31-1036	HS-31-2036	6	LEFT	153
HS-31-1037	HS-31-2037	7	LEFT	169
HS-31-1038	HS-31-2038	9	LEFT	201
HS-31-1039	HS-31-2039	5	RIGHT	137
HS-31-1040	HS-31-2040	6	RIGHT	153
HS-31-1041	HS-31-2041	7	RIGHT	169
HS-31-1042	HS-31-2042	9	RIGHT	201

Non Locking Plates




3.5 mm Ulnar Olecranon Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		2.5	11.5 - 18.25	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-31-1043	HS-31-2043	4	LEFT	79.6
HS-31-1044	HS-31-2044	5	LEFT	92.1
HS-31-1045	HS-31-2045	6	LEFT	104.6
HS-31-1046	HS-31-2046	4	RIGHT	79.6
HS-31-1047	HS-31-2047	5	RIGHT	92.1
HS-31-1048	HS-31-2048	6	RIGHT	104.6



3.5 mm Y - Distal Medial Humerus Reconstruction Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	8.0	
S.S	TI.	HOLES	LENTGH (mm)	
HS-31-1049	HS-31-2049	10	69.6	
HS-31-1050	HS-31-2050	12	85	
HS-31-1051	HS-31-2051	14	100.4	



3.5 mm Y - Distal Humerus Reconstruction Plate

Screw To Be Used	Thickness (mm)	Width (mm)
Ø (3.5 / 4.0 mm)	2.5	9.0 - 57.7
S.S	TI.	LENTGH (mm)
HS-31-1052	HS-31-2052	88.6


Non Locking Plates



1 / 3 Tubular Plate




Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.5	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1053	HS-31-2053	4	54
HS-31-1054	HS-31-2054	5	66
HS-31-1055	HS-31-2055	6	78
HS-31-1056	HS-31-2056	7	90
HS-31-1057	HS-31-2057	8	102
HS-31-1058	HS-31-2058	9	114
HS-31-1059	HS-31-2059	10	126
HS-31-1060	HS-31-2060	11	138
HS-31-1061	HS-31-2061	12	150



Quarter 1 / 4 Tubular Plate



Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (2.4 / 2.7 mm)	1.0	7.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1062	HS-31-2062	3	23
HS-31-1063	HS-31-2063	4	31
HS-31-1064	HS-31-2064	5	39
HS-31-1065	HS-31-2065	6	47
HS-31-1066	HS-31-2066	7	55
HS-31-1067	HS-31-2067	8	63
HS-31-1068	HS-31-2068	9	71
HS-31-1069	HS-31-2069	10	79




3.5 mm Thin Narrow Plate DCP




Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	2.5	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1070	HS-31-2070	4	54
HS-31-1071	HS-31-2071	5	66
HS-31-1072	HS-31-2072	6	78
HS-31-1073	HS-31-2073	7	90
HS-31-1074	HS-31-2074	8	102
HS-31-1075	HS-31-2075	9	114
HS-31-1076	HS-31-2076	10	126
HS-31-1077	HS-31-2077	12	150

Non Locking Plates




3.5 mm Straight Reconstruction Plate

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	2.2	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1078	HS-31-2078	4	48
HS-31-1079	HS-31-2079	5	60
HS-31-1080	HS-31-2080	6	72
HS-31-1081	HS-31-2081	7	84
HS-31-1082	HS-31-2082	8	96
HS-31-1083	HS-31-2083	9	108
HS-31-1084	HS-31-2084	10	120
HS-31-1085	HS-31-2085	11	132
HS-31-1086	HS-31-2086	12	144




3.5 mm Curved Reconstruction Plate

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	3.0	10.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1087	HS-31-2087	2	29.1
HS-31-1088	HS-31-2088	3	45.1
HS-31-1089	HS-31-2089	4	60.8
HS-31-1090	HS-31-2090	5	76.9
HS-31-1091	HS-31-2091	6	92.7
HS-31-1092	HS-31-2092	7	108.2
HS-31-1093	HS-31-2093	8	123.6
HS-31-1094	HS-31-2094	9	138.7
HS-31-1095	HS-31-2095	10	153.9
HS-31-1096	HS-31-2096	11	168.4
HS-31-1097	HS-31-2097	12	183.2



Non Locking Plates





3.5 mm T - Plate Right - Angled (3 Holes On Head)

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 / 4.0 mm)		1.8	10.7 - 24.7
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1098	HS-31-2098	3	49
HS-31-1099	HS-31-2099	4	61
HS-31-1100	HS-31-2100	5	73
HS-31-1101	HS-31-2101	6	85



3.5 mm T - Plate Right - Angled (4 Holes On Head)

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.8	10.7 - 33.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-31-1102	HS-31-2102	3	46
HS-31-1103	HS-31-2103	4	57
HS-31-1104	HS-31-2104	5	68
HS-31-1105	HS-31-2105	6	79



3.5 mm Compression T - Plate Oblique - Angled

Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (3.5 / 4.0 mm)		2.0		10.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-31-1106	HS-31-2106	3	LEFT	52.5	
HS-31-1107	HS-31-2107	4	LEFT	66	
HS-31-1108	HS-31-2108	5	LEFT	79.5	
HS-31-1109	HS-31-2109	6	LEFT	93	
HS-31-1110	HS-31-2110	3	RIGHT	52.5	
HS-31-1111	HS-31-2111	4	RIGHT	66	
HS-31-1112	HS-31-2112	5	RIGHT	79.5	
HS-31-1113	HS-31-2113	6	RIGHT	93	

Non Locking Screw



3.5 mm Cortical Screw (Pitch 1.25 mm)

S.S	TI.	DIA. x LENGTH (mm)	S.S	TI.	DIA. x LENGTH (mm)
HS-32-1001	HS-32-2001	3.5 x 10	HS-32-1014	HS-32-2014	3.5 x 36
HS-32-1002	HS-32-2002	3.5 x 12	HS-32-1015	HS-32-2015	3.5 x 38
HS-32-1003	HS-32-2003	3.5 x 14	HS-32-1016	HS-32-2016	3.5 x 40
HS-32-1004	HS-32-2004	3.5 x 16	HS-32-1017	HS-32-2017	3.5 x 42
HS-32-1005	HS-32-2005	3.5 x 18	HS-32-1018	HS-32-2018	3.5 x 44
HS-32-1006	HS-32-2006	3.5 x 20	HS-32-1019	HS-32-2019	3.5 x 46
HS-32-1007	HS-32-2007	3.5 x 22	HS-32-1020	HS-32-2020	3.5 x 48
HS-32-1008	HS-32-2008	3.5 x 24	HS-32-1021	HS-32-2021	3.5 x 50
HS-32-1009	HS-32-2009	3.5 x 26	HS-32-1022	HS-32-2022	3.5 x 52
HS-32-1010	HS-32-2010	3.5 x 28	HS-32-1023	HS-32-2023	3.5 x 54
HS-32-1011	HS-32-2011	3.5 x 30	HS-32-1024	HS-32-1024	3.5 x 56
HS-32-1012	HS-32-2012	3.5 x 32	HS-32-1026	HS-32-1026	3.5 x 58
HS-32-1013	HS-32-2013	3.5 x 34	HS-32-1026	HS-32-1026	3.5 x 60



3.5 mm Lcancellous Bone Screw Full Threaded



S.S	TI.	DIA. x LENGTH (mm)	S.S	TI.	DIA. x LENGTH (mm)
HS-32-1027	HS-32-2027	3.5 x 10	HS-32-1040	HS-32-2040	3.5 x 36
HS-32-1028	HS-32-2028	3.5 x 12	HS-32-1041	HS-32-2041	3.5 x 38
HS-32-1029	HS-32-2029	3.5 x 14	HS-32-1042	HS-32-2042	3.5 x 40
HS-32-1030	HS-32-2030	3.5 x 16	HS-32-1043	HS-32-2043	3.5 x 42
HS-32-1031	HS-32-2031	3.5 x 18	HS-32-1044	HS-32-2044	3.5 x 44
HS-32-1032	HS-32-2032	3.5 x 20	HS-32-1045	HS-32-2045	3.5 x 46
HS-32-1033	HS-32-2033	3.5 x 22	HS-32-1046	HS-32-2046	3.5 x 48
HS-32-1034	HS-32-2034	3.5 x 24	HS-32-1047	HS-32-2047	3.5 x 50
HS-32-1035	HS-32-2035	3.5 x 26	HS-32-1048	HS-32-2048	3.5 x 52
HS-32-1036	HS-32-2036	3.5 x 28	HS-32-1049	HS-32-2049	3.5 x 54
HS-32-1037	HS-32-2037	3.5 x 30	HS-32-1050	HS-32-2050	3.5 x 56
HS-32-1038	HS-32-2038	3.5 x 32	HS-32-1051	HS-32-2051	3.5 x 58
HS-32-1039	HS-32-2039	3.5 x 34	HS-32-1052	HS-32-2052	3.5 x 60

Non Locking Screw



3.5 mm Cancellous Bone Screw Partially Threaded

S.S	TI.	DIA. x LENGTH (mm)
HS-32-1053	HS-32-2053	3.5 x 20
HS-32-1054	HS-32-2054	3.5 x 22
HS-32-1055	HS-32-2055	3.5 x 24
HS-32-1056	HS-32-2056	3.5 x 26
HS-32-1057	HS-32-2057	3.5 x 28
HS-32-1058	HS-32-2058	3.5 x 30
HS-32-1059	HS-32-2059	3.5 x 32
HS-32-1060	HS-32-2060	3.5 x 34
HS-32-1061	HS-32-2061	3.5 x 36
HS-32-1062	HS-32-2062	3.5 x 38
HS-32-1063	HS-32-2063	3.5 x 40
HS-32-1064	HS-32-2064	3.5 x 42
HS-32-1065	HS-32-2065	3.5 x 44
HS-32-1066	HS-32-2066	3.5 x 46
HS-32-1067	HS-32-2067	3.5 x 48
HS-32-1068	HS-32-2068	3.5 x 50



3.5 mm Cancellous Bone Screw Full Threaded


S.S	TI.	DIA. x LENGTH (mm)
HS-32-1069	HS-32-2069	4.0 x 10
HS-32-1070	HS-32-2070	4.0 x 12
HS-32-1071	HS-32-2071	4.0 x 14
HS-32-1072	HS-32-2072	4.0 x 16
HS-32-1073	HS-32-2073	4.0 x 18
HS-32-1074	HS-32-2074	4.0 x 20
HS-32-1075	HS-32-2075	4.0 x 22
HS-32-1076	HS-32-2076	4.0 x 24
HS-32-1077	HS-32-2077	4.0 x 26
HS-32-1078	HS-32-2078	4.0 x 28
HS-32-1079	HS-32-2079	4.0 x 30
HS-32-1080	HS-32-2080	4.0 x 35
HS-32-1081	HS-32-2081	4.0 x 40
HS-32-1082	HS-32-2082	4.0 x 45
HS-32-1083	HS-32-2083	4.0 x 50
HS-32-1084	HS-32-2084	4.0 x 55
HS-32-1085	HS-32-2085	4.0 x 60

Non Locking Screw



3.5 mm Cancellous Bone Screw pARTIALLYThreaded


S.S	TI.	DIA. x LENGTH (mm)
HS-32-1086	HS-32-2086	4.0 X 20
HS-32-1087	HS-32-2087	4.0 X 22
HS-32-1088	HS-32-2088	4.0 X 24
HS-32-1089	HS-32-2089	4.0 X 26
HS-32-1090	HS-32-2090	4.0 X 28
HS-32-1091	HS-32-2091	4.0 X 30
HS-32-1092	HS-32-2092	4.0 X 35
HS-32-1093	HS-32-2093	4.0 X 40
HS-32-1094	HS-32-2094	4.0 X 45
HS-32-1095	HS-32-2095	4.0 X 50
HS-32-1096	HS-32-2096	4.0 X 55
HS-32-1097	HS-32-2097	4.0 X 60



2.7 MM Cortical Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-32-1098	HS-32-2098	2.7 X 6
HS-32-1099	HS-32-2099	2.7 X 8
HS-32-1101	HS-32-2101	2.7 X 10
HS-32-1102	HS-32-2102	2.7 X 12
HS-32-1103	HS-32-2103	2.7 X 14
HS-32-1104	HS-32-2104	2.7 X 16
HS-32-1105	HS-32-2105	2.7 X 18
HS-32-1106	HS-32-2106	2.7 X 20
HS-32-1107	HS-32-2107	2.7 X 22
HS-32-1108	HS-32-2108	2.7 X 24
HS-32-1109	HS-32-2109	2.7 X 26
HS-32-1110	HS-32-2110	2.7 X 28
HS-32-1111	HS-32-2111	2.7 X 30
HS-32-1112	HS-32-2112	2.7 X 32
HS-32-1113	HS-32-2113	2.7 X 34
HS-32-1114	HS-32-2114	2.7 X 36
HS-32-1115	HS-32-2115	2.7 X 38
HS-32-1116	HS-32-2116	2.7 X 40

Non Locking Screw




2.4 mm Cortical Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-32-1117	HS-32-2117	2.4 x 6
HS-32-1118	HS-32-2118	2.4 x 8
HS-32-1119	HS-32-2119	2.4 x 10
HS-32-1120	HS-32-2120	2.4 x 12
HS-32-1121	HS-32-2121	2.4 x 14
HS-32-1122	HS-32-2122	2.4 x 16
HS-32-1123	HS-32-2123	2.4 x 18
HS-32-1124	HS-32-2124	2.4 x 20
HS-32-1125	HS-32-2125	2.4 x 22
HS-32-1126	HS-32-2126	2.4 x 24
HS-32-1127	HS-32-2127	2.4 x 26
HS-32-1128	HS-32-2128	2.4 x 28
HS-32-1129	HS-32-2129	2.4 x 30




2.0 mm Cortical Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-32-1130	HS-32-2130	2.0 x 6
HS-32-1131	HS-32-2131	2.0 x 8
HS-32-1132	HS-32-2132	2.0 x 10
HS-32-1133	HS-32-2133	2.0 x 12
HS-32-1134	HS-32-2134	2.0 x 14
HS-32-1135	HS-32-2135	2.0 x 16
HS-32-1136	HS-32-2136	2.0 x 18
HS-32-1137	HS-32-2137	2.0 x 20
HS-32-1138	HS-32-2138	2.0 x 22
HS-32-1139	HS-32-2139	2.0 x 24
HS-32-1140	HS-32-2140	2.0 x 26
HS-32-1141	HS-32-2141	2.0 x 28
HS-32-1142	HS-32-2142	2.0 x 30
HS-32-1143	HS-32-2143	2.0 x 34
HS-32-1144	HS-32-2144	2.0 x 36
HS-32-1145	HS-32-2145	2.0 x 38




1.5 mm Cortical Screw


S.S	TI.	DIA. x LENGTH (mm)
HS-32-1146	HS-32-2146	1.5 x 6
HS-32-1147	HS-32-2147	1.5 x 7
HS-32-1148	HS-32-2148	1.5 x 8
HS-32-1149	HS-32-2149	1.5 x 9
HS-32-1150	HS-32-2150	1.5 x 10
HS-32-1151	HS-32-2151	1.5 x 12
HS-32-1152	HS-32-2152	1.5 x 14
HS-32-1153	HS-32-2153	1.5 x 16
HS-32-1154	HS-32-2154	1.5 x 18
HS-32-1155	HS-32-2155	1.5 x 20



1.5 mm Mini Straight Compression Locking Plate



1.5 mm Mini Straight Reconstruction Locking Plate



1.5 mm Mini Locking Plate

Screw To Be Used			
Ø (1.5 mm)			
S.S	TI.	HOLES	LENTGH (mm)
HS-33-1001	HS-33-2001	4	23
HS-33-1002	HS-33-2002	6	36


S.S	TI.	HOLES	LENTGH (mm)
HS-33-1003	HS-33-2003	6	29
HS-33-1004	HS-33-2004	12	59

S.S	TI.	HOLES	LENTGH (mm)
HS-33-1005	HS-33-2005	3	44.5
HS-33-1006	HS-33-2006	4	44.5




1.5 mm Mini Strut Locking Plate

S.S	TI.	SIDE	LENTGH (mm)
HS-33-1007	HS-33-2007	RIGHT	23
HS-33-1008	HS-33-2008	LEFT	23



1.5 mm Mini Y Locking Plate (3 Holes Head)


S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1009	HS-33-2009	8	3	47



1.5 mm Mini Condylar Locking Plate

S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1010	HS-33-2010	6	2	36

Locking Plates & Screws




S.S	TI.	DIA x LENTGH (mm)
HS-33-1011	HS-33-2011	1.5 x 6
HS-33-1012	HS-33-2012	1.5 x 7
HS-33-1013	HS-33-2013	1.5 x 8
HS-33-1014	HS-33-2014	1.5 x 9
HS-33-1015	HS-33-2015	1.5 x 10
HS-33-1016	HS-33-2016	1.5 x 11
HS-33-1017	HS-33-2017	1.5 x 12
HS-33-1018	HS-33-2018	1.5 x 13
HS-33-1019	HS-33-2019	1.5 x 14
HS-33-1020	HS-33-2020	1.5 x 15
HS-33-1021	HS-33-2021	1.5 x 6
HS-33-1022	HS-33-2022	1.5 x 18
HS-33-1023	HS-33-2023	1.5 x 20
HS-33-1024	HS-33-2024	1.5 x 24

S.S	TI.	DIA x LENTGH (mm)
HS-33-1025	HS-33-2025	1.5 x 6
HS-33-1026	HS-33-2026	1.5 x 7
HS-33-1027	HS-33-2027	1.5 x 8
HS-33-1028	HS-33-2028	1.5 x 9
HS-33-1029	HS-33-2029	1.5 x 10
HS-33-1030	HS-33-2030	1.5 x 12
HS-33-1031	HS-33-2031	1.5 x 14
HS-33-1032	HS-33-2032	1.5 x 6
HS-33-1033	HS-33-2033	1.5 x 18
HS-33-1034	HS-33-2034	1.5 x 20

Screw To Be Used			
Ø (2.0 mm)			
S.S	TI.	HOLES	LENTGH (mm)
HS-33-1035	HS-33-2035	4	31
HS-33-1036	HS-33-2036	5	38
HS-33-1037	HS-33-2037	6	45
HS-33-1038	HS-33-2038	7	52
HS-33-1039	HS-33-2039	8	59
HS-33-1040	HS-33-2040	10	73




S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1041	HS-33-2041	7	2	54



2.0 mm Mini Condylar Locking Plate (2 Holes Head)




S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1042	HS-33-2042	4	2	34
HS-33-1043	HS-33-2043	5	2	40




2.0 mm Mini Rotation Correction Locking Plate (2 Holes Head)



S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1044	HS-33-2044	7	3	52.5




2.0 mm Mini T Locking Plate (3 Holes Head)




Locking Plates & Screws




S.S	TI.	HOLES	LENTGH (mm)
HS-33-1045	HS-33-2045	12	81.25



2.0 mm Mini Adaptation Locking Plate




S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1046	HS-33-2046	7	2	52.5




2.0 mm Mini Adaptation T Locking Plate (2 Holes Head)



S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1047	HS-33-2047	7	3	54




2.0 mm Mini Adaptation Y Locking Plate (3 Holes Head)




Locking Plates & Screws




S.S	TI.	HOLES	LENTGH (mm)
HS-33-1048	HS-33-2048	4	12



2.0 mm Mini Adaptation Locking Plate



2.0 mm Mini Locking Screw




2.0 mm Mini Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-33-1049	HS-33-2049	2.0 x 6
HS-33-1050	HS-33-2050	2.0 x 7
HS-33-1051	HS-33-2051	2.0 x 8
HS-33-1052	HS-33-2052	2.0 x 9
HS-33-1053	HS-33-2053	2.0 x 10
HS-33-1054	HS-33-2054	2.0 x 11
HS-33-1055	HS-33-2055	2.0 x 12
HS-33-1056	HS-33-2056	2.0 x 13
HS-33-1057	HS-33-2057	2.0 x 14
HS-33-1058	HS-33-2058	2.0 x 15
HS-33-1059	HS-33-2059	2.0 x 16
HS-33-1060	HS-33-2060	2.0 x 18
HS-33-1061	HS-33-2061	2.0 x 20
HS-33-1062	HS-33-2062	2.0 x 22
HS-33-1063	HS-33-2063	2.0 x 24
HS-33-1064	HS-33-2064	2.0 x 26
HS-33-1065	HS-33-2065	2.0 x 28


S.S	TI.	DIA. x LENGTH (mm)
HS-33-1066	HS-33-2066	2.0 x 6
HS-33-1067	HS-33-2067	2.0 x 7
HS-33-1068	HS-33-2068	2.0 x 8
HS-33-1069	HS-33-2069	2.0 x 9
HS-33-1070	HS-33-2070	2.0 x 10
HS-33-1071	HS-33-2071	2.0 x 11
HS-33-1072	HS-33-2072	2.0 x 12
HS-33-1073	HS-33-2073	2.0 x 13
HS-33-1074	HS-33-2074	2.0 x 14
HS-33-1075	HS-33-2075	2.0 x 16
HS-33-1076	HS-33-2076	2.0 x 18
HS-33-1077	HS-33-2077	2.0 x 20
HS-33-1078	HS-33-2078	2.0 x 22
HS-33-1079	HS-33-2079	2.0 x 24
HS-33-1080	HS-33-2080	2.0 x 26
HS-33-1081	HS-33-2081	2.0 x 28
HS-33-1082	HS-33-2082	2.0 x 30

Locking Plates & Screws




2.4 mm Mini Straight Locking Plate

Screw To Be Used			
Ø (2.4 mm)			
S.S	TI.	HOLES	LENTGH (mm)
HS-33-1083	HS-33-2083	4	36
HS-33-1084	HS-33-2084	5	43.6
HS-33-1085	HS-33-2085	6	51.2
HS-33-1086	HS-33-2086	7	58.8
HS-33-1087	HS-33-2087	8	66.4
HS-33-1088	HS-33-2088	10	81.6




2.4 mm Mini T Locking Plate (3 Holes Head)

S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1089	HS-33-2089	7	3	57




2.0 mm Mini Adaptation Y Locking Plate (3 Holes Head)

S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1090	HS-33-2091	7	2	59





S.S	TI.	HOLES	LENTGH (mm)
HS-33-1092	HS-33-2092	12	87.9




2.4 mm Mini Adaptation Locking Plate




S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1093	HS-33-2093	7	2	59




2.4 mm Mini Adaptation T Locking Plate (2 Holes Head)




S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1094	HS-33-2094	7	3	60.5



2.0 mm Mini Adaptation Y Locking Plate (3 Holes Head)




Locking Plates & Screws



2.4 mm Mini Locking Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-33-1095	HS-33-2095	2.4 x 6
HS-33-1096	HS-33-2096	2.4 x 7
HS-33-1097	HS-33-2097	2.4 x 8
HS-33-1098	HS-33-2098	2.4 x 9
HS-33-1099	HS-33-2099	2.4 x 10
HS-33-1100	HS-33-2100	2.4 x 11
HS-33-1101	HS-33-2101	2.4 x 12
HS-33-1102	HS-33-2102	2.4 x 13
HS-33-1103	HS-33-2103	2.4 x 14
HS-33-1104	HS-33-2104	2.4 x 15
HS-33-1105	HS-33-2105	2.4 x 16
HS-33-1106	HS-33-2106	2.4 x 18
HS-33-1107	HS-33-2107	2.4 x 20
HS-33-1108	HS-33-2108	2.4 x 22
HS-33-1109	HS-33-2109	2.4 x 24
HS-33-1110	HS-33-2110	2.4 x 26
HS-33-1112	HS-33-2112	2.4 x 28
HS-33-1113	HS-33-2113	2.4 x 30




2.4 mm Mini Screw

S.S	TI.	DIA. x LENGTH (mm)
HS-33-1114	HS-33-2114	2.4 x 6
HS-33-1115	HS-33-2115	2.4 x 7
HS-33-1116	HS-33-2116	2.4 x 8
HS-33-1117	HS-33-2117	2.4 x 9
HS-33-1118	HS-33-2118	2.4 x 10
HS-33-1119	HS-33-2119	2.4 x 11
HS-33-1120	HS-33-2120	2.4 x 12
HS-33-1121	HS-33-2121	2.4 x 13
HS-33-1122	HS-33-2122	2.4 x 14
HS-33-1123	HS-33-2123	2.4 x 15
HS-33-1124	HS-33-2124	2.4 x 16
HS-33-1125	HS-33-2125	2.4 x 18
HS-33-1126	HS-33-2126	2.4 x 20
HS-33-1127	HS-33-2127	2.4 x 22
HS-33-1128	HS-33-2128	2.4 x 24
HS-33-1129	HS-33-2129	2.4 x 26
HS-33-1130	HS-33-2130	2.4 x 28
HS-33-1131	HS-33-2131	2.4 x 30




Screw To Be Used				
Ø (2.7 mm)				
S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1132	HS-33-2132	7	2	66



2.7 mm Mini Condylar Locking Plate




S.S	TI.	HOLES	LENTGH (mm)
HS-33-1133	HS-33-2133	12	97




2.7 mm Mini Adaptation Locking Plate




S.S	TI.	SHAFT HOLES	HEAD HOLES	LENTGH (mm)
HS-33-1134	HS-33-2134	3	2	32
HS-33-1135	HS-33-2135	4	2	40




2.7 mm Mini T Locking Plate






2.7 mm Mini Straight Locking Plate



2.7 mm Mini L Locking Plate



2.0 mm Mini Oblique L Locking Plate

S.S	TL	HOLES	LENTGH (mm)
HS-33-1136	HS-33-2136	4	40
HS-33-1137	HS-33-2137	5	49
HS-33-1138	HS-33-2138	6	58
HS-33-1139	HS-33-2139	7	67
HS-33-1140	HS-33-2140	8	76
HS-33-1141	HS-33-2141	10	94




S.S	TL	SHAFT HOLES	HEAD HOLES	LENTGH (mm)	SIDE
HS-33-1142	HS-33-2142	3	2	32	LEFT
HS-33-1143	HS-33-2143	3	2	32	RIGHT
HS-33-1144	HS-33-2144	4	2	40	LEFT
HS-33-1145	HS-33-2145	4	2	40	RIGHT




S.S	TL	SHAFT HOLES	HEAD HOLES	LENTGH (mm)	SIDE
HS-33-1146	HS-33-2146	3	2	35	LEFT
HS-33-1147	HS-33-2147	3	2	35	RIGHT
HS-33-1148	HS-33-2148	4	2	42	LEFT
HS-33-1149	HS-33-2149	4	2	42	RIGHT





2.4 mm Mini Locking Screw


S.S	TI.	DIA. x LENTGH (mm)
HS-33-1150	HS-33-2150	2.7 x 10
HS-33-1151	HS-33-2151	2.7 x 12
HS-33-1152	HS-33-2152	2.7 x 4
HS-33-1153	HS-33-2153	2.7 x 16
HS-33-1154	HS-33-2154	2.7 x 18
HS-33-1155	HS-33-2155	2.7 x 20
HS-33-1156	HS-33-2156	2.7 x 22
HS-33-1157	HS-33-2157	2.7 x 24
HS-33-1158	HS-33-2158	2.7 x 26
HS-33-1159	HS-33-2159	2.7 x 28
HS-33-1160	HS-33-2160	2.7 x 30
HS-33-1161	HS-33-2161	2.7 x 32
HS-33-1162	HS-33-2162	2.7 x 34
HS-33-1163	HS-33-2163	2.7 x 36
HS-33-1164	HS-33-2164	2.7 x 38
HS-33-1165	HS-33-2165	2.7 x 40




2.4 mm Mini Screw

S.S	TI.	DIA. x LENTGH (mm)
HS-33-1166	HS-33-2166	2.7 x 10
HS-33-1167	HS-33-2167	2.7 x 12
HS-33-1168	HS-33-2168	2.7 x 4
HS-33-1169	HS-33-2169	2.7 x 16
HS-33-1170	HS-33-2170	2.7 x 18
HS-33-1171	HS-33-2171	2.7 x 20
HS-33-1172	HS-33-2172	2.7 x 22
HS-33-1173	HS-33-2173	2.7 x 24
HS-33-1174	HS-33-2174	2.7 x 26
HS-33-1175	HS-33-2175	2.7 x 28
HS-33-1176	HS-33-2176	2.7 x 30
HS-33-1177	HS-33-2177	2.7 x 32
HS-33-1178	HS-33-2178	2.7 x 34
HS-33-1179	HS-33-2179	2.7 x 36
HS-33-1180	HS-33-2180	2.7 x 38
HS-33-1181	HS-33-2181	2.7 x 40


Locking Plates & Screws



Sternal Locking T Plate 2.9 mm



Sternal Locking I Plate 2.9 mm



Sternal Locking Straight Plate 2.9 mm

Screw To Be Used	Thickness (mm)	Width (mm)
Ø (2.9 mm)	2.8	7.2 - 15.9 7.2 - 21.3
S.S	TL	HOLES
HS-34-1001	HS-34-2001	7
HS-34-1002	HS-34-2002	8




Screw To Be Used	Thickness (mm)	Width (mm)
Ø (2.9 mm)	2.8	17.2 - 21.9
S.S	TL	HOLES
HS-34-1003	HS-34-2003	11
HS-34-1004	HS-34-2004	9



Screw To Be Used	Thickness (mm)	Width (mm)
Ø (2.9 mm)	2.8	8.0
S.S	TL	HOLES
HS-34-1005	HS-34-2005	8
HS-34-1006	HS-34-2006	9
HS-34-1007	HS-34-2007	10




Locking Plates & Screws




Screw To Be Used	Thickness (mm)	Width (mm)
Ø (2.9 mm)	1.5	9.5
S.S	TI.	HOLES
HS-34-1008	HS-34-2008	8
HS-34-1009	HS-34-2009	24
HS-34-1010	HS-34-2010	30





S.S	TI.	DIA. x LENGTH (mm)
HS-34-1011	HS-34-2011	2.9 x 6
HS-34-1012	HS-34-2012	2.9 x 8
HS-34-1013	HS-34-2013	2.9 x 10
HS-34-1014	HS-34-2014	2.9 x 12
HS-34-1015	HS-34-2015	2.9 x 14
HS-34-1016	HS-34-2016	2.9 x 16
HS-34-1017	HS-34-2017	2.9 x 19
HS-34-1018	HS-34-2018	2.9 x 20



3.9 mm Self - Tapping Rib Locking Screw



2.9 mm Self - Tapping Rib Screw




Rib Intramedullary Splints

Screw To Be Used		Thickness (mm)	
Ø (2.9 mm)		1.0	
S.S	TI.	WIDTH (mm)	LENGTH (mm)
HS-34-1019	HS-34-2019	3	50
HS-34-1020	HS-34-2020	4	50
HS-34-1021	HS-34-2021	5	50
HS-34-1022	HS-34-2022	3	65
HS-34-1023	HS-34-2023	4	65
HS-34-1024	HS-34-2024	5	65
HS-34-1025	HS-34-2025	3	80
HS-34-1026	HS-34-2026	4	80
HS-34-1027	HS-34-2027	5	80




Locking Plates




4.5 / 5.0 mm Proximal Femur Locking Compression Plate 1

Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (4.5 / 5.0 mm)		5.0	16.0 - 25.7		
S.S	TL	HOLES	SIDE	LENTGH (mm)	
HS-35-1001	HS-35-2001	3	LEFT	91	
HS-35-1002	HS-35-2002	5	LEFT	126.8	
HS-35-1003	HS-35-2003	7	LEFT	162.8	
HS-35-1004	HS-35-2004	9	LEFT	198.8	
HS-35-1005	HS-35-2005	11	LEFT	234.8	
HS-35-1006	HS-35-2006	13	LEFT	270.8	
HS-35-1007	HS-35-2007	3	RIGHT	91	
HS-35-1008	HS-35-2008	5	RIGHT	126.8	
HS-35-1009	HS-35-2009	7	RIGHT	162.8	
HS-35-1010	HS-35-2010	9	RIGHT	198.8	
HS-35-1011	HS-35-2011	11	RIGHT	234.8	
HS-35-1012	HS-35-2012	13	RIGHT	270.8	



4.5 / 5.0 / 7.3 mm Proximal Femur Locking Compression Plate 2


Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (4.5 / 5.0 / 7.3 mm)		5.0	17.5 - 21.0		
S.S	TL	HOLES	SIDE	LENTGH (mm)	
HS-35-1013	HS-35-2013	2	LEFT	119	
HS-35-1014	HS-35-2014	4	LEFT	159	
HS-35-1015	HS-35-2015	6	LEFT	195	
HS-35-1016	HS-35-2016	8	LEFT	231	
HS-35-1017	HS-35-2017	10	LEFT	267	
HS-35-1018	HS-35-2018	2	RIGHT	119	
HS-35-1019	HS-35-2019	4	RIGHT	159	
HS-35-1020	HS-35-2020	6	RIGHT	195	
HS-35-1021	HS-35-2021	8	RIGHT	231	
HS-35-1022	HS-35-2022	10	RIGHT	267	




Proximal Femur Compression Plate 7.3 mm
Cannulated Locking Screw

S.S	TL	DIA. X LENTGH (mm)
HS-35-1023	HS-35-2023	7.5 x 50
HS-35-1024	HS-35-2024	7.5 x 55
HS-35-1025	HS-35-2025	7.5 x 60
HS-35-1026	HS-35-2026	7.5 x 65
HS-35-1027	HS-35-2027	7.5 x 70
HS-35-1028	HS-35-2028	7.5 x 75
HS-35-1029	HS-35-2029	7.5 x 80
HS-35-1030	HS-35-2030	7.5 x 85
HS-35-1031	HS-35-2031	7.5 x 90
HS-35-1032	HS-35-2032	7.5 x 95
HS-35-1033	HS-35-2033	7.5 x 100
HS-35-1034	HS-35-2034	7.5 x 105
HS-35-1035	HS-35-2035	7.5 x 110
HS-35-1036	HS-35-2036	7.5 x 115
HS-35-1037	HS-35-2037	7.5 x 120


Locking Plates



4.5 / 5.0 mm Locking Plate Broad Curved



4.5 / 5.0 mm Distal Lateral Femur Locking Plate




4.5 / 5.0 mm Distal Lateral Femur Locking Plate 2

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (4.5 / 5.0 mm)		5.0	17.6
S.S	TL	HOLES	LENTGH (mm)
HS-35-1038	HS-35-2038	9	195.4
HS-35-1039	HS-35-2039	10	212.7
HS-35-1040	HS-35-2040	11	230.5
HS-35-1041	HS-35-2041	12	248.4
HS-35-1042	HS-35-2042	13	265.7
HS-35-1043	HS-35-2043	14	282.9
HS-35-1044	HS-35-2044	15	300.7
HS-35-1045	HS-35-2045	16	318.5

Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (4.5 / 5.0 mm)		5.0		16.3 - 33.2	
S.S	TL	HOLES		SIDE	LENTGH (mm)
HS-35-1046	HS-35-2046	5		LEFT	156.4
HS-35-1047	HS-35-2047	7		LEFT	196.4
HS-35-1048	HS-35-2048	9		LEFT	236.4
HS-35-1049	HS-35-2049	11		LEFT	276.4
HS-35-1050	HS-35-2050	13		LEFT	316.4
HS-35-1051	HS-35-2051	5		RIGHT	156.4
HS-35-1052	HS-35-2052	7		RIGHT	196.4
HS-35-1053	HS-35-2053	9		RIGHT	236.4
HS-35-1054	HS-35-2054	11		RIGHT	276.4
HS-35-1055	HS-35-2055	13		RIGHT	316.4


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)		5.0	17.0 - 43.9	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-35-1056	HS-35-2056	6	LEFT	158
HS-35-1057	HS-35-2057	7	LEFT	174
HS-35-1058	HS-35-2058	8	LEFT	191
HS-35-1059	HS-35-2059	9	LEFT	206
HS-35-1060	HS-35-2060	10	LEFT	223
HS-35-1061	HS-35-2061	11	LEFT	250
HS-35-1062	HS-35-2062	6	RIGHT	158
HS-35-1063	HS-35-2063	7	RIGHT	174
HS-35-1064	HS-35-2064	8	RIGHT	191
HS-35-1065	HS-35-2065	9	RIGHT	206
HS-35-1066	HS-35-2066	10	RIGHT	223
HS-35-1067	HS-35-2067	11	RIGHT	250

Locking Plates




4.5 / 5.0 mm Distal Medial Femur Locking Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)		5.0	13.8 - 35.7	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-35-1068	HS-35-2068	4	LEFT	115.9
HS-35-1069	HS-35-2069	6	LEFT	147.9
HS-35-1070	HS-35-2070	8	LEFT	179.9
HS-35-1071	HS-35-2071	10	LEFT	211.9
HS-35-1072	HS-35-2072	4	RIGHT	115.9
HS-35-1073	HS-35-2073	6	RIGHT	147.9
HS-35-1074	HS-35-2074	8	RIGHT	179.9
HS-35-1075	HS-35-2075	10	RIGHT	211.9



4.5 / 5.0 mm Condylar Femur Locking Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)		5.0	16.0 - 58.2	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-35-1076	HS-35-2076	6	LEFT	149.1
HS-35-1077	HS-35-2077	8	LEFT	181.1
HS-35-1078	HS-35-2078	10	LEFT	123.1
HS-35-1079	HS-35-2079	12	LEFT	145.1
HS-35-1080	HS-35-2080	6	RIGHT	149.1
HS-35-1081	HS-35-2081	8	RIGHT	181.1
HS-35-1082	HS-35-2082	10	RIGHT	123.1
HS-35-1083	HS-35-2083	12	RIGHT	145.1





4.5 / 5.0 mm Proximal Lateral Tibia Locking Plate 1

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)		4.0	16.2 - 22.5	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-35-1084	HS-35-2084	5	LEFT	143.3
HS-35-1085	HS-35-2085	7	LEFT	183.3
HS-35-1086	HS-35-2086	9	LEFT	223.3
HS-35-1087	HS-35-2087	11	LEFT	263.3
HS-35-1089	HS-35-2089	13	LEFT	303.3
HS-35-1090	HS-35-2090	5	RIGHT	143.3
HS-35-1091	HS-35-2091	7	RIGHT	183.3
HS-35-1092	HS-35-2092	9	RIGHT	223.3
HS-35-1093	HS-35-2093	11	RIGHT	263.3
HS-35-1094	HS-35-2094	13	RIGHT	303.3


Locking Plates



4.5 / 5.0 mm Proximal Lateral Tibia Locking Plate 2



4.5 / 5.0 mm Proximal Medial Tibia Locking Plate




4.5 / 5.0 mm Locking Compression L - Plate

Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (4.5 / 5.0 mm)		4.0	13.7 - 32.4		
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-35-1095	HS-35-2095	5	LEFT	102	
HS-35-1096	HS-35-2096	7	LEFT	138	
HS-35-1094	HS-35-2094	9	LEFT	174	
HS-35-1098	HS-35-2098	11	LEFT	210	
HS-35-1099	HS-35-2099	13	LEFT	246	
HS-35-1100	HS-35-2100	5	RIGHT	102	
HS-35-1101	HS-35-2101	7	RIGHT	138	
HS-35-1102	HS-35-2102	9	RIGHT	174	
HS-35-1103	HS-35-2103	11	RIGHT	210	
HS-35-1104	HS-35-2104	13	RIGHT	246	

Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (4.5 / 5.0 mm)		2.5	16.0 - 38.4		
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-35-1105	HS-35-2105	4	LEFT	90.6	
HS-35-1106	HS-35-2106	6	LEFT	122.6	
HS-35-1107	HS-35-2107	8	LEFT	154.6	
HS-35-1108	HS-35-2108	10	LEFT	186.6	
HS-35-1109	HS-35-2109	12	LEFT	218.6	
HS-35-1110	HS-35-2110	4	RIGHT	90.6	
HS-35-1111	HS-35-2111	6	RIGHT	122.6	
HS-35-1112	HS-35-2112	8	RIGHT	154.6	
HS-35-1113	HS-35-2113	10	RIGHT	186.6	
HS-35-1114	HS-35-2114	12	RIGHT	218.6	


Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (4.5 / 5.0 mm)		2.5	16.2 - 38.7		
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-35-1115	HS-35-2115	3	LEFT	65.1	
HS-35-1116	HS-35-2116	4	LEFT	91.1	
HS-35-1117	HS-35-2117	5	LEFT	97.1	
HS-35-1118	HS-35-2118	6	LEFT	113.1	
HS-35-1119	HS-35-2119	7	LEFT	129.1	
HS-35-1120	HS-35-2120	8	LEFT	145.1	
HS-35-1121	HS-35-2121	3	RIGHT	65.1	
HS-35-1122	HS-35-2122	4	RIGHT	91.1	
HS-35-1123	HS-35-2123	5	RIGHT	97.1	
HS-35-1124	HS-35-2124	6	RIGHT	113.1	
HS-35-1125	HS-35-2125	7	RIGHT	129.1	
HS-35-1126	HS-35-2126	8	RIGHT	145.1	

Locking Plates




4.5 / 5.0 mm Locking Compression T - Plate

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)	2.5	16.0 - 38.35	
S.S	TL	HOLES	LENTGH (mm)
HS-35-1127	HS-35-2127	4	81.7
HS-35-1128	HS-35-2128	5	97.7
HS-35-1129	HS-35-2129	6	113.7
HS-35-1130	HS-35-2130	7	129.7
HS-35-1131	HS-35-2131	8	145.7



3.5 / 4.5 / 5.0 mm Metaphysis Locking Compression Plate


Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 / 5.0 mm)	4.0	13.0	
S.S	TL	HOLES	LENTGH (mm)
HS-35-1132	HS-35-2132	3	118
HS-35-1133	HS-35-2133	4	136
HS-35-1134	HS-35-2134	5	154
HS-35-1135	HS-35-2135	6	172
HS-35-1136	HS-35-2136	7	190
HS-35-1137	HS-35-2137	8	208
HS-35-1138	HS-35-2138	9	226
HS-35-1139	HS-35-2139	11	262



4.5 / 5.0 mm Narrow Locking Compression Plate


Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)	4.0	13.5	
S.S	TL	HOLES	LENTGH (mm)
HS-35-1140	HS-35-2140	5	110.6
HS-35-1141	HS-35-2141	6	128.6
HS-35-1142	HS-35-2142	7	146.6
HS-35-1143	HS-35-2143	8	164.6
HS-35-1144	HS-35-2144	9	182.6
HS-35-1145	HS-35-2145	10	200.6
HS-35-1146	HS-35-2146	11	218.6
HS-35-1147	HS-35-2147	12	236.6
HS-35-1148	HS-35-2148	13	254.6
HS-35-1149	HS-35-2149	14	272.6

Locking Plates




4.5 / 5.0 mm Broad Locking Compression Plate

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (4.5 / 5.0 mm)		5.0	18.0
S.S	TI.	HOLES	LENTGH (mm)
HS-35-1150	HS-35-2150	5	87
HS-35-1151	HS-35-2151	6	103
HS-35-1152	HS-35-2152	7	119
HS-35-1153	HS-35-2153	8	135
HS-35-1154	HS-35-2154	9	151
HS-35-1155	HS-35-2155	10	167
HS-35-1156	HS-35-2156	11	183
HS-35-1157	HS-35-2157	12	199
HS-35-1158	HS-35-2158	13	215
HS-35-1159	HS-35-2159	14	231




4.5/ 5.0 Distal Tibia Antrolateral Locking Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)		2.5	16.0 - 22.0	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-35-1160	HS-35-2160	5	LEFT	108.3
HS-35-1161	HS-35-2161	7	LEFT	140.3
HS-35-1162	HS-35-2162	9	LEFT	172.3
HS-35-1163	HS-35-2163	11	LEFT	204.3
HS-35-1164	HS-35-2164	13	LEFT	236.3
HS-35-1165	HS-35-2165	15	LEFT	268.3
HS-35-1166	HS-35-2166	5	RIGHT	108.3
HS-35-1167	HS-35-2167	7	RIGHT	140.3
HS-35-1168	HS-35-2168	9	RIGHT	172.3
HS-35-1169	HS-35-2169	11	RIGHT	204.3
HS-35-1170	HS-35-2170	13	RIGHT	236.3
HS-35-1171	HS-35-2171	15	RIGHT	268.3




Attachment Locking Plate MEDIUM



Attachment Locking Plate LARGE


S.S	TI.	TYPE	LENTGH (mm)	S.S	TI.	TYPE	LENTGH (mm)
HS-35-1172	HS-35-2172	MEDIUM	34	HS-35-1173	HS-35-2173	LARGE	41.8

Locking Plates




3.5 / 4.0 mm Distal Tibia Antrolateral Locking Plate 2

Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (3.5 / 4.0 mm)		4.0	12.5 - 41.1		
S.S	TL	HOLES	SIDE	LENTGH (mm)	
HS-35-1174	HS-35-2174	5	LEFT	89.8	
HS-35-1175	HS-35-2175	7	LEFT	119.8	
HS-35-1176	HS-35-2176	9	LEFT	149.8	
HS-35-1177	HS-35-2177	11	LEFT	179.8	
HS-35-1178	HS-35-2178	13	LEFT	209.8	
HS-35-1179	HS-35-2179	15	LEFT	239.8	
HS-35-1180	HS-35-2180	17	LEFT	269.8	
HS-35-1181	HS-35-2181	5	RIGHT	89.8	
HS-35-1182	HS-35-2182	7	RIGHT	119.8	
HS-35-1183	HS-35-2183	9	RIGHT	149.8	
HS-35-1184	HS-35-2184	11	RIGHT	179.8	
HS-35-1185	HS-35-2185	13	RIGHT	209.8	
HS-35-1186	HS-35-2186	15	RIGHT	239.8	
HS-35-1187	HS-35-2187	17	RIGHT	269.8	





3.5 / 4.0 mm Distal Medial Tibia Locking Compression Plate 1

Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (3.5 / 4.0 mm)		3.0	13.0 - 18.8		
S.S	TL	HOLES	SIDE	LENTGH (mm)	
HS-35-1188	HS-35-1188	4	LEFT	116	
HS-35-1189	HS-35-1189	6	LEFT	142	
HS-35-1190	HS-35-1190	8	LEFT	168	
HS-35-1191	HS-35-1191	10	LEFT	194	
HS-35-1192	HS-35-1192	12	LEFT	220	
HS-35-1193	HS-35-1193	14	LEFT	246	
HS-35-1194	HS-35-1194	4	RIGHT	116	
HS-35-1195	HS-35-1195	6	RIGHT	142	
HS-35-1196	HS-35-1196	8	RIGHT	168	
HS-35-1197	HS-35-1197	10	RIGHT	194	
HS-35-1198	HS-35-1198	12	RIGHT	220	
HS-35-1199	HS-35-1199	14	RIGHT	246	



3.5 / 4.0 mm Distal Medial Tibia Locking Compression Plate 2

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	11.5 - 22.4	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-35-1200	HS-35-2200	6	LEFT	137.9
HS-35-1201	HS-35-2201	8	LEFT	161.9
HS-35-1202	HS-35-2202	10	LEFT	185.9
HS-35-1203	HS-35-2203	12	LEFT	209.9
HS-35-1204	HS-35-2204	14	LEFT	233.9
HS-35-1205	HS-35-2205	6	RIGHT	137.9
HS-35-1206	HS-35-2206	8	RIGHT	161.9
HS-35-1207	HS-35-2207	10	RIGHT	185.9
HS-35-1208	HS-35-2208	12	RIGHT	209.9
HS-35-1209	HS-35-2209	14	RIGHT	233.9




3.5 / 4.0 mm Distal Tibia Locking Pilio Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	11.7	
S.S	TI.	HOLES	LENTGH (mm)	
HS-35-1210	HS-35-2210	16	111.5	
HS-35-1211	HS-35-2211	18	142.5	
HS-35-1212	HS-35-2212	20	173.5	
HS-35-1213	HS-35-2213	22	204.5	
HS-35-1214	HS-35-2214	24	235.5	
HS-35-1215	HS-35-2215	26	266.5	




Locking Plates



3.5 / 4.0 mm Distal Fibula Locking Plate 1


Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (3.5 / 4.0 mm)		3.0	9.3 - 13.8		
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-35-1216	HS-35-2216	3	LEFT	71	
HS-35-1217	HS-35-2217	4	LEFT	81	
HS-35-1218	HS-35-2218	5	LEFT	91	
HS-35-1219	HS-35-2219	6	LEFT	101	
HS-35-1220	HS-35-2220	7	LEFT	111	
HS-35-1221	HS-35-2221	8	LEFT	121	
HS-35-1222	HS-35-2222	9	LEFT	131	
HS-35-1223	HS-35-2223	10	LEFT	141	
HS-35-1224	HS-35-2224	11	LEFT	151	
HS-35-1225	HS-35-2225	12	LEFT	161	
HS-35-1226	HS-35-2226	3	RIGHT	71	
HS-35-1237	HS-35-2237	4	RIGHT	81	
HS-35-1229	HS-35-2229	5	RIGHT	91	
HS-35-1230	HS-35-2230	6	RIGHT	101	
HS-35-1231	HS-35-2231	7	RIGHT	111	
HS-35-1232	HS-35-2232	8	RIGHT	121	
HS-35-1233	HS-35-2233	9	RIGHT	131	
HS-35-1234	HS-35-2234	10	RIGHT	141	
HS-35-1235	HS-35-2235	11	RIGHT	151	
HS-35-1236	HS-35-2236	12	RIGHT	161	



3.5 / 4.0 mm Distal Fibula Locking Plate 2


Screw To Be Used		Thickness (mm)	Width (mm)		
Ø (2.7 / 3.5 / 4.0 mm)		2.3	10.5 - 19.8		
S.S	TI.	HOLES	SIDE	LENTGH (mm)	
HS-35-1237	HS-35-2237	3	LEFT	75.5	
HS-35-1238	HS-35-2238	4	LEFT	87.5	
HS-35-1239	HS-35-2239	5	LEFT	99.5	
HS-35-1240	HS-35-2240	6	LEFT	111.5	
HS-35-1241	HS-35-2241	7	LEFT	123.5	
HS-35-1242	HS-35-2242	8	LEFT	135.5	
HS-35-1243	HS-35-2243	9	LEFT	147.5	
HS-35-1244	HS-35-2244	10	LEFT	159.5	
HS-35-1245	HS-35-2245	11	LEFT	171.5	
HS-35-1246	HS-35-2246	12	LEFT	183.5	
HS-35-1247	HS-35-2247	3	RIGHT	75.5	
HS-35-1248	HS-35-2248	4	RIGHT	87.5	
HS-35-1249	HS-35-2249	5	RIGHT	99.5	
HS-35-1250	HS-35-2250	6	RIGHT	111.5	
HS-35-1251	HS-35-2251	7	RIGHT	123.5	
HS-35-1252	HS-35-2252	8	RIGHT	135.5	
HS-35-1253	HS-35-2253	9	RIGHT	147.5	
HS-35-1254	HS-35-2254	10	RIGHT	159.5	
HS-35-1255	HS-35-2255	11	RIGHT	171.5	
HS-35-1256	HS-35-2256	12	RIGHT	183.5	

Locking Plates






4.0 / 4.5 / 5.0 mm Reconstruction Locking Compression Plate

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (4.0 / 4.5 / 5.0 mm)		3.0	12.0
S.S	TI.	HOLES	LENTGH (mm)
HS-35-1257	HS-35-2257	5	86
HS-35-1258	HS-35-2258	6	102
HS-35-1259	HS-35-2259	7	118
HS-35-1260	HS-35-2260	8	134
HS-35-1261	HS-35-2261	9	150
HS-35-1262	HS-35-2262	10	166
HS-35-1263	HS-35-2263	12	198



5.0 mm Curved Reconstruction Locking Plate

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (5.0 mm)		3.0	12.0
S.S	TI.	HOLES	LENTGH (mm)
HS-35-1264	HS-35-2264	2	30
HS-35-1265	HS-35-2265	3	45
HS-35-1266	HS-35-2266	4	61
HS-35-1267	HS-35-2267	5	78
HS-35-1268	HS-35-2268	6	94
HS-35-1269	HS-35-2269	7	109
HS-35-1270	HS-35-2270	8	125
HS-35-1271	HS-35-2271	9	140
HS-35-1272	HS-35-2272	10	155
HS-35-1273	HS-35-2273	11	169
HS-35-1274	HS-35-2274	12	184



3.5 / 4.0 mm Calcaneal Locking Plate

Calcaneal Locking Plate 1

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.5	20.7 - 41.7	
S.S	TI.	SIDE	LENTGH (mm)
HS-35-1275	HS-35-2275	LEFT	62.6
HS-35-1276	HS-35-2276	RIGHT	62.6



Calcaneal Locking Plate 2


Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.5	20.2 - 38.1	
S.S	TI.	SIDE	LENTGH (mm)
HS-35-1277	HS-35-2277	LEFT	60.5
HS-35-1278	HS-35-2278	RIGHT	60.5



Calcaneal Locking Plate 3

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.5	14.9 - 26.6	
S.S	TI.	SIDE	LENTGH (mm)
HS-35-1279	HS-35-2279	LEFT	45.7
HS-35-1280	HS-35-2280	RIGHT	45.7





3.5 / 4.0 mm Calcaneal Locking Plate

Calcaneal Locking Plate 4			
Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.5	19.1 - 30.2	
S.S	TL.	SIDE	LENTGH (mm)
HS-35-1281	HS-35-2281	LEFT	65.6
HS-35-1282	HS-35-2282	RIGHT	65.6



Calcaneal Locking Plate 5			
Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)	1.5	15.5 - 25.5	
S.S	TL.	SIDE	LENTGH (mm)
HS-35-1283	HS-35-2283	LEFT	59.1
HS-35-1284	HS-35-2284	RIGHT	59.1





Locking Screws




5.0 mm Self - Tapping Locking Screw

S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-36-1001	HS-36-2001	5.0 x 14	HS-36-1014	HS-36-2014	5.0 x 40
HS-36-1002	HS-36-2002	5.0 x 16	HS-36-1015	HS-36-2015	5.0 x 42
HS-36-1003	HS-36-2003	5.0 x 18	HS-36-1016	HS-36-2016	5.0 x 44
HS-36-1004	HS-36-2004	5.0 x 20	HS-36-1017	HS-36-2017	5.0 x 46
HS-36-1005	HS-36-2005	5.0 x 22	HS-36-1018	HS-36-2018	5.0 x 48
HS-36-1006	HS-36-2006	5.0 x 24	HS-36-1019	HS-36-2019	5.0 x 50
HS-36-1007	HS-36-2007	5.0 x 26	HS-36-1020	HS-36-2020	5.0 x 55
HS-36-1008	HS-36-2008	5.0 x 28	HS-36-1021	HS-36-2021	5.0 x 60
HS-36-1009	HS-36-2009	5.0 x 30	HS-36-1022	HS-36-2022	5.0 x 65
HS-36-1010	HS-36-2010	5.0 x 32	HS-36-1023	HS-36-2023	5.0 x 75
HS-36-1011	HS-36-2011	5.0 x 34	HS-36-1024	HS-36-2024	5.0 x 80
HS-36-1012	HS-36-2012	5.0 x 36	HS-36-1025	HS-36-2025	5.0 x 85
HS-36-1013	HS-36-2013	5.0 x 38	HS-36-1026	HS-36-2026	5.0 x 90



5.0 mm Locking Cancellous Screw Full Threaded


S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-36-1027	HS-36-2027	5.0 x 35	HS-36-1035	HS-36-2035	5.0 x 75
HS-36-1028	HS-36-2028	5.0 x 40	HS-36-1036	HS-36-2036	5.0 x 80
HS-36-1029	HS-36-2029	5.0 x 45	HS-36-1037	HS-36-2037	5.0 x 85
HS-36-1030	HS-36-2030	5.0 x 50	HS-36-1038	HS-36-2038	5.0 x 90
HS-36-1031	HS-36-2031	5.0 x 55	HS-36-1039	HS-36-2039	5.0 x 95
HS-36-1032	HS-36-2032	5.0 x 60	HS-36-1040	HS-36-2040	5.0 x 100
HS-36-1033	HS-36-2033	5.0 x 65	HS-36-1041	HS-36-2041	5.0 x 105
HS-36-1034	HS-36-2034	5.0 x 70	HS-36-1042	HS-36-2042	5.0 x 110



5.0 mm Locking Cancellous Screw Partially Threaded

S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-36-1043	HS-36-2043	5.0 x 35	HS-36-1051	HS-36-2051	5.0 x 75
HS-36-1044	HS-36-2044	5.0 x 40	HS-36-1052	HS-36-2052	5.0 x 80
HS-36-1045	HS-36-2045	5.0 x 45	HS-36-1053	HS-36-2053	5.0 x 85
HS-36-1046	HS-36-2046	5.0 x 50	HS-36-1054	HS-36-2054	5.0 x 90
HS-36-1047	HS-36-2047	5.0 x 55	HS-36-1055	HS-36-2055	5.0 x 95
HS-36-1048	HS-36-2048	5.0 x 60	HS-36-1056	HS-36-2056	5.0 x 100
HS-36-1049	HS-36-2049	5.0 x 65	HS-36-1057	HS-36-2057	5.0 x 105
HS-36-1050	HS-36-2050	5.0 x 70	HS-36-1058	HS-36-2058	5.0 x 110

Locking Screws



5.0 mm Self - Drilling Locking Screw


S.S	TI.	DIA X LENTGH (mm)
HS-36-1059	HS-36-2059	5.0 x 18
HS-36-1060	HS-36-2060	5.0 x 20
HS-36-1061	HS-36-2061	5.0 x 22
HS-36-1062	HS-36-2062	5.0 x 24
HS-36-1063	HS-36-2063	5.0 x 26
HS-36-1064	HS-36-2064	5.0 x 28
HS-36-1065	HS-36-2065	5.0 x 30
HS-36-1066	HS-36-2066	5.0 x 32
HS-36-1067	HS-36-2067	5.0 x 34
HS-36-1068	HS-36-2068	5.0 x 36
HS-36-1069	HS-36-2069	5.0 x 38
HS-36-1070	HS-36-2070	5.0 x 40
HS-36-1071	HS-36-2071	5.0 x 42
HS-36-1072	HS-36-2072	5.0 x 44
HS-36-1073	HS-36-2073	5.0 x 46
HS-36-1074	HS-36-2074	5.0 x 48
HS-36-1075	HS-36-2075	5.0 x 50
HS-36-1076	HS-36-2076	5.0 x 55
HS-36-1077	HS-36-2077	5.0 x 60
HS-36-1078	HS-36-2078	5.0 x 65
HS-36-1079	HS-36-2079	5.0 x 75
HS-36-1080	HS-36-2080	5.0 x 80
HS-36-1081	HS-36-2081	5.0 x 85
HS-36-1082	HS-36-2082	5.0 x 90




S.S	TI.
HS-36-1083	HS-36-2083



S.S	TI.
HS-36-1084	HS-36-2084




5.0 mm Cable Locking Screw




Locking Screw Plug

Locking Screws



6.5 mm Locking Cancellous Screw Full Threaded


S.S	TI.	DIA X LENTGH (mm)
HS-36-1085	HS-36-2085	6.5 x 35
HS-36-1086	HS-36-2086	6.5 x 40
HS-36-1087	HS-36-2087	6.5 x 45
HS-36-1088	HS-36-2088	6.5 x 50
HS-36-1089	HS-36-2089	6.5 x 55
HS-36-1090	HS-36-2090	6.5 x 60
HS-36-1091	HS-36-2091	6.5 x 65
HS-36-1092	HS-36-2092	6.5 x 70
HS-36-1093	HS-36-2093	6.5 x 75
HS-36-1094	HS-36-2094	6.5 x 80
HS-36-1095	HS-36-2095	6.5 x 85
HS-36-1096	HS-36-2096	6.5 x 90
HS-36-1097	HS-36-2097	6.5 x 95
HS-36-1098	HS-36-2098	6.5 x 100
HS-36-1099	HS-36-2099	6.5 x 105
HS-36-1100	HS-36-2100	6.5 x 110




6.5 mm Locking Cancellous Screw 16 mm Threaded

S.S	TI.	DIA X LENTGH (mm)
HS-36-1101	HS-36-2101	6.5 x 35
HS-36-1102	HS-36-2102	6.5 x 40
HS-36-1103	HS-36-2103	6.5 x 45
HS-36-1104	HS-36-2104	6.5 x 50
HS-36-1105	HS-36-2105	6.5 x 55
HS-36-1106	HS-36-2106	6.5 x 60
HS-36-1107	HS-36-2107	6.5 x 65
HS-36-1108	HS-36-2108	6.5 x 70
HS-36-1109	HS-36-2109	6.5 x 75
HS-36-1110	HS-36-2110	6.5 x 80
HS-36-1111	HS-36-2111	6.5 x 85
HS-36-1112	HS-36-2112	6.5 x 90
HS-36-1113	HS-36-2113	6.5 x 95
HS-36-1114	HS-36-2114	6.5 x 100
HS-36-1115	HS-36-2115	6.5 x 105
HS-36-1116	HS-36-2116	6.5 x 110

Locking Screws



6.5 mm Locking Cancellous Screw 32 mm Threaded




5.0 mm Self - Tapping Locking Cannulated Screw

S.S	TI.	DIA X LENTGH (mm)
HS-36-1117	HS-36-2117	6.5 x 45
HS-36-1118	HS-36-2118	6.5 x 50
HS-36-1119	HS-36-2119	6.5 x 55
HS-36-1120	HS-36-2120	6.5 x 60
HS-36-1121	HS-36-2121	6.5 x 65
HS-36-1122	HS-36-2122	6.5 x 70
HS-36-1123	HS-36-2123	6.5 x 75
HS-36-1124	HS-36-2124	6.5 x 80
HS-36-1125	HS-36-2125	6.5 x 85
HS-36-1126	HS-36-2126	6.5 x 90
HS-36-1127	HS-36-2127	6.5 x 95
HS-36-1128	HS-36-2128	6.5 x 100
HS-36-1129	HS-36-2129	6.5 x 105
HS-36-1130	HS-36-2130	6.5 x 110


S.S	TI.	DIA X LENTGH (mm)
HS-36-1131	HS-36-2131	5.0 x 14
HS-36-1132	HS-36-2132	5.0 x 16
HS-36-1133	HS-36-2133	5.0 x 18
HS-36-1134	HS-36-2134	5.0 x 20
HS-36-1135	HS-36-2135	5.0 x 22
HS-36-1136	HS-36-2136	5.0 x 24
HS-36-1137	HS-36-2137	5.0 x 26
HS-36-1138	HS-36-2138	5.0 x 28
HS-36-1139	HS-36-2139	5.0 x 30
HS-36-1140	HS-36-2140	5.0 x 32
HS-36-1141	HS-36-2141	5.0 x 34
HS-36-1142	HS-36-2142	5.0 x 36
HS-36-1143	HS-36-2143	5.0 x 38
HS-36-1144	HS-36-2144	5.0 x 40
HS-36-1145	HS-36-2145	5.0 x 42
HS-36-1146	HS-36-2146	5.0 x 44
HS-36-1147	HS-36-2147	5.0 x 46
HS-36-1148	HS-36-2148	5.0 x 48
HS-36-1149	HS-36-2149	5.0 x 50
HS-36-1150	HS-36-2150	5.0 x 55
HS-36-1151	HS-36-2151	5.0 x 60
HS-36-1152	HS-36-2152	5.0 x 65
HS-36-1153	HS-36-2153	5.0 x 70
HS-36-1154	HS-36-2154	5.0 x 75
HS-36-1155	HS-36-2155	5.0 x 80
HS-36-1156	HS-36-2156	5.0 x 85
HS-36-1157	HS-36-2157	5.0 x 90

Non Locking Plates




4.5 Proximal Femur Compression Plate 1

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 mm)		5.0	16 - 25.7	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1001	HS-37-2001	5	LEFT	126.8
HS-37-1002	HS-37-2002	7	LEFT	162.8
HS-37-1003	HS-37-2003	9	LEFT	198.6
HS-37-1004	HS-37-2004	11	LEFT	234.6
HS-37-1005	HS-37-2005	13	LEFT	270.6
HS-37-1006	HS-37-2006	5	RIGHT	126.8
HS-37-1007	HS-37-2007	7	RIGHT	162.8
HS-37-1008	HS-37-2008	9	RIGHT	198.6
HS-37-1009	HS-37-2009	11	RIGHT	234.6
HS-37-1010	HS-37-2010	13	RIGHT	270.6



4.5 mm Distal Lateral Femur Plate 1



Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 mm)		5.0	16.2 - 33.2	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1011	HS-37-2011	5	LEFT	156.4
HS-37-1012	HS-37-2012	7	LEFT	194.4
HS-37-1013	HS-37-2013	9	LEFT	236.4
HS-37-1014	HS-37-2014	11	LEFT	276.4
HS-37-1015	HS-37-2015	13	LEFT	306.4
HS-37-1016	HS-37-2016	5	RIGHT	156.4
HS-37-1017	HS-37-2017	7	RIGHT	194.4
HS-37-1018	HS-37-2018	9	RIGHT	236.4
HS-37-1019	HS-37-2019	11	RIGHT	276.4
HS-37-1020	HS-37-2020	13	RIGHT	306.4



40.5 mm Distal Lateral Femur Plate 2

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 mm)		5.0	17 - 43.9	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1021	HS-37-2021	6	LEFT	158
HS-37-1022	HS-37-2022	7	LEFT	174
HS-37-1023	HS-37-2023	8	LEFT	191
HS-37-1024	HS-37-2024	9	LEFT	206
HS-37-1025	HS-37-2025	10	LEFT	223
HS-37-1026	HS-37-2026	12	LEFT	250
HS-37-1027	HS-37-2027	6	RIGHT	158
HS-37-1028	HS-37-2028	7	RIGHT	174
HS-37-1029	HS-37-2029	8	RIGHT	191
HS-37-1030	HS-37-2030	9	RIGHT	206
HS-37-1031	HS-37-2031	10	RIGHT	223
HS-37-1032	HS-37-2032	12	RIGHT	250



Non Locking Plates




4.5 / 6.5 mm Femur Condylar Buttress Plate

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 6.5 mm)		5.0	16.5 - 58.2	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1033	HS-37-2033	5	LEFT	133
HS-37-1034	HS-37-2034	6	LEFT	149
HS-37-1035	HS-37-2035	7	LEFT	165
HS-37-1036	HS-37-2036	8	LEFT	181
HS-37-1037	HS-37-2037	9	LEFT	197
HS-37-1038	HS-37-2038	10	LEFT	213
HS-37-1039	HS-37-2039	11	LEFT	229
HS-37-1040	HS-37-2040	12	LEFT	245
HS-37-1041	HS-37-2041	13	LEFT	264
HS-37-1042	HS-37-2042	14	LEFT	277
HS-37-1043	HS-37-2043	15	LEFT	293
HS-37-1044	HS-37-2044	5	RIGHT	133
HS-37-1045	HS-37-2045	6	RIGHT	149
HS-37-1046	HS-37-2046	7	RIGHT	165
HS-37-1047	HS-37-2047	8	RIGHT	181
HS-37-1048	HS-37-2048	9	RIGHT	197
HS-37-1049	HS-37-2049	10	RIGHT	213
HS-37-1050	HS-37-2050	11	RIGHT	229
HS-37-1051	HS-37-2051	12	RIGHT	245
HS-37-1052	HS-37-2052	13	RIGHT	264
HS-37-1053	HS-37-2053	14	RIGHT	277
HS-37-1054	HS-37-2054	15	RIGHT	293


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 mm)		5.0	13.8 - 31.4	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1055	HS-37-2055	4	LEFT	115.9
HS-37-1056	HS-37-2056	6	LEFT	147.9
HS-37-1057	HS-37-2057	8	LEFT	179.9
HS-37-1058	HS-37-2058	4	RIGHT	115.9
HS-37-1059	HS-37-2059	6	RIGHT	147.9
HS-37-1060	HS-37-2060	8	RIGHT	179.9



4.5 mm Distal Medial Femur Buttress Plate




Non Locking Plates



4.5 / 6.5 mm Broad Compression Plate



Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 6.5 mm)	5.0	16.0	
S.S	TI.	HOLES	LENGTH (mm)
HS-37-1061	HS-37-2061	4	71
HS-37-1062	HS-37-2062	5	87
HS-37-1063	HS-37-2063	6	103
HS-37-1064	HS-37-2064	7	119
HS-37-1065	HS-37-2065	8	135
HS-37-1066	HS-37-2066	9	151
HS-37-1067	HS-37-2067	10	167
HS-37-1068	HS-37-2068	11	183
HS-37-1069	HS-37-2069	12	199
HS-37-1070	HS-37-2070	13	215
HS-37-1071	HS-37-2071	14	231
HS-37-1072	HS-37-2072	15	247
HS-37-1073	HS-37-2073	16	263
HS-37-1074	HS-37-2074	17	279
HS-37-1075	HS-37-2075	18	295




4.5 / 6.5 mm Narrow Compression Plate




Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 6.5 mm)	4.0	12	
S.S	TI.	HOLES	LENGTH (mm)
HS-37-1076	HS-37-2076	2	39
HS-37-1077	HS-37-2077	3	55
HS-37-1078	HS-37-2078	4	71
HS-37-1079	HS-37-2079	5	87
HS-37-1080	HS-37-2080	6	103
HS-37-1081	HS-37-2081	7	119
HS-37-1082	HS-37-2082	8	135
HS-37-1083	HS-37-2083	9	151
HS-37-1084	HS-37-2084	10	167
HS-37-1085	HS-37-2085	11	183
HS-37-1086	HS-37-2086	12	199
HS-37-1087	HS-37-2087	13	215
HS-37-1088	HS-37-2088	14	231
HS-37-1089	HS-37-2089	15	247
HS-37-1090	HS-37-2090	16	263

Non Locking Plates



4.5 / 6.5 mm Broad Compression Plate


Screw To Be Used		Thickness (mm)	Width (mm)
Ø (4.5 mm)		3.0	12.0
S.S	TI.	HOLES	LENGTH (mm)
HS-37-1091	HS-37-2091	4	71
HS-37-1092	HS-37-2092	5	87
HS-37-1093	HS-37-2093	6	103
HS-37-1094	HS-37-2094	7	119
HS-37-1095	HS-37-2095	8	135
HS-37-1096	HS-37-2096	9	151
HS-37-1097	HS-37-2097	10	167
HS-37-1098	HS-37-2098	11	183
HS-37-1099	HS-37-2099	12	199
HS-37-1100	HS-37-2100	13	215
HS-37-1101	HS-37-2101	14	231
HS-37-1102	HS-37-2102	15	247
HS-37-1103	HS-37-2103	16	263




4.5 / 6.5 mm Narrow Compression Plate

Screw To Be Used		Thickness (mm)	Width (mm)
Ø (4.5 mm)		2.7	12
S.S	TI.	HOLES	LENGTH (mm)
HS-37-1104	HS-37-2104	4	61.4
HS-37-1105	HS-37-2105	5	77.3
HS-37-1106	HS-37-2106	6	93.2
HS-37-1107	HS-37-2107	7	108.9
HS-37-1108	HS-37-2108	8	124.7
HS-37-1109	HS-37-2109	9	139.8
HS-37-1110	HS-37-2110	10	154.9
HS-37-1111	HS-37-2111	11	169.6
HS-37-1112	HS-37-2112	12	184
HS-37-1113	HS-37-2113	13	198
HS-37-1114	HS-37-2114	14	211.6
HS-37-1115	HS-37-2115	15	224.7
HS-37-1116	HS-37-2116	16	237.5


Non Locking Plates



4.5 mm Semi Tubular



4.5 mm Semi Plate





4.5 / 6.5 mm Cobra Head Plate

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 mm)	1.2	11.6	
S.S	TI.	HOLES	LENTGH (mm)
HS-37-1117	HS-37-2117	4	71
HS-37-1118	HS-37-2118	5	87
HS-37-1119	HS-37-2119	6	103
HS-37-1120	HS-37-2120	7	119
HS-37-1121	HS-37-2121	8	135
HS-37-1122	HS-37-2122	9	151
HS-37-1123	HS-37-2123	10	167
HS-37-1124	HS-37-2124	11	183
HS-37-1125	HS-37-2125	12	231

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 mm)	2.5	17.7 - 35.6	
S.S	TI.	HOLES	LENTGH (mm)
HS-37-1126	HS-37-2126	5	101.4
HS-37-1127	HS-37-2127	6	120.6



Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 6.5 mm)	5.4	16.3 / 39.4	
S.S	TI.	HOLES	LENTGH (mm)
HS-37-1128	HS-37-2128	6	143
HS-37-1129	HS-37-2129	7	159
HS-37-1130	HS-37-2130	8	175
HS-37-1131	HS-37-2131	9	191
HS-37-1132	HS-37-2132	10	207
HS-37-1133	HS-37-2133	11	223
HS-37-1134	HS-37-2134	12	239
HS-37-1135	HS-37-2135	13	255

Non Locking Plates



4.5 / 6.5 mm T - Buttress Plate


Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 6.5 mm)	2.5	16 - 38.3	
S.S	TI.	HOLES	LENTGH (mm)
HS-37-1136	HS-37-2136	3	63.5
HS-37-1137	HS-37-2137	4	79.5
HS-37-1138	HS-37-2138	5	95.5
HS-37-1139	HS-37-2139	6	111.5
HS-37-1140	HS-37-2140	7	127.5
HS-37-1141	HS-37-2141	8	143.5



4.5 / 6.5 mm L - Buttress Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 / 6.5 mm)		2.5	16 - 38.7	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-37-1142	HS-37-2142	3	LEFT	65.1
HS-37-1143	HS-37-2143	4	LEFT	81.5
HS-37-1144	HS-37-2144	5	LEFT	97.1
HS-37-1145	HS-37-2145	6	LEFT	113.1
HS-37-1146	HS-37-2146	7	LEFT	129.1
HS-37-1147	HS-37-2147	8	LEFT	145.1
HS-37-1148	HS-37-2148	3	RIGHT	65.1
HS-37-1149	HS-37-2149	4	RIGHT	81.1
HS-37-1150	HS-37-2150	5	RIGHT	97.1
HS-37-1151	HS-37-2151	6	RIGHT	113.1
HS-37-1152	HS-37-2152	7	RIGHT	129.1
HS-37-1153	HS-37-2153	8	RIGHT	145.1

Non Locking Plates



4.5 Proximal Lateral Tibia Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 mm)		4.0	16.2 - 24	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-37-1154	HS-37-2154	5	LEFT	141.8
HS-37-1155	HS-37-2155	7	LEFT	181.8
HS-37-1156	HS-37-2156	9	LEFT	221.8
HS-37-1157	HS-37-2157	11	LEFT	261.8
HS-37-1158	HS-37-2158	13	LEFT	301.8
HS-37-1159	HS-37-2159	5	RIGHT	141.8
HS-37-1160	HS-37-2160	7	RIGHT	181.8
HS-37-1161	HS-37-2161	9	RIGHT	221.8
HS-37-1162	HS-37-2162	11	RIGHT	261.8
HS-37-1163	HS-37-2163	13	RIGHT	301.8



4.5 mm Distal Tibia Lateral Plate


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (4.5 mm)		3.0	16 - 22	
S.S	TI.	HOLES	SIDE	LENTGH (mm)
HS-37-1164	HS-37-2164	5	LEFT	108.3
HS-37-1165	HS-37-2165	7	LEFT	140.3
HS-37-1166	HS-37-2166	9	LEFT	172.3
HS-37-1167	HS-37-2167	11	LEFT	204.3
HS-37-1168	HS-37-2168	13	LEFT	236.3
HS-37-1169	HS-37-2169	5	RIGHT	108.3
HS-37-1170	HS-37-2170	7	RIGHT	140.3
HS-37-1171	HS-37-2171	9	RIGHT	172.3
HS-37-1172	HS-37-2172	11	RIGHT	204.3
HS-37-1173	HS-37-2173	13	RIGHT	236.3

Non Locking Plates



3.5 mm Distal Medial Plate 2


Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 mm)		3.0	11.5 - 22.8	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1174	HS-37-2174	5	LEFT	125.9
HS-37-1175	HS-37-2175	7	LEFT	149.9
HS-37-1176	HS-37-2176	9	LEFT	173.9
HS-37-1177	HS-37-2177	11	LEFT	197.9
HS-37-1178	HS-37-2178	13	LEFT	221.9
HS-37-1179	HS-37-2179	5	RIGHT	125.9
HS-37-1180	HS-37-2180	7	RIGHT	149.9
HS-37-1181	HS-37-2181	9	RIGHT	173.9
HS-37-1182	HS-37-2182	11	RIGHT	197.9
HS-37-1183	HS-37-2183	13	RIGHT	221.9



3.5 mm Distal Fibula Plate 1

Screw To Be Used		Thickness (mm)	Width (mm)	
Ø (3.5 / 4.0 mm)		3.0	9.3 - 13.8	
S.S	TL	HOLES	SIDE	LENTGH (mm)
HS-37-1185	HS-37-2185	2	LEFT	61
HS-37-1186	HS-37-2186	4	LEFT	81
HS-37-1187	HS-37-2187	5	LEFT	91
HS-37-1189	HS-37-2189	6	LEFT	101
HS-37-1190	HS-37-2190	7	LEFT	111
HS-37-1191	HS-37-2191	8	LEFT	121
HS-37-1192	HS-37-2192	9	LEFT	131
HS-37-1193	HS-37-2193	10	LEFT	141
HS-37-1194	HS-37-2194	2	RIGHT	61
HS-37-1195	HS-37-2195	4	RIGHT	81
HS-37-1196	HS-37-2196	5	RIGHT	91
HS-37-1197	HS-37-2197	6	RIGHT	101
HS-37-1198	HS-37-2198	7	RIGHT	111
HS-37-1199	HS-37-2199	8	RIGHT	121
HS-37-1200	HS-37-2200	9	RIGHT	131
HS-37-1201	HS-37-2201	10	RIGHT	141

Non Locking Screw



4.5 mm Self - Tapping Cortical Screw

S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-38-1001	HS-38-2001	4.5 x 14	HS-38-1014	HS-38-2014	4.5 x 40
HS-38-1002	HS-38-2002	4.5 x 16	HS-38-1015	HS-38-2015	4.5 x 42
HS-38-1003	HS-38-2003	4.5 x 18	HS-38-1016	HS-38-2016	4.5 x 44
HS-38-1004	HS-38-2004	4.5 x 20	HS-38-1017	HS-38-2017	4.5 x 46
HS-38-1005	HS-38-2005	4.5 x 22	HS-38-1018	HS-38-2018	4.5 x 48
HS-38-1006	HS-38-2006	4.5 x 24	HS-38-1019	HS-38-2019	4.5 x 50
HS-38-1007	HS-38-2007	4.5 x 26	HS-38-1020	HS-38-2020	4.5 x 52
HS-38-1008	HS-38-2008	4.5 x 28	HS-38-1021	HS-38-2021	4.5 x 54
HS-38-1009	HS-38-2009	4.5 x 30	HS-38-1022	HS-38-2022	4.5 x 56
HS-38-1010	HS-38-2010	4.5 x 32	HS-38-1023	HS-38-2023	4.5 x 58
HS-38-1011	HS-38-2011	4.5 x 34	HS-38-1024	HS-38-2024	4.5 x 60
HS-38-1012	HS-38-2012	4.5 x 36	HS-38-1025	HS-38-2025	4.5 x 65
HS-38-1013	HS-38-2013	4.5 x 38	HS-38-1026	HS-38-2026	4.5 x 70



6.5 mm Cancellous Screw 16 mm Threaded



S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-38-1027	HS-38-2027	6.5 x 50	HS-38-1034	HS-38-2034	6.5 x 85
HS-38-1028	HS-38-2028	6.5 x 55	HS-38-1035	HS-38-2035	6.5 x 90
HS-38-1029	HS-38-2029	6.5 x 60	HS-38-1036	HS-38-2036	6.5 x 95
HS-38-1030	HS-38-2030	6.5 x 65	HS-38-1037	HS-38-2037	6.5 x 100
HS-38-1031	HS-38-2031	6.5 x 70	HS-38-1038	HS-38-2038	6.5 x 105
HS-38-1032	HS-38-2032	6.5 x 75	HS-38-1039	HS-38-2039	6.5 x 110
HS-38-1033	HS-38-2033	6.5 x 80			




6.5 mm Cancellous Screw 32 mm Threaded

S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-38-1040	HS-38-2040	6.5 x 50	HS-38-1047	HS-38-2047	6.5 x 85
HS-38-1041	HS-38-2041	6.5 x 55	HS-38-1048	HS-38-2048	6.5 x 90
HS-38-1042	HS-38-2042	6.5 x 60	HS-38-1049	HS-38-2049	6.5 x 95
HS-38-1043	HS-38-2043	6.5 x 65	HS-38-1050	HS-38-2050	6.5 x 100
HS-38-1044	HS-38-2044	6.5 x 70	HS-38-1051	HS-38-2051	6.5 x 105
HS-38-1045	HS-38-2045	6.5 x 75	HS-38-1052	HS-38-2052	6.5 x 110
HS-38-1046	HS-38-2046	6.5 x 80			

Non Locking Screw



4.5 mm Self - Tapping Cortical Screw



6.5 mm Cancellous Screw 16 mm Threaded

S.S	TL	DIA X LENTGH (mm)
HS-38-1053	HS-38-2053	6.5 x 50
HS-38-1054	HS-38-2054	6.5 x 55
HS-38-1055	HS-38-2055	6.5 x 60
HS-38-1056	HS-38-2056	6.5 x 65
HS-38-1057	HS-38-2057	6.5 x 70
HS-38-1058	HS-38-2058	6.5 x 75
HS-38-1059	HS-38-2059	6.5 x 80
HS-38-1060	HS-38-2060	6.5 x 85
HS-38-1061	HS-38-2061	6.5 x 90
HS-38-1062	HS-38-2062	6.5 x 95
HS-38-1063	HS-38-2063	6.5 x 100
HS-38-1064	HS-38-2064	6.5 x 105
HS-38-1065	HS-38-2065	6.5 x 110

S.S	TL	DIA X LENTGH (mm)
HS-38-1066	HS-38-2066	4.5 x 25
HS-38-1067	HS-38-2067	4.5 x 30
HS-38-1068	HS-38-2068	4.5 x 35
HS-38-1069	HS-38-2069	4.5 x 40
HS-38-1070	HS-38-2070	4.5 x 45
HS-38-1071	HS-38-2071	4.5 x 50
HS-38-1072	HS-38-2072	4.5 x 55
HS-38-1073	HS-38-2073	4.5 x 60
HS-38-1074	HS-38-2074	4.5 x 65
HS-38-1075	HS-38-2075	4.5 x 70

S.S	TL	DIA. (mm)
HS-38-1076	HS-38-2076	13



Screw to be used
Ø6,5/7,3 mm non-locking




Washer

S.S	TL	DIA. (mm)
HS-38-1077	HS-38-2077	10



Screw to be used
Ø4,5 mm non-locking



Washer


S.S	TL	DIA. (mm)
HS-38-1078	HS-38-2078	8





Screw to be used
Ø3,5-4,0 mm non-locking




Washer



DHS Locking Plate 135°



DHS Locking Plate 95°




DHS Plate 135°

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)	6.0	19.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-39-1001	HS-39-1001	2	91.3
HS-39-1002	HS-39-1002	3	107.3
HS-39-1003	HS-39-1003	4	123.3
HS-39-1004	HS-39-1004	5	139.3
HS-39-1005	HS-39-1005	6	153.9
HS-39-1006	HS-39-1006	7	171.3
HS-39-1007	HS-39-1007	8	187.3
HS-39-1008	HS-39-1008	9	203.3
HS-39-1009	HS-39-1009	10	219.3
HS-39-1010	HS-39-1010	11	235.3
HS-39-1011	HS-39-1011	12	251.3



Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 / 5.0 mm)	7.0	17.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-39-1012	HS-39-2012	2	86.8
HS-39-1013	HS-39-2013	3	102.8
HS-39-1014	HS-39-2014	4	118.8
HS-39-1015	HS-39-2015	5	134.8
HS-39-1016	HS-39-2016	6	150.8
HS-39-1017	HS-39-2017	7	166.8
HS-39-1018	HS-39-2018	8	182.8
HS-39-1019	HS-39-2019	9	198.8
HS-39-1020	HS-39-2020	10	214.8
HS-39-1021	HS-39-2021	11	230.8
HS-39-1022	HS-39-2022	12	246.8

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 mm)	6.0	19.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-39-1023	HS-39-2023	2	91.4
HS-39-1024	HS-39-2024	3	107.4
HS-39-1025	HS-39-2025	4	123.4
HS-39-1026	HS-39-2026	5	139.4
HS-39-1027	HS-39-2027	6	155.4
HS-39-1028	HS-39-2028	7	171.4
HS-39-1029	HS-39-2029	8	187.4
HS-39-1030	HS-39-2030	9	203.4
HS-39-1031	HS-39-2031	10	219.4
HS-39-1032	HS-39-2032	11	235.4
HS-39-1033	HS-39-2033	12	251.4

DHS - DCS Plates



DHS / DCS Lag Screw




DHS / DCS Lag Screw

Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (4.5 mm)	7.0	17.0	
S.S	TI.	HOLES	LENTGH (mm)
HS-39-1034	HS-39-2034	2	86.7
HS-39-1035	HS-39-2035	3	102.7
HS-39-1036	HS-39-2036	4	118.7
HS-39-1037	HS-39-2037	5	134.7
HS-39-1038	HS-39-2038	6	150.7
HS-39-1039	HS-39-2039	7	166.7
HS-39-1040	HS-39-2040	8	182.7
HS-39-1041	HS-39-2041	9	198.7
HS-39-1042	HS-39-2042	10	214.7
HS-39-1043	HS-39-2043	11	230.7
HS-39-1044	HS-39-2044	12	246.7

Screw To Be Used	Thickness (mm)	Width (mm)
Ø (4.5 / 5.0 mm)	7.0	17.0
S.S	TI.	LENTGH (mm)
HS-39-1045	HS-39-2045	50
HS-39-1046	HS-39-2046	5
HS-39-1047	HS-39-2047	60
HS-39-1048	HS-39-2048	65
HS-39-1049	HS-39-2049	70
HS-39-1050	HS-39-2050	75
HS-39-1051	HS-39-2051	80
HS-39-1052	HS-39-2052	85
HS-39-1053	HS-39-2053	90
HS-39-1054	HS-39-2054	95
HS-39-1055	HS-39-2055	100
HS-39-1056	HS-39-2056	105
HS-39-1057	HS-39-2057	110
HS-39-1058	HS-39-2058	115
HS-39-1059	HS-39-2059	120
HS-39-1060	HS-39-2060	125


S.S	TI.	LENTGH (mm)
HS-39-1061	HS-39-2061	28

4.5 mm 135° Angled Blade Plate for Operation on Adult Femur



Screw To Be Used			Thickness (mm)			Width (mm)			
Ø (4.5 mm)			6.0			16.0			
S.S	TI.	HOLES	BLADE	LENTGH (mm)	S.S	TI.	HOLES	BLADE	LENTGH (mm)
HS-40-1001	HS-40-2001	4	50	76	HS-40-1022	HS-40-2022	7	80	124
HS-40-1002	HS-40-2002	4	60	76	HS-40-1023	HS-40-2023	7	90	124
HS-40-1003	HS-40-2003	4	70	76	HS-40-1024	HS-40-2024	7	100	124
HS-40-1004	HS-40-2004	4	80	76	HS-40-1025	HS-40-2025	8	50	140
HS-40-1005	HS-40-2005	4	90	76	HS-40-1026	HS-40-2026	8	60	140
HS-40-1006	HS-40-2006	4	100	76	HS-40-1027	HS-40-2027	8	70	140
HS-40-1007	HS-40-2007	5	50	92	HS-40-1028	HS-40-2028	8	80	140
HS-40-1008	HS-40-2008	5	60	92	HS-40-1029	HS-40-2029	8	90	140
HS-40-1009	HS-40-2009	5	70	92	HS-40-1030	HS-40-2030	8	100	140
HS-40-1010	HS-40-2010	5	80	92	HS-40-1031	HS-40-2031	9	50	156
HS-40-1011	HS-40-2011	5	90	92	HS-40-1032	HS-40-2032	9	60	156
HS-40-1012	HS-40-2012	5	100	92	HS-40-1033	HS-40-2033	9	70	156
HS-40-1013	HS-40-2013	6	50	108	HS-40-1034	HS-40-2034	9	80	156
HS-40-1014	HS-40-2014	6	60	108	HS-40-1035	HS-40-2035	9	90	156
HS-40-1015	HS-40-2015	6	70	108	HS-40-1036	HS-40-2036	9	100	156
HS-40-1016	HS-40-2016	6	80	108	HS-40-1037	HS-40-2037	12	50	204
HS-40-1017	HS-40-2017	6	90	108	HS-40-1038	HS-40-2038	12	60	204
HS-40-1018	HS-40-2018	6	100	108	HS-40-1039	HS-40-2039	12	70	204
HS-40-1019	HS-40-2019	7	50	124	HS-40-1040	HS-40-2040	12	80	204
HS-40-1020	HS-40-2020	7	60	124	HS-40-1041	HS-40-2041	12	90	204
HS-40-1021	HS-40-2021	7	70	124	HS-40-1042	HS-40-2042	12	100	204


4.5 mm 95° Angled Blade Plate for Operation on Adult Femur



Screw To Be Used			Thickness (mm)			Width (mm)			
Ø (4.5 mm)			6.0			20.0			
S.S	TI.	HOLES	BLADE	LENTGH (mm)	S.S	TI.	HOLES	BLADE	LENTGH (mm)
HS-40-1043	HS-40-2043	4	50	86	HS-40-1064	HS-40-2064	7	80	134
HS-40-1044	HS-40-2044	4	60	86	HS-40-1065	HS-40-2065	7	90	134
HS-40-1045	HS-40-2045	4	70	86	HS-40-1066	HS-40-2066	7	100	134
HS-40-1046	HS-40-2046	4	80	86	HS-40-1067	HS-40-2067	8	50	150
HS-40-1047	HS-40-2047	4	90	86	HS-40-1068	HS-40-2068	8	60	150
HS-40-1048	HS-40-2048	4	100	86	HS-40-1069	HS-40-2069	8	70	150
HS-40-1049	HS-40-2049	5	50	102	HS-40-1070	HS-40-2070	8	80	150
HS-40-1050	HS-40-2050	5	60	102	HS-40-1071	HS-40-2071	8	90	150
HS-40-1051	HS-40-2051	5	70	102	HS-40-1072	HS-40-2072	8	100	150
HS-40-1052	HS-40-2052	5	80	102	HS-40-1073	HS-40-2073	9	50	166
HS-40-1053	HS-40-2053	5	90	102	HS-40-1074	HS-40-2074	9	60	166
HS-40-1054	HS-40-2054	5	100	102	HS-40-1075	HS-40-2075	9	70	166
HS-40-1055	HS-40-2055	6	50	118	HS-40-1076	HS-40-2076	9	80	166
HS-40-1056	HS-40-2056	6	60	118	HS-40-1077	HS-40-2077	9	90	166
HS-40-1057	HS-40-2057	6	70	118	HS-40-1078	HS-40-2078	9	100	166
HS-40-1058	HS-40-2058	6	80	118	HS-40-1079	HS-40-2079	12	50	214
HS-40-1059	HS-40-2059	6	90	118	HS-40-1080	HS-40-2080	12	60	214
HS-40-1060	HS-40-2060	6	100	118	HS-40-1081	HS-40-2081	12	70	214
HS-40-1061	HS-40-2061	7	50	134	HS-40-1082	HS-40-2082	12	80	214
HS-40-1062	HS-40-2062	7	60	134	HS-40-1083	HS-40-2083	12	90	214
HS-40-1063	HS-40-2063	7	70	134	HS-40-1084	HS-40-2084	12	100	214



Angled Plates

4.5 mm 95° Angled Blade Plate with Displacement for Operation on Adolescent Femur



Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (4.5 mm)		4.0		11.0	
S.S	TI.	HOLES	BLADE	LENGTH (mm)	
HS-40-1085	HS-40-2085	3	40	78.5	
HS-40-1086	HS-40-2086	3	45	78.5	
HS-40-1087	HS-40-2087	3	50	78.5	
HS-40-1088	HS-40-2088	3	55	78.5	
HS-40-1089	HS-40-2089	3	60	78.5	

4.5 mm 95° Angled Blade Plate with Displacement for Operation on Adolescent Femur




Screw To Be Used		Thickness (mm)		Width (mm)	
Ø (4.5 mm)		4.0		11.0	
S.S	TI.	HOLES	BLADE	LENGTH (mm)	
HS-40-1090	HS-40-2090	3	25	51.7	
HS-40-1091	HS-40-2091	3	30	51.7	
HS-40-1092	HS-40-2092	3	32	51.7	
HS-40-1093	HS-40-2093	3	35	51.7	

Angled Plates




Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 mm)		3.5	9.5 - 15.9
S.S	TL	HOLES	LENTGH (mm)
HS-40-1094	HS-40-2094	3	64



3.5 mm Mini Pediatric Locking Plate 100°




Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 mm)		3.4	12.4 - 19.2
S.S	TL	HOLES	LENTGH (mm)
HS-40-1095	HS-40-2095	3	76



3.5 mm Pediatric Locking Plate 100°



Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 mm)		3.4	12.4 - 19.2
S.S	TL	HOLES	LENTGH (mm)
HS-40-1096	HS-40-2096	3	76




3.5 mm Pediatric Locking Plate 110°



Angled Plates




Screw To Be Used		Thickness (mm)	Width (mm)
Ø (3.5 mm)		3.4	12.8 - 19.4
S.S	TL	HOLES	LENTGH (mm)
HS-40-1097	HS-40-2097	3	65




3.5 mm Pediatric Locking Plate 150°



Pediatric Eight Plate (for Epiphysiodesis)



S.S	TL	TYPE
HS-40-1098	HS-40-2098	SMALL



S.S	TL	TYPE
HS-40-1099	HS-40-2099	LARGE


Cannulated Screws



2.7 mm Cannulated Screw Partially Threaded

S.S	TI.	DIA X LENTGH (mm)
HS-41-1001	HS-41-2001	2.7 x 18
HS-41-1002	HS-41-2002	2.7 x 20
HS-41-1003	HS-41-2003	2.7 x 22
HS-41-1004	HS-41-2004	2.7 x 24
HS-41-1005	HS-41-2005	2.7 x 26
HS-41-1006	HS-41-2006	2.7 x 28
HS-41-1007	HS-41-2007	2.7 x 30

3.5 mm Cannulated Screw Partially Threaded



S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-41-1008	HS-41-2008	3.5 x 16	HS-41-1017	HS-41-2017	3.5 x 34
HS-41-1009	HS-41-2009	3.5 x 18	HS-41-1018	HS-41-2018	3.5 x 36
HS-41-1010	HS-41-2010	3.5 x 20	HS-41-1019	HS-41-2019	3.5 x 38
HS-41-1011	HS-41-2011	3.5 x 22	HS-41-1020	HS-41-2020	3.5 x 40
HS-41-1012	HS-41-2012	3.5 x 24	HS-41-1021	HS-41-2021	3.5 x 42
HS-41-1013	HS-41-2013	3.5 x 26	HS-41-1022	HS-41-2022	3.5 x 44
HS-41-1014	HS-41-2014	3.5 x 28	HS-41-1023	HS-41-2023	3.5 x 46
HS-41-1015	HS-41-2015	3.5 x 30	HS-41-1024	HS-41-2024	3.5 x 48
HS-41-1016	HS-41-2016	3.5 x 32	HS-41-1025	HS-41-2025	3.5 x 50

3.5 mm Cannulated Screw Full Threaded



S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-41-1026	HS-41-2026	3.5 x 14	HS-41-1036	HS-41-2036	3.5 x 34
HS-41-1027	HS-41-2027	3.5 x 16	HS-41-1037	HS-41-2037	3.5 x 36
HS-41-1028	HS-41-2028	3.5 x 18	HS-41-1038	HS-41-2038	3.5 x 38
HS-41-1029	HS-41-2029	3.5 x 20	HS-41-1039	HS-41-2039	3.5 x 40
HS-41-1030	HS-41-2030	3.5 x 22	HS-41-1040	HS-41-2040	3.5 x 42
HS-41-1031	HS-41-2031	3.5 x 24	HS-41-1041	HS-41-2041	3.5 x 44
HS-41-1032	HS-41-2032	3.5 x 26	HS-41-1042	HS-41-2042	3.5 x 46
HS-41-1033	HS-41-2033	3.5 x 28	HS-41-1043	HS-41-2043	3.5 x 48
HS-41-1034	HS-41-2034	3.5 x 30	HS-41-1044	HS-41-2044	3.5 x 50
HS-41-1035	HS-41-2035	3.5 x 32			

Cannulated Screws

4.0 mm Cannulated Screw Partially Threaded



S.S	TL	DIA X LENTGH (mm)	S.S	TL	DIA X LENTGH (mm)
HS-41-1045	HS-41-2045	4.0 x 20	HS-41-1058	HS-41-2058	4.0 x 46
HS-41-1046	HS-41-2046	4.0 x 22	HS-41-1059	HS-41-2059	4.0 x 48
HS-41-1047	HS-41-2047	4.0 x 24	HS-41-1060	HS-41-2060	4.0 x 50
HS-41-1048	HS-41-2048	4.0 x 26	HS-41-1061	HS-41-2061	4.0 x 52
HS-41-1049	HS-41-2049	4.0 x 28	HS-41-1062	HS-41-2062	4.0 x 54
HS-41-1050	HS-41-2050	4.0 x 30	HS-41-1063	HS-41-2063	4.0 x 56
HS-41-1051	HS-41-2051	4.0 x 32	HS-41-1064	HS-41-2064	4.0 x 58
HS-41-1052	HS-41-2052	4.0 x 34	HS-41-1065	HS-41-2065	4.0 x 60
HS-41-1053	HS-41-2053	4.0 x 36	HS-41-1066	HS-41-2066	4.0 x 62
HS-41-1054	HS-41-2054	4.0 x 38	HS-41-1067	HS-41-2067	4.0 x 64
HS-41-1055	HS-41-2055	4.0 x 40	HS-41-1068	HS-41-2068	4.0 x 66
HS-41-1056	HS-41-2056	4.0 x 42	HS-41-1069	HS-41-2069	4.0 x 68
HS-41-1057	HS-41-2057	4.0 x 44	HS-41-1070	HS-41-2070	4.0 x 70

4.0 mm Cannulated Screw Fully Threaded



S.S	TL	DIA X LENTGH (mm)	S.S	TL	DIA X LENTGH (mm)
HS-41-1071	HS-41-2071	4.0 x 20	HS-41-1084	HS-41-2084	4.0 x 46
HS-41-1072	HS-41-2072	4.0 x 22	HS-41-1085	HS-41-2085	4.0 x 48
HS-41-1073	HS-41-2073	4.0 x 24	HS-41-1086	HS-41-2086	4.0 x 50
HS-41-1074	HS-41-2074	4.0 x 26	HS-41-1087	HS-41-2087	4.0 x 52
HS-41-1075	HS-41-2075	4.0 x 28	HS-41-1088	HS-41-2088	4.0 x 54
HS-41-1076	HS-41-2076	4.0 x 30	HS-41-1089	HS-41-2089	4.0 x 56
HS-41-1077	HS-41-2077	4.0 x 32	HS-41-1090	HS-41-2090	4.0 x 58
HS-41-1078	HS-41-2078	4.0 x 34	HS-41-1091	HS-41-2091	4.0 x 60
HS-41-1079	HS-41-2079	4.0 x 36	HS-41-1092	HS-41-2092	4.0 x 62
HS-41-1080	HS-41-2080	4.0 x 38	HS-41-1093	HS-41-2093	4.0 x 64
HS-41-1081	HS-41-2081	4.0 x 40	HS-41-1094	HS-41-2094	4.0 x 66
HS-41-1082	HS-41-2082	4.0 x 42	HS-41-1095	HS-41-2095	4.0 x 68
HS-41-1083	HS-41-2083	4.0 x 44	HS-41-1096	HS-41-2096	4.0 x 70

Cannulated Screws



4.5 mm Cannulated Screw Partially Threaded



S.S	TL	DIA X LENTGH (mm)	S.S	TL	DIA X LENTGH (mm)
HS-41-1097	HS-41-2097	4.5 x 20	HS-41-1107	HS-41-2107	4.5 x 40
HS-41-1098	HS-41-2098	4.5 x 22	HS-41-1108	HS-41-2108	4.5 x 42
HS-41-1099	HS-41-2099	4.5 x 24	HS-41-1109	HS-41-2109	4.5 x 44
HS-41-1100	HS-41-2100	4.5 x 26	HS-41-1110	HS-41-2110	4.5 x 46
HS-41-1101	HS-41-2101	4.5 x 28	HS-41-1111	HS-41-2111	4.5 x 48
HS-41-1102	HS-41-2102	4.5 x 30	HS-41-1112	HS-41-2112	4.5 x 50
HS-41-1103	HS-41-2103	4.5 x 32	HS-41-1113	HS-41-2113	4.5 x 52
HS-41-1104	HS-41-2104	4.5 x 34	HS-41-1114	HS-41-2114	4.5 x 54
HS-41-1105	HS-41-2105	4.5 x 36	HS-41-1115	HS-41-2115	4.5 x 56
HS-41-1106	HS-41-2106	4.5 x 38	HS-41-1116	HS-41-2116	4.5 x 58
			HS-41-1117	HS-41-2117	4.5 x 60

4.5 mm Cannulated Screw Fully Threaded



S.S	TL	DIA X LENTGH (mm)	S.S	TL	DIA X LENTGH (mm)
HS-41-1118	HS-41-2118	4.5 x 20	HS-41-1128	HS-41-2128	4.5 x 40
HS-41-1119	HS-41-2119	4.5 x 22	HS-41-1129	HS-41-2129	4.5 x 42
HS-41-1120	HS-41-2120	4.5 x 24	HS-41-1130	HS-41-2130	4.5 x 44
HS-41-1121	HS-41-2121	4.5 x 26	HS-41-1131	HS-41-2131	4.5 x 46
HS-41-1122	HS-41-2122	4.5 x 28	HS-41-1132	HS-41-2132	4.5 x 48
HS-41-1123	HS-41-2123	4.5 x 30	HS-41-1133	HS-41-2133	4.5 x 50
HS-41-1124	HS-41-2124	4.5 x 32	HS-41-1134	HS-41-2134	4.5 x 52
HS-41-1125	HS-41-2125	4.5 x 34	HS-41-1135	HS-41-2135	4.5 x 54
HS-41-1126	HS-41-2126	4.5 x 36	HS-41-1136	HS-41-2136	4.5 x 56
HS-41-1127	HS-41-2127	4.5 x 38	HS-41-1137	HS-41-2137	4.5 x 58
					4.5 x 60

Cannulated Screws



6.5 mm Cannulated Screw 16 mm Threaded




S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-41-1138	HS-41-2138	6.5 x 30	HS-41-1148	HS-41-2148	6.5 x 80
HS-41-1139	HS-41-2139	6.5 x 35	HS-41-1149	HS-41-2149	6.5 x 85
HS-41-1140	HS-41-2140	6.5 x 40	HS-41-1150	HS-41-2150	6.5 x 90
HS-41-1141	HS-41-2141	6.5 x 45	HS-41-1151	HS-41-2151	6.5 x 95
HS-41-1142	HS-41-2142	6.5 x 50	HS-41-1152	HS-41-2152	6.5 x 100
HS-41-1143	HS-41-2143	6.5 x 55	HS-41-1153	HS-41-2153	6.5 x 105
HS-41-1144	HS-41-2144	6.5 x 60	HS-41-1154	HS-41-2154	6.5 x 110
HS-41-1145	HS-41-2145	6.5 x 65	HS-41-1155	HS-41-2155	6.5 x 115
HS-41-1146	HS-41-2146	6.5 x 70	HS-41-1156	HS-41-2156	6.5 x 120
HS-41-1147	HS-41-2147	6.5 x 75			

6.5 mm Cannulated Screw 32 mm Threaded



S.S	TI.	DIA X LENTGH (mm)	S.S	TI.	DIA X LENTGH (mm)
HS-41-1157	HS-41-2157	6.5 x 50	HS-41-1165	HS-41-2165	6.5 x 90
HS-41-1158	HS-41-2158	6.5 x 55	HS-41-1166	HS-41-2166	6.5 x 95
HS-41-1159	HS-41-2159	6.5 x 60	HS-41-1167	HS-41-2167	6.5 x 100
HS-41-1160	HS-41-2160	6.5 x 65	HS-41-1168	HS-41-2168	6.5 x 105
HS-41-1161	HS-41-2161	6.5 x 70	HS-41-1169	HS-41-2169	6.5 x 110
HS-41-1162	HS-41-2162	6.5 x 75	HS-41-1170	HS-41-2170	6.5 x 115
HS-41-1163	HS-41-2163	6.5 x 80	HS-41-1171	HS-41-2171	6.5 x 120
HS-41-1164	HS-41-2164	6.5 x 85			

6.5 mm Cannulated Screw Fully Threaded



S.S	TL	DIA X LENTGH (mm)	S.S	TL	DIA X LENTGH (mm)
HS-41-1172	HS-41-2172	6.5 x 35	HS-41-1181	HS-41-2181	6.5 x 80
HS-41-1173	HS-41-2173	6.5 x 40	HS-41-1182	HS-41-2182	6.5 x 85
HS-41-1174	HS-41-2174	6.5 x 45	HS-41-1183	HS-41-2183	6.5 x 90
HS-41-1175	HS-41-2175	6.5 x 50	HS-41-1184	HS-41-2184	6.5 x 95
HS-41-1176	HS-41-2176	6.5 x 55	HS-41-1185	HS-41-2185	6.5 x 100
HS-41-1177	HS-41-2177	6.5 x 60	HS-41-1186	HS-41-2186	6.5 x 105
HS-41-1178	HS-41-2178	6.5 x 65	HS-41-1187	HS-41-2187	6.5 x 110
HS-41-1179	HS-41-2179	6.5 x 70	HS-41-1188	HS-41-2188	6.5 x 115
HS-41-1180	HS-41-2180	6.5 x 75	HS-41-1189	HS-41-2189	6.5 x 120

7.3 mm Cannulated Screw 16 mm Threaded



S.S	TL	DIA X LENTGH (mm)	S.S	TL	DIA X LENTGH (mm)
HS-41-1190	HS-41-2190	7.3 x 50	HS-41-1198	HS-41-2198	7.3 x 90
HS-41-1191	HS-41-2191	7.3 x 55	HS-41-1199	HS-41-2199	7.3 x 95
HS-41-1192	HS-41-2192	7.3 x 60	HS-41-1200	HS-41-2200	7.3 x 100
HS-41-1193	HS-41-2193	7.3 x 65	HS-41-1201	HS-41-2201	7.3 x 105
HS-41-1194	HS-41-2194	7.3 x 70	HS-41-1202	HS-41-2202	7.3 x 110
HS-41-1195	HS-41-2195	7.3 x 75	HS-41-1203	HS-41-2203	7.3 x 115
HS-41-1196	HS-41-2196	7.3 x 80	HS-41-1204	HS-41-2204	7.3 x 120
HS-41-1197	HS-41-2197	7.3 x 85			


Cannulated Screws



6.5 mm Cannulated Screw Fully Threaded




S.S	TL	DIA X LENGTH (mm)	S.S	TL	DIA X LENGTH (mm)
HS-41-1205	HS-41-2205	7.3 x 50	HS-41-1213	HS-41-2213	7.3 x 90
HS-41-1206	HS-41-2206	7.3 x 55	HS-41-1214	HS-41-2214	7.3 x 95
HS-41-1207	HS-41-2207	7.3 x 60	HS-41-1215	HS-41-2215	7.3 x 100
HS-41-1208	HS-41-2208	7.3 x 65	HS-41-1216	HS-41-2216	7.3 x 105
HS-41-1209	HS-41-2209	7.3 x 70	HS-41-1217	HS-41-2217	7.3 x 110
HS-41-1210	HS-41-2210	7.3 x 75	HS-41-1218	HS-41-2218	7.3 x 115
HS-41-1211	HS-41-2211	7.3 x 80	HS-41-1219	HS-41-2219	7.3 x 120
HS-41-1212	HS-41-2212	7.3 x 85			




Washer

S.S	TL	DIA. (mm)
HS-41-1220	HS-41-2220	13



Washer

S.S	TL	DIA. (mm)
HS-41-1221	HS-41-2221	10



Washer

S.S	TL	DIA. (mm)
HS-41-1222	HS-41-2222	8

Headless Screws



3.0 mm Headless Cannulated Compression Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-42-1001	HS-42-2001	3.0 x 14
HS-42-1002	HS-42-2002	3.0 x 16
HS-42-1003	HS-42-2003	3.0 x 18
HS-42-1004	HS-42-2004	3.0 x 20
HS-42-1005	HS-42-2005	3.0 x 22
HS-42-1006	HS-42-2006	3.0 x 24
HS-42-1007	HS-42-2007	3.0 x 26
HS-42-1008	HS-42-2008	3.0 x 28
HS-42-1009	HS-42-2009	3.0 x 30
HS-42-1010	HS-42-2010	3.0 x 35
HS-42-1011	HS-42-2011	3.0 x 40
HS-42-1012	HS-42-2012	3.0 x 45
HS-42-1013	HS-42-2013	3.0 x 50



3.5 mm Headless Cannulated Compression Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-42-1014	HS-42-2014	3.5 x 14
HS-42-1015	HS-42-2015	3.5 x 16
HS-42-1016	HS-42-2016	3.5 x 18
HS-42-1017	HS-42-2017	3.5 x 20
HS-42-1018	HS-42-2018	3.5 x 22
HS-42-1019	HS-42-2019	3.5 x 24
HS-42-1020	HS-42-2020	3.5 x 26
HS-42-1021	HS-42-2021	3.5 x 28
HS-42-1022	HS-42-2022	3.5 x 30
HS-42-1023	HS-42-2123	3.5 x 35
HS-42-1024	HS-42-2024	3.5 x 40
HS-42-1025	HS-42-2025	3.5 x 45
HS-42-1026	HS-42-2026	3.5 x 50



4.0 mm Headless Cannulated Compression Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-42-1027	HS-42-2027	4.0 x 15
HS-42-1028	HS-42-2028	4.0 x 20
HS-42-1029	HS-42-2029	4.0 x 5
HS-42-1030	HS-42-2030	4.0 x 30
HS-42-1031	HS-42-2031	4.0 x 35
HS-42-1032	HS-42-2032	4.0 x 40
HS-42-1033	HS-42-2133	4.0 x 45
HS-42-1034	HS-42-2034	4.0 x 50
HS-42-1035	HS-42-2035	4.0 x 55
HS-42-1036	HS-42-2036	4.0 x 60
HS-42-1037	HS-42-2037	4.0 x 65
HS-42-1038	HS-42-2038	4.0 x 70
HS-42-1039	HS-42-2039	4.0 x 75

Headless Screws



5.0 mm Headless Cannulated Compression Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-42-1040	HS-42-2040	5.0 x 30
HS-42-1041	HS-42-2041	5.0 x 35
HS-42-1042	HS-42-2042	5.0 x 40
HS-42-1043	HS-42-2043	5.0 x 45
HS-42-1044	HS-42-2044	5.0 x 50
HS-42-1045	HS-42-2045	5.0 x 55
HS-42-1046	HS-42-2046	5.0 x 60
HS-42-1047	HS-42-2047	5.0 x 65
HS-42-1048	HS-42-2048	5.0 x 70
HS-42-1049	HS-42-2049	5.0 x 75
HS-42-1050	HS-42-2150	5.0 x 80




6.5 mm Headless Cannulated Compression Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-42-1051	HS-42-2051	6.5 x 30
HS-42-1052	HS-42-2052	6.5 x 35
HS-42-1053	HS-42-2053	6.5 x 40
HS-42-1054	HS-42-2054	6.5 x 45
HS-42-1055	HS-42-2055	6.5 x 50
HS-42-1056	HS-42-2056	6.5 x 55
HS-42-1057	HS-42-2057	6.5 x 60
HS-42-1058	HS-42-2058	6.5 x 65
HS-42-1059	HS-42-2059	6.5 x 70
HS-42-1060	HS-42-2060	6.5 x 75
HS-42-1061	HS-42-2061	6.5 x 80
HS-42-1062	HS-42-2062	6.5 x 85
HS-42-1063	HS-42-2063	6.5 x 90




3.0 / 4.0 mm Herbert Screw

S.S	TI.	LENGTH (mm)
HS-42-1064	HS-42-2064	14
HS-42-1065	HS-42-2065	16
HS-42-1066	HS-42-2066	18
HS-42-1067	HS-42-2067	20
HS-42-1068	HS-42-2068	22
HS-42-1069	HS-42-2069	24
HS-42-1070	HS-42-2070	26
HS-42-1071	HS-42-2071	28
HS-42-1072	HS-42-2072	30
HS-42-1073	HS-42-2073	32




Interference Screw

S.S	TI.	DIA. (mm)	LENGTH (mm)	LENGTH (mm)	LENGTH (mm)
HS-42-1074	HS-42-2074	7	20	25	30
HS-42-1075	HS-42-2075	8	20	25	30
HS-42-1076	HS-42-2076	9	20	25	30
HS-42-1077	HS-42-2077	10	20	25	30
HS-42-1078	HS-42-2078	11	20	25	30




4.5 / 5.0 mm Straight Cable Grip Plate

Calbe To Be Used		Screw To Be Used		Thickness (mm)	Width (mm)
Ø (2.0 mm)		Ø (4.5 / 5.0 mm)		7.7	16
S.S	TI.	HOLES		LENTGH (mm)	TYPE
HS-43-1001	HS-43-2001	8		174	SMALL
HS-43-1002	HS-43-2002	10		218	MEDIUM
HS-43-1003	HS-43-2003	12		262	LARGE




4.5 / 5.0 mm Trochanteric Cable Hook Plate 1

Calbe To Be Used		Screw To Be Used		Thickness (mm)	Width (mm)
Ø (1.5 / 2.0 mm)		Ø (4.5 / 5.0 mm)		5.0	16.0 - 22.0
S.S	TI.	HOLES		LENTGH (mm)	TYPE
HS-43-1004	HS-43-2004	3		115	SMALL
HS-43-1005	HS-43-2005	5		160	MEDIUM
HS-43-1006	HS-43-2006	7		205	LARGE



4.5 / 5.0 mm Trochanteric Cable Hook Plate 2

Calbe To Be Used	Screw To Be Used	Thickness (mm)	Width (mm)	
Ø (2.0 mm)	Ø (4.5 / 5.0 mm)	5.0	16.0 - 25.0	
S.S	TI.	HOLES	LENTGH (mm)	TYPE
HS-43-1007	HS-43-2007	1	96.9	SMALL
HS-43-1008	HS-43-2008	3	142.9	MEDIUM
HS-43-1009	HS-43-2009	6	188.9	LARGE



Trochanteric Cable Hook Grip Plate



Calbe To Be Used	Thickness (mm)	Width (mm)
Ø (2,0 mm)	6.0	16.0 - 25.0
S.S	TI.	LENTGH (mm)
HS-43-1010	HS-43-2010	113.2
HS-43-1011	HS-43-2011	158.6
HS-43-1012	HS-43-2012	204




3.5 mm Cable Locking Screw



5.0 mm Cable Locking Screw

S.S	TI.
HS-43-1013	HS-43-2013


S.S	TI.
HS-43-1014	HS-43-2014



Cable - Crimp Block




S.S	TI.	TYPE
HS-43-1015	HS-43-2015	CABLE 1.5 mm
HS-43-1016	HS-43-2016	CABLE 2.0 mm
HS-43-1017	HS-43-2017	CABLE BLOCK 1.5 mm
HS-43-1018	HS-43-2018	CABLE BLOCK 2.0 mm



Trochanteric Grip


S.S	TI.	LENTGH (mm)
HS-43-1019	HS-43-2019	67.5





S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1001	HS-44-2001	7 x 180	HS-44-1009	HS-44-2009	8 x 180
HS-44-1002	HS-44-2002	7 x 200	HS-44-1010	HS-44-2010	8 x 200
HS-44-1003	HS-44-2003	7 x 220	HS-44-1011	HS-44-2011	8 x 220
HS-44-1004	HS-44-2004	7 x 240	HS-44-1012	HS-44-2012	8 x 240
HS-44-1005	HS-44-2005	7 x 260	HS-44-1013	HS-44-2013	8 x 260
HS-44-1006	HS-44-2006	7 x 280	HS-44-1014	HS-44-2014	8 x 280
HS-44-1007	HS-44-2007	7 x 300	HS-44-1015	HS-44-2015	8 x 300
HS-44-1008	HS-44-2008	7 x 320	HS-44-1016	HS-44-2016	8 x 320

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1017	HS-44-2017	8.5 x 180	HS-44-1025	HS-44-2025	9 x 180
HS-44-1018	HS-44-2018	8.5 x 200	HS-44-1026	HS-44-2026	9 x 200
HS-44-1019	HS-44-2019	8.5 x 220	HS-44-1027	HS-44-2027	9 x 220
HS-44-1020	HS-44-2020	8.5 x 240	HS-44-1028	HS-44-2028	9 x 240
HS-44-1021	HS-44-2021	8.5 x 260	HS-44-1029	HS-44-2029	9 x 260
HS-44-1022	HS-44-2022	8.5 x 280	HS-44-1030	HS-44-2030	9 x 280
HS-44-1023	HS-44-2023	8.5 x 300	HS-44-1031	HS-44-2031	9 x 300
HS-44-1024	HS-44-2024	8.5 x 320	HS-44-1032	HS-44-2032	9 x 320



3.5 mm Intramedullary Nail Locking Screw



Humerus Intramedullary Nail End Cap


S.S	Ti.	DIA. X LENGTH (mm)
HS-44-1033	HS-44-2033	3.5 x 20
HS-44-1034	HS-44-2034	3.5 x 25
HS-44-1035	HS-44-2035	3.5 x 30
HS-44-1036	HS-44-2036	3.5 x 35
HS-44-1037	HS-44-2037	3.5 x 40
HS-44-1038	HS-44-2038	3.5 x 45
HS-44-1039	HS-44-2039	3.5 x 50

S.S	Ti.
HS-44-1040	HS-44-2040

Intramedullary Nail



Femur Intramedullary Nail (Antegrade)




S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1041	HS-44-2041	9 x 320	HS-44-1049	HS-44-2049	10 x 320
HS-44-1042	HS-44-2042	9 x 340	HS-44-1050	HS-44-2050	10 x 340
HS-44-1043	HS-44-2043	9 x 360	HS-44-1051	HS-44-2051	10 x 360
HS-44-1044	HS-44-2044	9 x 380	HS-44-1052	HS-44-2052	10 x 380
HS-44-1045	HS-44-2045	9 x 400	HS-44-1053	HS-44-2053	10 x 400
HS-44-1046	HS-44-2046	9 x 420	HS-44-1054	HS-44-2054	10 x 420
HS-44-1047	HS-44-2047	9 x 440	HS-44-1055	HS-44-2055	10 x 440
HS-44-1048	HS-44-2048	9 x 460	HS-44-1056	HS-44-2056	10 x 460

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1057	HS-44-2057	11 x 320	HS-44-1065	HS-44-2065	12 x 320
HS-44-1058	HS-44-2058	11 x 340	HS-44-1066	HS-44-2066	12 x 340
HS-44-1059	HS-44-2059	11 x 360	HS-44-1067	HS-44-2067	12 x 360
HS-44-1060	HS-44-2060	11 x 380	HS-44-1068	HS-44-2068	12 x 380
HS-44-1061	HS-44-2061	11 x 400	HS-44-1069	HS-44-2069	12 x 400
HS-44-1062	HS-44-2062	11 x 420	HS-44-1070	HS-44-2070	12 x 420
HS-44-1063	HS-44-2063	11 x 440	HS-44-1071	HS-44-2071	12 x 440
HS-44-1064	HS-44-2064	11 x 460	HS-44-1072	HS-44-2072	12 x 460

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1073	HS-44-2073	13 x 320	HS-44-1081	HS-44-2081	14 x 320
HS-44-1074	HS-44-2074	13 x 340	HS-44-1082	HS-44-2082	14 x 340
HS-44-1075	HS-44-2075	13 x 360	HS-44-1083	HS-44-2083	14 x 360
HS-44-1076	HS-44-2076	13 x 380	HS-44-1084	HS-44-2084	14 x 380
HS-44-1077	HS-44-2077	13 x 400	HS-44-1085	HS-44-2085	14 x 400
HS-44-1078	HS-44-2078	13 x 420	HS-44-1086	HS-44-2086	14 x 420
HS-44-1079	HS-44-2079	13 x 440	HS-44-1087	HS-44-2087	14 x 440
HS-44-1080	HS-44-2080	13 x 460	HS-44-1088	HS-44-2088	14 x 460

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1089	HS-44-2089	15 x 320	HS-44-1097	HS-44-2097	16 x 320
HS-44-1090	HS-44-2090	15 x 340	HS-44-1098	HS-44-2098	16 x 340
HS-44-1091	HS-44-2091	15 x 360	HS-44-1099	HS-44-2099	16 x 360
HS-44-1092	HS-44-2092	15 x 380	HS-44-1100	HS-44-2100	16 x 380
HS-44-1093	HS-44-2093	15 x 400	HS-44-1101	HS-44-2101	16 x 400
HS-44-1094	HS-44-2094	15 x 420	HS-44-1102	HS-44-2102	16 x 420
HS-44-1095	HS-44-2095	15 x 440	HS-44-1103	HS-44-2103	16 x 440
HS-44-1096	HS-44-2096	15 x 460	HS-44-1104	HS-44-2104	16 x 460


Intramedullary Nail



4.5 mm Intramedullary Nail Locking Screw



Femur Intramedullary Nail End Cap



Distal Femur Intramedullary Nail (DFN / RetroGrade)

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1105	HS-44-2105	4.5 x 20
HS-44-1106	HS-44-2106	4.5 x 25
HS-44-1107	HS-44-2107	4.5 x 30
HS-44-1108	HS-44-2108	4.5 x 35
HS-44-1109	HS-44-2109	4.5 x 40
HS-44-1110	HS-44-2110	4.5 x 45
HS-44-1111	HS-44-2111	4.5 x 50
HS-44-1112	HS-44-2112	4.5 x 55
HS-44-1113	HS-44-2113	4.5 x 60
HS-44-1114	HS-44-2114	4.5 x 65
HS-44-1115	HS-44-2115	4.5 x 70
HS-44-1115.2	HS-44-2115.2	4.5 x 75

S.S	TI.
HS-44-1116	HS-44-2116

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1117	HS-44-2117	9 x 200
HS-44-1118	HS-44-2118	9 x 220
HS-44-1119	HS-44-2119	9 x 240
HS-44-1120	HS-44-2120	9 x 260


S.S	TI.	DIA. X LENGTH (mm)
HS-44-1121	HS-44-2121	10 x 200
HS-44-1122	HS-44-2122	10 x 220
HS-44-1123	HS-44-2123	10 x 240
HS-44-1124	HS-44-2124	10 x 260

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1125	HS-44-2125	11 x 200
HS-44-1126	HS-44-2126	11 x 220
HS-44-1127	HS-44-2127	11 x 240
HS-44-1128	HS-44-2128	11 x 260

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1129	HS-44-2129	12 x 200
HS-44-1130	HS-44-2130	12 x 220
HS-44-1131	HS-44-2131	12 x 240
HS-44-1132	HS-44-2132	12 x 260

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1133	HS-44-2133	13 x 200
HS-44-1134	HS-44-2134	13 x 220
HS-44-1135	HS-44-2135	13 x 240
HS-44-1136	HS-44-2136	13 x 260

Intramedullary Nail




4.5 mm Intramedullary Nail Locking Screw

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1137	HS-44-2137	4,5 x 20
HS-44-1138	HS-44-2138	4,5 x 25
HS-44-1139	HS-44-2139	4,5 x 30
HS-44-1140	HS-44-2140	4,5 x 35
HS-44-1141	HS-44-2141	4,5 x 40
HS-44-1142	HS-44-2142	4,5 x 45
HS-44-1143	HS-44-2143	4,5 x 50
HS-44-1144	HS-44-2144	4,5 x 55
HS-44-1145	HS-44-2145	4,5 x 60
HS-44-1146	HS-44-2146	4,5 x 65
HS-44-1147	HS-44-2147	4,5 x 70




Distal Femur Intramedullary Nail (DFN / RetroGrade) End Cap

S.S	TI.
HS-44-1148	HS-44-2148




Fomur Short Reconstruction Intramodullary Nail (PFN)

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1121	HS-44-2121	10 x 200
HS-44-1122	HS-44-2122	10 x 220
HS-44-1123	HS-44-2123	10 x 240
HS-44-1124	HS-44-2124	10 x 260




Intramedullary Nail



Femur Long Reconstruction Intramedullary Nail

S.S	TI.	DIA. X LENGTH (mm)	SIDE	S.S	TI.	DIA. X LENGTH (mm)	SIDE
HS-44-1125	HS-44-2125	9 x 340	LEFT	HS-44-1130	HS-44-2130	9 x 340	RIGHT
HS-44-1126	HS-44-2126	9 x 360	LEFT	HS-44-1131	HS-44-2131	9 x 360	RIGHT
HS-44-1127	HS-44-2127	9 x 380	LEFT	HS-44-1132	HS-44-2132	9 x 380	RIGHT
HS-44-1128	HS-44-2128	9 x 400	LEFT	HS-44-1133	HS-44-2133	9 x 400	RIGHT
HS-44-1129	HS-44-2129	9 x 420	LEFT	HS-44-1134	HS-44-2134	9 x 420	RIGHT
S.S	TI.	DIA. X LENGTH (mm)	SIDE	S.S	TI.	DIA. X LENGTH (mm)	SIDE
HS-44-1135	HS-44-2135	10 x 340	LEFT	HS-44-1140	HS-44-2140	10 x 340	RIGHT
HS-44-1136	HS-44-2136	10 x 360	LEFT	HS-44-1141	HS-44-2141	10 x 360	RIGHT
HS-44-1137	HS-44-2137	10 x 380	LEFT	HS-44-1142	HS-44-2142	10 x 380	RIGHT
HS-44-1138	HS-44-2138	10 x 400	LEFT	HS-44-1143	HS-44-2143	10 x 400	RIGHT
HS-44-1139	HS-44-2139	10 x 420	LEFT	HS-44-1144	HS-44-2144	10 x 420	RIGHT
S.S	TI.	DIA. X LENGTH (mm)	SIDE	S.S	TI.	DIA. X LENGTH (mm)	SIDE
HS-44-1145	HS-44-2145	11 x 340	LEFT	HS-44-1150	HS-44-2150	11 x 340	RIGHT
HS-44-1146	HS-44-2146	11 x 360	LEFT	HS-44-1151	HS-44-2151	11 x 360	RIGHT
HS-44-1147	HS-44-2147	11 x 380	LEFT	HS-44-1152	HS-44-2152	11 x 380	RIGHT
HS-44-1148	HS-44-2148	11 x 400	LEFT	HS-44-1153	HS-44-2153	11 x 400	RIGHT
HS-44-1149	HS-44-2149	11 x 420	LEFT	HS-44-1154	HS-44-2154	11 x 420	RIGHT
S.S	TI.	DIA. X LENGTH (mm)	SIDE	S.S	TI.	DIA. X LENGTH (mm)	SIDE
HS-44-1155	HS-44-2155	12 x 340	LEFT	HS-44-1160	HS-44-2160	12 x 340	RIGHT
HS-44-1156	HS-44-2156	12 x 360	LEFT	HS-44-1161	HS-44-2161	12 x 360	RIGHT
HS-44-1157	HS-44-2157	12 x 380	LEFT	HS-44-1162	HS-44-2162	12 x 380	RIGHT
HS-44-1158	HS-44-2158	12 x 400	LEFT	HS-44-1163	HS-44-2163	12 x 400	RIGHT
HS-44-1159	HS-44-2159	12 x 420	LEFT	HS-44-1164	HS-44-2164	12 x 420	RIGHT
S.S	TI.	DIA. X LENGTH (mm)	SIDE	S.S	TI.	DIA. X LENGTH (mm)	SIDE
HS-44-1165	HS-44-2165	13 x 340	LEFT	HS-44-1170	HS-44-2170	13 x 340	RIGHT
HS-44-1166	HS-44-2166	13 x 360	LEFT	HS-44-1171	HS-44-2171	13 x 360	RIGHT
HS-44-1167	HS-44-2167	13 x 380	LEFT	HS-44-1172	HS-44-2172	13 x 380	RIGHT
HS-44-1168	HS-44-2168	13 x 400	LEFT	HS-44-1173	HS-44-2173	13 x 400	RIGHT
HS-44-1169	HS-44-2169	13 x 420	LEFT	HS-44-1174	HS-44-2174	13 x 420	RIGHT


Intramedullary Nail



Femur Long Reconstruction Intramedullary Nail Lag Screw



Femur Long Reconstruction Intramedullary Nail End Cap



4.5 mm Intramedullary Nail Locking Screw



APFNA Femur Short Intramedullary Nail

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1175	HS-44-2175	6.4 x 65
HS-44-1176	HS-44-2176	6.4 x 70
HS-44-1177	HS-44-2177	6.4 x 75
HS-44-1178	HS-44-2178	6.4 x 80
HS-44-1179	HS-44-2179	6.4 x 85
HS-44-1180	HS-44-2180	6.4 x 90
HS-44-1181	HS-44-2181	6.4 x 95
HS-44-1182	HS-44-2182	6.4 x 100
HS-44-1183	HS-44-2183	6.4 x 105
HS-44-1184	HS-44-2184	6.4 x 110
HS-44-1185	HS-44-2185	6.4 x 115
HS-44-1186	HS-44-2186	6.4 x 120

S.S	TI.
HS-44-1187	HS-44-2187

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1188	HS-44-2188	4.5 x 20
HS-44-1189	HS-44-2189	4.5 x 25
HS-44-1190	HS-44-2190	4.5 x 30
HS-44-1191	HS-44-2191	4.5 x 35
HS-44-1192	HS-44-2192	4.5 x 40
HS-44-1193	HS-44-2193	4.5 x 45
HS-44-1194	HS-44-2194	4.5 x 50
HS-44-1195	HS-44-2195	4.5 x 55
HS-44-1196	HS-44-2196	4.5 x 60
HS-44-1197	HS-44-2197	4.5 x 65
HS-44-1198	HS-44-2198	4.5 x 70
HS-44-1199	HS-44-2199	4.5 x 75

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1200	HS-44-2200	9 x 180
HS-44-1201	HS-44-2201	9 x 200
HS-44-1202	HS-44-2202	9 x 240
HS-44-1203	HS-44-2203	10 x 180
HS-44-1204	HS-44-2204	10 x 200
HS-44-1205	HS-44-2205	10 x 240
HS-44-1206	HS-44-2206	11 x 180
HS-44-1207	HS-44-2207	11 x 200
HS-44-1208	HS-44-2208	11 x 240
HS-44-1209	HS-44-2209	12 x 180
HS-44-1210	HS-44-2210	12 x 200
HS-44-1211	HS-44-2211	12 x 240
HS-44-1212	HS-44-2212	13 x 180
HS-44-1213	HS-44-2213	13 x 200
HS-44-1214	HS-44-2214	13 x 240
HS-44-1215	HS-44-2215	14 x 180
HS-44-1216	HS-44-2216	14 x 200
HS-44-1217	HS-44-2217	14 x 240

Intramedullary Nail


APFNA Intramedullary Nail End Cap



S.S	Tl.	LENGTH (mm)
HS-44-1218	HS-44-2218	26
HS-44-1219	HS-44-2219	40



Screw to be used
Ø5,5 mm locking



AROCOM Proximal Femur Anti - Rotation Compression Intramedullary Nail



AROCOM Proximal Femur Anti - Rotation Intramedullary Nail End Cap



AROCOM Proximal Femur Anti - Rotation Intramedullary Nail Compression Screw

APFNA Intramedullary Nail Blade Cap



S.S	Tl.	DIA. X LENGTH (mm)
HS-44-1220	HS-44-2220	10.4 x 75
HS-44-1221	HS-44-2221	10.4 x 80
HS-44-1222	HS-44-2222	10.4 x 85
HS-44-1223	HS-44-2223	10.4 x 90
HS-44-1224	HS-44-2224	10.4 x 95
HS-44-1225	HS-44-2225	10.4 x 100
HS-44-1226	HS-44-2226	10.4 x 105
HS-44-1227	HS-44-2227	10.4 x 110
HS-44-1228	HS-44-2228	10.4 x 115
HS-44-1229	HS-44-2229	10.4 x 120

S.S	Tl.	DIA. X LENGTH (mm)
HS-44-1230	HS-44-2230	10 x 220
HS-44-1231	HS-44-2231	11 x 220
HS-44-1232	HS-44-2232	12 x 220
HS-44-1233	HS-44-2233	13 x 220

S.S	Tl.
HS-44-1234	HS-44-2234

S.S	Tl.
HS-44-1235	HS-44-2235

Intramedullary Nail



AROCOM Proximal Femur Anti - Rotation
Intramedullary Nail Lag Screw




S.S	TI.	DIA. X LENGTH (mm)
HS-44-1236	HS-44-2236	10 x 75
HS-44-1237	HS-44-2237	10 x 80
HS-44-1238	HS-44-2238	10 x 85
HS-44-1239	HS-44-2239	10 x 90
HS-44-1240	HS-44-2240	10 x 85
HS-44-1241	HS-44-2241	10 x 100
HS-44-1242	HS-44-2242	10 x 105
HS-44-1243	HS-44-2243	10 x 110
HS-44-1244	HS-44-2244	10 x 115
HS-44-1245	HS-44-2245	10 x 120
HS-44-1246	HS-44-2246	10 x 125
HS-44-1247	HS-44-2247	10 x 130



AROCOM Proximal Femur Anti - Rotation Intramedullary
Nail Connection Sleeve



AROCOM Proximal Femur Anti - Rotation Intramedullary
Nail Locking Screw



ANTIRO Proximal Femur Anti - Rotation Intermedullary Nail

AROCOM Proximal Femur Anti - Rotation
Intramedullary Nail Anti - Rotation Screw



S.S	TI.	DIA. X LENGTH (mm)
HS-44-1248	HS-44-2248	6 x 65
HS-44-1249	HS-44-2249	6 x 70
HS-44-1250	HS-44-2250	6 x 75
HS-44-1251	HS-44-2251	6 x 80
HS-44-1252	HS-44-2252	6 x 85
HS-44-1253	HS-44-2253	6 x 90
HS-44-1254	HS-44-2254	6 x 95
HS-44-1255	HS-44-2255	6 x 100
HS-44-1256	HS-44-2256	6 x 105
HS-44-1257	HS-44-2257	6 x 110
HS-44-1258	HS-44-2258	6 x 115
HS-44-1259	HS-44-2259	6 x 120
HS-44-1260	HS-44-2260	6 x 125
HS-44-1261	HS-44-2261	6 x 130

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1262	HS-44-2262	12 x 52

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1263	HS-44-2263	5.5 x 26
HS-44-1264	HS-44-2264	5.5 x 28
HS-44-1265	HS-44-2265	5.5 x 30
HS-44-1266	HS-44-2266	5.5 x 32
HS-44-1267	HS-44-2267	5.5 x 34
HS-44-1268	HS-44-2268	5.5 x 36
HS-44-1269	HS-44-2269	5.5 x 38
HS-44-1270	HS-44-2270	5.5 x 40
HS-44-1271	HS-44-2271	5.5 x 42
HS-44-1272	HS-44-2272	5.5 x 44
HS-44-1273	HS-44-2273	5.5 x 46
HS-44-1274	HS-44-2274	5.5 x 48
HS-44-1275	HS-44-2275	5.5 x 50

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1276	HS-44-2276	10 x 220
HS-44-1277	HS-44-2277	11 x 220
HS-44-1278	HS-44-2278	12 x 220
HS-44-1279	HS-44-2279	13 x 220

Intramedullary Nail



**ANTIRO Proximal Femur Anti - Rotation
Intramedullary Nail End Cap**

S.S	TI.
HS-44-1280	HS-44-2280



**ANTIRO Proximal Femur Anti - Rotation
Intramedullary Nail Compression Screw**

S.S	TI.
HS-44-1281	HS-44-2281



**ANTIRO Proximal Femur Anti - Rotation
Intramedullary Nail Lag Screw**

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1282	HS-44-2282	11.5 x 75
HS-44-1283	HS-44-2283	11.5 x 80
HS-44-1284	HS-44-2284	11.5 x 85
HS-44-1285	HS-44-2285	11.5 x 90
HS-44-1286	HS-44-2286	11.5 x 95
HS-44-1287	HS-44-2287	11.5 x 100
HS-44-1288	HS-44-2288	11.5 x 105
HS-44-1289	HS-44-2289	11.5 x 110
HS-44-1290	HS-44-2290	11.5 x 115
HS-44-1291	HS-44-2291	11.5 x 120



**ANTIRO Proximal Femur Anti - Rotation
Intramedullary Nail Pin**


S.S	TI.	DIA. X LENGTH (mm)
HS-44-1292	HS-44-2292	5 x 75
HS-44-1293	HS-44-2293	5 x 80
HS-44-1294	HS-44-2294	5 x 85
HS-44-1295	HS-44-2295	5 x 90
HS-44-1296	HS-44-2296	5 x 95
HS-44-1297	HS-44-2297	5 x 100
HS-44-1298	HS-44-2298	5 x 105
HS-44-1299	HS-44-2299	5 x 110
HS-44-1300	HS-44-2300	5 x 115
HS-44-1301	HS-44-2301	5 x 120



**ANTIRO Proximal Femur Anti - Rotation Intramedullary
Nail Locking Screw**

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1302	HS-44-2302	5 x 20
HS-44-1303	HS-44-2303	5 x 25
HS-44-1304	HS-44-2304	5 x 30
HS-44-1305	HS-44-2305	5 x 35
HS-44-1306	HS-44-2306	5 x 40
HS-44-1307	HS-44-2307	5 x 45
HS-44-1308	HS-44-2308	5 x 50
HS-44-1309	HS-44-2309	5 x 55
HS-44-1310	HS-44-2310	5 x 60
HS-44-1311	HS-44-2311	5 x 65
HS-44-1312	HS-44-2312	5 x 70
HS-44-1313	HS-44-2313	5 x 75

Tibia Intramedullary Nail



S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1314	HS-44-2314	8 x 255	HS-44-1326	HS-44-2326	9 x 255
HS-44-1315	HS-44-2315	8 x 270	HS-44-1327	HS-44-2327	9 x 270
HS-44-1316	HS-44-2316	8 x 285	HS-44-1328	HS-44-2328	9 x 285
HS-44-1317	HS-44-2317	8 x 300	HS-44-1329	HS-44-2329	9 x 300
HS-44-1318	HS-44-2318	8 x 315	HS-44-1330	HS-44-2330	9 x 315
HS-44-1319	HS-44-2319	8 x 330	HS-44-1331	HS-44-2331	9 x 330
HS-44-1320	HS-44-2320	8 x 345	HS-44-1332	HS-44-2332	9 x 345
HS-44-1321	HS-44-2321	8 x 360	HS-44-1333	HS-44-2333	9 x 360
HS-44-1322	HS-44-2322	8 x 375	HS-44-1334	HS-44-2334	9 x 375
HS-44-1323	HS-44-2323	8 x 390	HS-44-1335	HS-44-2335	9 x 390
HS-44-1324	HS-44-2324	8 x 405	HS-44-1336	HS-44-2336	9 x 405
HS-44-1325	HS-44-2325	8 x 420	HS-44-1337	HS-44-2337	9 x 420


S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1338	HS-44-2338	10 x 255	HS-44-1350	HS-44-2350	11 x 255
HS-44-1339	HS-44-2339	10 x 270	HS-44-1351	HS-44-2351	11 x 270
HS-44-1340	HS-44-2340	10 x 285	HS-44-1352	HS-44-2352	11 x 285
HS-44-1341	HS-44-2341	10 x 300	HS-44-1353	HS-44-2353	11 x 300
HS-44-1342	HS-44-2342	10 x 315	HS-44-1354	HS-44-2354	11 x 315
HS-44-1343	HS-44-2343	10 x 330	HS-44-1355	HS-44-2355	11 x 330
HS-44-1344	HS-44-2344	10 x 345	HS-44-1356	HS-44-2356	11 x 345
HS-44-1345	HS-44-2345	10 x 360	HS-44-1357	HS-44-2357	11 x 360
HS-44-1346	HS-44-2346	10 x 375	HS-44-1358	HS-44-2358	11 x 375
HS-44-1347	HS-44-2347	10 x 390	HS-44-1359	HS-44-2359	11 x 390
HS-44-1348	HS-44-2348	10 x 405	HS-44-1360	HS-44-2360	11 x 405
HS-44-1349	HS-44-2349	10 x 420	HS-44-1361	HS-44-2361	11 x 420

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1362	HS-44-2362	12 x 255	HS-44-1374	HS-44-2374	13 x 255
HS-44-1363	HS-44-2363	12 x 270	HS-44-1375	HS-44-2375	13 x 270
HS-44-1364	HS-44-2364	12 x 285	HS-44-1376	HS-44-2376	13 x 285
HS-44-1365	HS-44-2365	12 x 300	HS-44-1377	HS-44-2377	13 x 300
HS-44-1366	HS-44-2366	12 x 315	HS-44-1378	HS-44-2378	13 x 315
HS-44-1367	HS-44-2367	12 x 330	HS-44-1379	HS-44-2379	13 x 330
HS-44-1368	HS-44-2368	12 x 345	HS-44-1380	HS-44-2380	13 x 345
HS-44-1369	HS-44-2369	12 x 360	HS-44-1381	HS-44-2381	13 x 360
HS-44-1370	HS-44-2370	12 x 375	HS-44-1382	HS-44-2382	13 x 375
HS-44-1371	HS-44-2371	12 x 390	HS-44-1383	HS-44-2383	13 x 390
HS-44-1372	HS-44-2372	12 x 405	HS-44-1384	HS-44-2384	13 x 405
HS-44-1373	HS-44-2373	12 x 420	HS-44-1385	HS-44-2385	13 x 420

Intramedullary Nail



ANT Tibia Intramedullary Nail



S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1386	HS-44-2386	8 x 270	HS-44-1397	HS-44-2397	9 x 270
HS-44-1387	HS-44-2387	8 x 285	HS-44-1398	HS-44-2398	9 x 285
HS-44-1388	HS-44-2388	8 x 300	HS-44-1399	HS-44-2399	9 x 300
HS-44-1389	HS-44-2389	8 x 315	HS-44-1400	HS-44-2400	9 x 315
HS-44-1390	HS-44-2390	8 x 330	HS-44-1401	HS-44-2401	9 x 330
HS-44-1391	HS-44-2391	8 x 345	HS-44-1402	HS-44-2402	9 x 345
HS-44-1392	HS-44-2392	8 x 360	HS-44-1403	HS-44-2403	9 x 360
HS-44-1393	HS-44-2393	8 x 375	HS-44-1404	HS-44-2404	9 x 375
HS-44-1394	HS-44-2394	8 x 390	HS-44-1405	HS-44-2405	9 x 390
HS-44-1395	HS-44-2395	8 x 405	HS-44-1406	HS-44-2406	9 x 405
HS-44-1396	HS-44-2396	8 x 420	HS-44-1407	HS-44-2407	9 x 420
S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1408	HS-44-2408	10 x 270	HS-44-1419	HS-44-2419	11 x 270
HS-44-1409	HS-44-2409	10 x 285	HS-44-1420	HS-44-2420	11 x 285
HS-44-1410	HS-44-2410	10 x 300	HS-44-1421	HS-44-2421	11 x 300
HS-44-1411	HS-44-2411	10 x 315	HS-44-1422	HS-44-2422	11 x 315
HS-44-1412	HS-44-2412	10 x 330	HS-44-1423	HS-44-2423	11 x 330
HS-44-1413	HS-44-2413	10 x 345	HS-44-1424	HS-44-2424	11 x 345
HS-44-1414	HS-44-2414	10 x 360	HS-44-1425	HS-44-2425	11 x 360
HS-44-1415	HS-44-2415	10 x 375	HS-44-1426	HS-44-2426	11 x 375
HS-44-1416	HS-44-2416	10 x 390	HS-44-1427	HS-44-2427	11 x 390
HS-44-1417	HS-44-2417	10 x 405	HS-44-1428	HS-44-2428	11 x 405
HS-44-1418	HS-44-2418	10 x 420	HS-44-1429	HS-44-2429	11 x 420
S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1430	HS-44-2430	12 x 270	HS-44-1441	HS-44-2441	13 x 270
HS-44-1431	HS-44-2431	12 x 285	HS-44-1442	HS-44-2442	13 x 285
HS-44-1432	HS-44-2432	12 x 300	HS-44-1443	HS-44-2443	13 x 300
HS-44-1433	HS-44-2433	12 x 315	HS-44-1444	HS-44-2444	13 x 315
HS-44-1434	HS-44-2434	12 x 330	HS-44-1445	HS-44-2445	13 x 330
HS-44-1435	HS-44-2435	12 x 345	HS-44-1446	HS-44-2446	13 x 345
HS-44-1436	HS-44-2436	12 x 360	HS-44-1447	HS-44-2447	13 x 360
HS-44-1437	HS-44-2437	12 x 375	HS-44-1448	HS-44-2448	13 x 375
HS-44-1438	HS-44-2438	12 x 390	HS-44-1449	HS-44-2449	13 x 390
HS-44-1439	HS-44-2439	12 x 405	HS-44-1450	HS-44-2450	13 x 405
HS-44-1440	HS-44-2440	12 x 420	HS-44-1451	HS-44-2451	13 x 420



4.5 mm Intramedullary Nail Locking Screw


S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-44-1452	HS-44-2452	4.5 x 20	HS-44-1458	HS-44-2458	4.5 x 50
HS-44-1453	HS-44-2453	4.5 x 25	HS-44-1459	HS-44-2459	4.5 x 55
HS-44-1454	HS-44-2454	4.5 x 30	HS-44-1460	HS-44-2460	4.5 x 60
HS-44-1455	HS-44-2455	4.5 x 35	HS-44-1461	HS-44-2461	4.5 x 65
HS-44-1456	HS-44-2456	4.5 x 40	HS-44-1462	HS-44-2462	4.5 x 70
HS-44-1457	HS-44-2457	4.5 x 45	HS-44-1463	HS-44-2463	4.5 x 75

S.S	TI.
HS-44-1464	HS-44-2464




ANT Tibia Intramedullary Nail End Cap

Intramedullary Nail



Elastic Nail



Elastic Nail End Cap

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1465	HS-44-2465	1.5 x 440
HS-44-1466	HS-44-2466	2.0 x 440
HS-44-1467	HS-44-2467	2.5 x 440
HS-44-1468	HS-44-2468	3.0 x 440
HS-44-1469	HS-44-2469	3.5 x 440
HS-44-1470	HS-44-2470	4.0 x 440
HS-44-1471	HS-44-2471	4.5 x 440
HS-44-1472	HS-44-2472	5.0 x 440
HS-44-1473	HS-44-2473	5.5 x 440

S.S	TI.	DIA. X LENGTH (mm)
HS-44-1474	HS-44-2474	Ø 1.5
HS-44-1475	HS-44-2475	Ø 2.0
HS-44-1476	HS-44-2476	Ø 2.5
HS-44-1477	HS-44-2477	Ø 3.0
HS-44-1478	HS-44-2478	Ø 3.5
HS-44-1479	HS-44-2479	Ø 4.0
HS-44-1480	HS-44-2480	Ø 4.5
HS-44-1481	HS-44-2481	Ø 5.0
HS-44-1482	HS-44-2482	Ø 5.5
HS-44-1483	HS-44-2483	Ø 5.5

Tubular Fixator Carbon Rod



S.S	TI.	DIA. X LENGTH (mm)
HS-45-1001	HS-45-2001	Ø 5 x 50
HS-45-1002	HS-45-2002	Ø 5 x 100
HS-45-1003	HS-45-2003	Ø 5 x 150
HS-45-1004	HS-45-2004	Ø 5 x 200
HS-45-1005	HS-45-2005	Ø 5 x 250
HS-45-1006	HS-45-2006	Ø 5 x 300
HS-45-1007	HS-45-2007	Ø 5 x 350
HS-45-1008	HS-45-2008	Ø 6 x 80
HS-45-1009	HS-45-2009	Ø 6 x 100
HS-45-1010	HS-45-2010	Ø 6 x 150
HS-45-1011	HS-45-2011	Ø 6 x 200
HS-45-1012	HS-45-2012	Ø 6 x 250
HS-45-1013	HS-45-2013	Ø 6 x 300
HS-45-1014	HS-45-2014	Ø 6 x 350
HS-45-1015	HS-45-2015	Ø 8 x 50
HS-45-1016	HS-45-2016	Ø 8 x 150
HS-45-1017	HS-45-2017	Ø 8 x 150

S.S	TI.	DIA. X LENGTH (mm)
HS-45-1018	HS-45-2018	Ø 8 x 250
HS-45-1019	HS-45-2019	Ø 8 x 300
HS-45-1020	HS-45-2020	Ø 8 x 350
HS-45-1021	HS-45-2021	Ø 10 x 100
HS-45-1022	HS-45-2022	Ø 10 x 150
HS-45-1023	HS-45-2023	Ø 10 x 200
HS-45-1024	HS-45-2024	Ø 10 x 250
HS-45-1025	HS-45-2025	Ø 10 x 300
HS-45-1026	HS-45-2026	Ø 10 x 350
HS-45-1027	HS-45-2027	Ø 14 x 100
HS-45-1028	HS-45-2028	Ø 14 x 150
HS-45-1029	HS-45-2029	Ø 14 x 200
HS-45-1030	HS-45-2030	Ø 14 x 250
HS-45-1031	HS-45-2031	Ø 14 x 300
HS-45-1032	HS-45-2032	Ø 14 x 350
HS-45-1033	HS-45-2033	Ø 14 x 350



Tubular Fixator Rod - Rod Clamp

S.S	TI.	DIA. X LENGTH (mm)
HS-45-1034	HS-45-2034	5.0
HS-45-1035	HS-45-2035	8.0
HS-45-1036	HS-45-2036	10.0



Tubular Fixator Rod - Pin Clamp

S.S	TI.	DIA. X LENGTH (mm)
HS-45-1037	HS-45-2037	5.0
HS-45-1038	HS-45-2038	8.0
HS-45-1039	HS-45-2039	10.0



Tubular Fixator Straight Support

S.S	TI.	DIA. (mm)
HS-45-1040	HS-45-2040	5.0
HS-45-1041	HS-45-2041	8.0
HS-45-1042	HS-45-2042	10.0



Tubular Fixator 30° Angled Support

S.S		DIA. (mm)
HS-45-1046	HS-45-2046	5.0
HS-45-1047	HS-45-2047	8.0
HS-45-1048	HS-45-2048	10.0



Tubular Fixator Multiple Pin Clamp

S.S	ALUMINIUM	DIA. (mm)
HS-45-1043	HS-45-2043	5.0
HS-45-1044	HS-45-2044	8.0
HS-45-1045	HS-45-2045	10.0



Tubular Fixator Multiple Pin T Clamp

S.S	ALUMINIUM	DIA. (mm)
HS-45-1049	HS-45-2049	5.0
HS-45-1050	HS-45-2050	8.0
HS-45-1051	HS-45-2051	10.0

External Fixators



Tubular Fixator Semi Circular Rod

S.S	TI.	DIA. X LENGTH (mm)
HS-45-1052	HS-45-2052	Ø 8 x 160
HS-45-1053	HS-45-2053	Ø 8 x 180
HS-45-1054	HS-45-2054	Ø 8 x 200
HS-45-1055	HS-45-2055	Ø 10 x 160
HS-45-1056	HS-45-2056	Ø 10 x 180
HS-45-1057	HS-45-2057	Ø 10 x 200



Tubular Fixator Compression Distraction Tube

S.S	ALUMINIUM	DIA. X LENGTH (mm)
HS-45-1058	HS-45-2058	Ø 8 x 200



Tubular Fixator Ankle Hinge

S.S	TI.	DIA. X LENGTH (mm)
HS-45-1059	HS-45-2059	Ø 8 x 200



Tubular Fixator Elbow - Wrist Hinge

S.S	TI.	DIA. X LENGTH (mm)
HS-45-1060	HS-45-2061	Ø 5 x 200



Hybrid Fixator Aluminium 2 / 3 Ring



Hybrid Fixator Aluminium 1 / 3 Ring



Hybrid Fixator Three Hole Sliding Wire Clamp

REF. NO.
HS-46-1007



Hybrid Fixator Aluminium 1 / 3 Ring

S.S	TI.	DIA. (mm)
HS-46-1001	HS-46-2001	155
HS-46-1002	HS-46-2002	185
HS-46-1003	HS-46-2003	215

S.S	TI.	DIA. (mm)
HS-46-1004	HS-46-2004	155
HS-46-1005	HS-46-2005	185
HS-46-1006	HS-46-2006	215



Washer

S.S	TI.	DIA. (mm)
HS-46-1008	HS-46-2008	12
HS-46-1009	HS-46-2009	14

S.S	TI.
HS-46-1010	HS-46-2010




Olive Wire

S.S	TI.	DIA. X LENGTH (mm)
HS-46-1011	HS-46-2011	2.0 x 300
HS-46-1012	HS-46-2012	2.0 x 400



Olive Wire

S.S	TI.	DIA. X LENGTH (mm)
HS-46-1013	HS-46-2013	2.0 x 300
HS-46-1014	HS-46-2014	2.0 x 400



Hybrid Fixator Three Hole Sliding Wire Clamp

S.S	TI.
HS-46-1015	HS-46-2015



Washer

REF. NO.
HS-46-1016



Hybrid Fixator Carbon Rod

REF. NO.
HS-46-1017



Wire Fixation Bolt 25 / 30 mm

S.S	TI.
HS-46-1018	HS-46-2018



Hybrid Fixator Straight Posts

S.S	TI.
HS-46-1019	HS-46-2019



Hybrid Fixator 30° Angled Posts

S.S	TI.
HS-46-1020	HS-46-2020



Half Pin Universal Retaining Bolt

S.S	TI.
HS-46-1021	HS-46-2021



Connection Bolt (M6)

S.S	TI.	LENGTH (mm)
HS-46-1022	HS-46-2022	25
HS-46-1023	HS-46-2023	30



Spiked Washer

S.S	TI.
HS-46-1024	HS-46-2024



Nut M6

S.S	TI.
HS-46-1025	HS-46-2025



Hybrid Fixator Single Pin Clamp

S.S	TI.
HS-46-1026	HS-46-2026



Hybrid Fixator Hinge Clamp

REF. NO.
HS-46-1027

External Fixators



Hybrid Fixator Kit

REF. NO.

HS-46-1028



Hybrid Fixator Telescopic Reduction Unit

REF. NO.

HS-46-1029



Hybrid Fixator Translation Rotation Hinge

REF. NO.

HS-46-1030




Square Socket

REF. NO.

HOLE

HS-46-1031
HS-46-1032
HS-46-1033
HS-46-1034

1
2
3
4



Threaded Rod (M6)

S.S

TI.

LENGTH

HS-46-1035	HS-46-2035	50
HS-46-1036	HS-46-2036	75
HS-46-1037	HS-46-2037	100
HS-46-1038	HS-46-2038	115
HS-46-1039	HS-46-2039	125
HS-46-1040	HS-46-2040	150
HS-46-1041	HS-46-2041	175
HS-46-1042	HS-46-2042	200
HS-46-1043	HS-46-2043	250
HS-46-1044	HS-46-2044	300



Threaded Rod (M6)

S.S

TI.

HS-46-1045


HS-46-2045



Half Ring



5 / 8 C Ring



Foot Ring

S.S	TI.	DIA. (mm)
HS-47-1001	HS-47-2001	80
HS-47-1002	HS-47-2002	100
HS-47-1003	HS-47-2003	120
HS-47-1004	HS-47-2004	130
HS-47-1005	HS-47-2005	140
HS-47-1006	HS-47-2006	150
HS-47-1007	HS-47-2007	160
HS-47-1008	HS-47-2008	170
HS-47-1009	HS-47-2009	180
HS-47-1010	HS-47-2010	200
HS-47-1011	HS-47-2011	220

S.S	TI.	DIA. (mm)
HS-47-1012	HS-47-2012	80
HS-47-1013	HS-47-2013	100
HS-47-1014	HS-47-2014	120
HS-47-1015	HS-47-2015	130
HS-47-1016	HS-47-2016	140
HS-47-1017	HS-47-2017	150
HS-47-1018	HS-47-2018	160
HS-47-1019	HS-47-2019	170
HS-47-1020	HS-47-2020	180
HS-47-1021	HS-47-2021	200
HS-47-1022	HS-47-2022	220

S.S	TI.	DIA. (mm)
HS-47-1023	HS-47-2023	80
HS-47-1024	HS-47-2024	100
HS-47-1025	HS-47-2025	120
HS-47-1026	HS-47-2026	130
HS-47-1027	HS-47-2027	140
HS-47-1028	HS-47-2028	150
HS-47-1029	HS-47-2029	160



Femoral Arch



Multiple Pin Fixation Clamp

S.S	TI.
HS-47-1036	HS-47-2036
HS-47-1037	HS-47-2037
HS-47-1038	HS-47-2038
HS-47-1039	HS-47-2039



Femoral Arch



Adjustable Clamp

S.S	TI.
HS-47-1048	HS-47-2048

S.S	ALUMINIUM	ANGLE / DIA. (mm)
HS-47-1030	HS-47-2030	90° / 160
HS-47-1031	HS-47-2031	90° / 180
HS-47-1032	HS-47-2032	90° / 200
HS-47-1033	HS-47-2033	120° / 160
HS-47-1034	HS-47-2034	120° / 180
HS-47-1035	HS-47-2035	120° / 200



Oblique Support Connector

S.S	TI.	LENGTH (mm)
HS-47-1040	HS-47-2040	30
HS-47-1041	HS-47-2041	58
HS-47-1042	HS-47-2042	82

S.S	ALUMINIUM	LENGTH (mm)
HS-47-1043	HS-47-2043	100
HS-47-1044	HS-47-2044	125
HS-47-1045	HS-47-2045	150
HS-47-1046	HS-47-2046	175
HS-47-1047	HS-47-2047	215



Double Female Hinge

S.S	TI.
HS-47-1049	HS-47-2049

External Fixators Adult Circular



Male Half Hinge

S.S	TI.
HS-47-1050	HS-47-2050



Female Half Hinge

S.S	TI.
HS-47-1051	HS-47-2052




Cannulated Bolt

S.S	TI.
HS-47-1053	HS-47-2053




Slotted Bolt

S.S	TI.
HS-47-1054	HS-47-2054



Half Pin Universal Retaining Bolt

S.S	TI.
HS-47-1055	HS-47-2055



Single Pin Fixation Bolt

S.S	TI.
HS-47-1056	HS-47-2056




Female Support

S.S	TI.	HOLES	LENGTH (mm)
HS-47-1057	HS-47-1057	1	23
HS-47-1058	HS-47-1058	2	32
HS-47-1059	HS-47-1059	3	41



Male Support

S.S	TI.	HOLES	LENGTH (mm)
HS-47-1060	HS-47-1060	1	12
HS-47-1061	HS-47-1061	2	42
HS-47-1062	HS-47-1062	3	51



Connection Bolt (M6)

S.S	TI.	LENGTH (mm)
HS-47-1063	HS-47-2063	16
HS-47-1064	HS-47-2064	20
HS-47-1065	HS-47-2065	25
HS-47-1066	HS-47-2066	30



Connecting Plate

S.S	TI.	HOLES	LENGTH (mm)
HS-47-1067	HS-47-2067	2	41
HS-47-1068	HS-47-2068	3	51
HS-47-1069	HS-47-2069	4	61
HS-47-1070	HS-47-2070	5	71
HS-47-1071	HS-47-2071	6	81
HS-47-1072	HS-47-2072	7	91
HS-47-1073	HS-47-2073	8	101

External Fixators Adult Circular



Connecting Plate with Threaded End

S.S	TI.	HOLES	LENTGH (mm)
HS-47-1074	HS-47-2074	5	131
HS-47-1075	HS-47-2075	7	171
HS-47-1076	HS-47-2076	9	211



90° Angular Plate

S.S	TI.	HOLES	LENTGH (mm)
HS-47-1077	HS-47-2077	2	50
HS-47-1078	HS-47-2078	4	75



Twisted Plate

S.S	TI.	HOLES	LENTGH (mm)
HS-47-1079	HS-47-2079	2	50
HS-47-1080	HS-47-2080	3	70
HS-47-1081	HS-47-2081	4	90



Universal Hinge

S.S	TI.
HS-47-1082	HS-47-2082



Curved Plate

S.S	TI.
HS-47-1083	HS-47-2083



Square Socket

S.S	TI.	HOLES
HS-47-1084	HS-47-2084	1
HS-47-1085	HS-47-2085	2
HS-47-1086	HS-47-2086	3
HS-47-1087	HS-47-2087	4



Square Socket Centering Sleeve

S.S	TI.	DIA. (mm)
HS-47-1088	HS-47-2088	6



Washer

S.S	TI.	DIA. (mm)
HS-47-1089	HS-47-2089	12
HS-47-1090	HS-47-2090	14

External Fixators Adult Circular



Oval Washer

S.S	TI.	LENTGH (mm)
HS-47-1091	HS-47-2091	12



Conical Washer

S.S	TI.
HS-47-1092	HS-47-2092



Star Washer

S.S	TI.
HS-47-1093	HS-47-2093



Nut M6

S.S	TI.
HS-47-1094	HS-47-2094



Slotted Washer

S.S	TI.
HS-47-1095	HS-47-2095



Threaded Rod (M6)

S.S	TI.	LENTGH (mm)
HS-47-1096	HS-47-2096	50
HS-47-1097	HS-47-2097	75
HS-47-1098	HS-47-2098	100
HS-47-1099	HS-47-2099	115
HS-47-1100	HS-47-2100	125
HS-47-1101	HS-47-2101	150
HS-47-1102	HS-47-2102	175
HS-47-1103	HS-47-2103	200
HS-47-1104	HS-47-2104	250
HS-47-1105	HS-47-2105	300
HS-47-1106	HS-47-2106	350
HS-47-1107	HS-47-2107	400



Lengthening Rod (M6)

S.S	TI.	LENTGH (mm)
HS-47-1108	HS-47-2108	60
HS-47-1109	HS-47-2109	80
HS-47-1110	HS-47-2110	100
HS-47-1111	HS-47-2111	120
HS-47-1112	HS-47-2112	150
HS-47-1113	HS-47-2113	200



Slotted Rod (M6)

S.S	TI.	LENTGH (mm)
HS-47-1114	HS-47-2114	40
HS-47-1115	HS-47-2115	50
HS-47-1116	HS-47-2116	60
HS-47-1117	HS-47-2117	70
HS-47-1118	HS-47-2118	100



Trocar Pointed Wire

S.S	TI.	DIA. X LENTGH (mm)
HS-47-1119	HS-47-2119	1.8 x 300
HS-47-1120	HS-47-2120	1.8 x 400
HS-47-1121	HS-47-2121	2.0 x 300
HS-47-1122	HS-47-2122	2.0 x 400



Bayonet Pointed Wire

S.S	TI.	DIA. X LENTGH (mm)
HS-47-1123	HS-47-2123	1.8 x 300
HS-47-1124	HS-47-2124	1.8 x 400
HS-47-1125	HS-47-2125	2.0 x 300
HS-47-1126	HS-47-2126	2.0 x 400



Olive Wire

S.S	TI.	DIA. X LENTGH (mm)
HS-47-1127	HS-47-1127	1.8 x 300
HS-47-1128	HS-47-1128	1.8 x 400
HS-47-1129	HS-47-1129	2.0 x 300
HS-47-1130	HS-47-1130	2.0 x 400



Hybrid External Fixator (For adaptation to External Circular Fixation System)

S.S	TI.	TYPE	LENTGH (mm)	Pin / Screw to be Used
HS-47-1131	HS-47-2131	MEDIUM	230	Ø (2.5/3.0/3.5/4.0 mm)
HS-47-1132	HS-47-2132	LONG	250	Ø (4.5/5.0/5.5/6.0 mm)



Pediatric Half Ring

S.S	TI.	DIA. (mm)
HS-47-1133	HS-47-2133	Ø 70
HS-47-1134	HS-47-2134	Ø 80
HS-47-1135	HS-47-2135	Ø 90
HS-47-1136	HS-47-2136	Ø 100
HS-47-1137	HS-47-2137	Ø 110
HS-47-1138	HS-47-2138	Ø 120



Pediatric 5 / 8 C Ring

S.S	TI.	DIA. (mm)
HS-47-1139	HS-47-2139	Ø 70
HS-47-1140	HS-47-2140	Ø 80
HS-47-1141	HS-47-2141	Ø 90
HS-47-1142	HS-47-2142	Ø 100
HS-47-1143	HS-47-2143	Ø 110
HS-47-1144	HS-47-2144	Ø 120



Pediatric Femoral Arch

S.S	TI.	ANGLE	DIA. (mm)
HS-47-1145	HS-47-2145	90°	90
HS-47-1146	HS-47-2146	90°	110
HS-47-1147	HS-47-2147	120°	90
HS-47-1148	HS-47-2148	120°	110

Kirschner Wires with Trocar Point



S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. (mm)
HS-48-1001	HS-48-2001	0.5	HS-48-1012	HS-48-2012	2.0
HS-48-1002	HS-48-2002	0.6	HS-48-1013	HS-48-2013	2.2
HS-48-1003	HS-48-2003	0.8	HS-48-1014	HS-48-2014	2.5
HS-48-1004	HS-48-2004	0.9	HS-48-1015	HS-48-2015	2.8
HS-48-1005	HS-48-2005	1.0	HS-48-1016	HS-48-2016	3.0
HS-48-1006	HS-48-2006	1.2	HS-48-1017	HS-48-2017	3.2
HS-48-1007	HS-48-2007	1.4	HS-48-1018	HS-48-2018	3.5
HS-48-1008	HS-48-2008	1.5	HS-48-1019	HS-48-2019	4.0
HS-48-1009	HS-48-2009	1.6	HS-48-1020	HS-48-2020	4.5
HS-48-1010	HS-48-2010	1.8	HS-48-1021	HS-48-2021	5.0
HS-48-1011	HS-48-2011		HS-48-1022	HS-48-2022	

Kirschner Wires with Double Trocar Point



S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. (mm)
HS-48-1023	HS-48-2023	0.5	HS-48-1034	HS-48-2034	2.0
HS-48-1024	HS-48-2024	0.6	HS-48-1035	HS-48-2035	2.2
HS-48-1025	HS-48-2025	0.8	HS-48-1036	HS-48-2036	2.5
HS-48-1026	HS-48-2026	0.9	HS-48-1037	HS-48-2037	2.8
HS-48-1027	HS-48-2027	1.0	HS-48-1038	HS-48-2038	3.0
HS-48-1028	HS-48-2028	1.2	HS-48-1039	HS-48-2039	3.2
HS-48-1029	HS-48-2029	1.4	HS-48-1040	HS-48-2040	3.5
HS-48-1030	HS-48-2030	1.5	HS-48-1041	HS-48-2041	4.0
HS-48-1031	HS-48-2031	1.6	HS-48-1042	HS-48-2042	4.5
HS-48-1032	HS-48-2032	1.8	HS-48-1043	HS-48-2043	5.0
HS-48-1033	HS-48-2033		HS-48-1044	HS-48-2044	

Threaded Kirschner Wires with Trocar Point



Cerclage Wire

S.S	TI.	DIA. X LENGTH (mm)	S.S	TI.	DIA. X LENGTH (mm)
HS-48-1051	HS-48-2051	0.3 x 5000	HS-48-1059	HS-48-2059	1.0 x 5000
HS-48-1052	HS-48-2052	0.4 x 5000	HS-48-1060	HS-48-2060	1.2 x 5000
HS-48-1053	HS-48-2053	0.5 x 5000	HS-48-1061	HS-48-2061	1.5 x 5000
HS-48-1054	HS-48-2054	0.6 x 5000	HS-48-1062	HS-48-2062	1.8 x 5000
HS-48-1055	HS-48-2055	0.7 x 5000	HS-48-1063	HS-48-2063	2.0 x 5000
HS-48-1056	HS-48-2056	0.8 x 5000	HS-48-1064	HS-48-2064	2.3 x 5000
HS-48-1057	HS-48-2057	0.9 x 5000	HS-48-1065	HS-48-2065	2.5 x 5000
HS-48-1058	HS-48-2058				

Steinmann Pin with Trocar Point



S.S	TI.	DIA. X LENGTH (mm)
HS-48-1066	HS-48-2066	1.8
HS-48-1067	HS-48-2067	2.0
HS-48-1068	HS-48-2068	2.5
HS-48-1069	HS-48-2069	3.0
HS-48-1070	HS-48-2070	3.5
HS-48-1071	HS-48-2071	4.0
HS-48-1072	HS-48-2072	4.5
HS-48-1073	HS-48-2073	5.0
HS-48-1074	HS-48-2074	6.0
HS-48-1075	HS-48-2075	

Steinmann Pins with Central Threaded



S.S	TI.	DIA. (mm)	THREAD LENGTH (mm)	S.S	TI.	DIA. (mm)	THREAD LENGTH (mm)
HS-48-1076	HS-48-2076	3.0	60	HS-48-1079	HS-48-2079	5.0	60
HS-48-1077	HS-48-2077	4.0	60	HS-48-1080	HS-48-2080	5.5	60
HS-48-1078	HS-48-2078	4.5	60	HS-48-1081	HS-48-2081	6.0	60

Schanz Screw



S.S	TI.	DIA. (mm)
HS-48-1082	HS-48-2082	1.5
HS-48-1083	HS-48-2083	2.0
HS-48-1084	HS-48-2084	2.5
HS-48-1085	HS-48-2085	3.0
HS-48-1086	HS-48-2086	3.5
HS-48-1087	HS-48-2087	4.0
HS-48-1088	HS-48-2088	4.5
HS-48-1089	HS-48-2089	5.0
HS-48-1090	HS-48-2090	5.5
HS-48-1091	HS-48-2091	6.0
HS-48-1092	HS-48-2092	6.0

Schanz Conical Screw (Cortical)



S.S	TI.	DIA. X LENGTH (mm)
HS-48-1093	HS-48-1093	6.0 X 130
HS-48-1094	HS-48-1094	6.0 X 150
HS-48-1095	HS-48-1095	6.0 X 160
HS-48-1096	HS-48-1096	6.0 X 180
HS-48-1097	HS-48-1097	6.0 X 200
HS-48-1098	HS-48-1098	6.0 X 220

Schanz Screw Cancellous




S.S	TI.	DIA. X LENGTH (mm)
HS-48-1099	HS-48-2099	6.0 X 150
HS-48-1100	HS-48-2100	6.0 X 160
HS-48-1101	HS-48-2101	6.0 X 180
HS-48-1102	HS-48-2102	6.0 X 200
HS-48-1103	HS-48-2103	6.0 X 220

Calibrated Self - Tapping Schanz Screw



S.S	TI.	DIA. (mm)
HS-48-1104	HS-48-2104	4.0
HS-48-1105	HS-48-2105	5.0
HS-48-1106	HS-48-2106	6.0

Rush Type Intramedullary Pin



S.S	TI.	DIA. (mm)
HS-48-1107	HS-48-2007	2.0
HS-48-1108	HS-48-2008	2.5
HS-48-1109	HS-48-2109	3.0
HS-48-1110	HS-48-2110	3.2
HS-48-1111	HS-48-2111	3.5
HS-48-1112	HS-48-2112	4.0
HS-48-1113	HS-48-2113	4.5
HS-48-1114	HS-48-2114	5.0
HS-48-1115	HS-48-2115	5.5
HS-48-1116	HS-48-2116	6.0
HS-48-1117	HS-48-2117	7.0

Pelvic Traction Screw



S.S	TI.	DIA. (mm)
HS-48-1118	HS-48-2118	3.2
HS-48-1119	HS-48-2119	4.5
HS-48-1120	HS-48-2120	8.0
HS-48-1121	HS-48-2121	8.0



Tibial Bolt

S.S	TI.	DIA. (mm)
HS-48-1122	HS-48-2122	3
HS-48-1123	HS-48-2123	4



Knowless Hip Pin

S.S	TI.	DIA. (mm)
HS-48-1124	HS-48-2124	3.0
HS-48-1125	HS-48-2125	3.2
HS-48-1126	HS-48-2126	4.0
HS-48-1127	HS-48-2127	4.5
HS-48-1128	HS-48-2128	5.0



Drill Bit

S.S	TI.	DIA. (mm)
HS-48-1129	HS-48-2129	Ø 1.2
HS-48-1130	HS-48-2130	Ø 1.5
HS-48-1131	HS-48-2131	Ø 1.8
HS-48-1132	HS-48-2132	Ø 2.0
HS-48-1133	HS-48-2133	Ø 2.2
HS-48-1134	HS-48-2134	Ø 2.5
HS-48-1135	HS-48-2135	Ø 2.7
HS-48-1136	HS-48-2136	Ø 3.0
HS-48-1137	HS-48-2137	Ø 3.2
HS-48-1138	HS-48-2138	Ø 3.5
HS-48-1139	HS-48-2139	Ø 3.7
HS-48-1140	HS-48-2140	Ø 4.0
HS-48-1141	HS-48-2141	Ø 4.5
HS-48-1142	HS-48-2142	Ø 5.0
HS-48-1143	HS-48-2143	Ø 5.5
HS-48-1144	HS-48-2144	Ø 6.0



Gigli Saw

S.S	TI.	DIA. (mm)
HS-48-1145	HS-48-2145	300
HS-48-1146	HS-48-2146	400
HS-48-1147	HS-48-2147	500
HS-48-1148	HS-48-2148	600

Serving HealthCare WorldWide



info@hammersurgico.com



www.hammersurgico.com



+92-302-6428390



+92-327-8685754



@hammersurgico



@hammersurgico



@hammersurgico



ISO 9001: 2015

